according to GB/T 16483 and GB/T 17519 CN



#### **OKS 100**

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 100

Chemical nature : Molybdenum disulfide

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person responsible for the SDS

ss of person : mcm@oks-germany.com
or the SDS Material Compliance Management

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : solid lubricant

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance: powderColour: greyOdour: odourless

Not a hazardous substance or mixture.

## **GHS Classification**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

according to GB/T 16483 and GB/T 17519 CN



#### **OKS 100**

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

### Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Not classified based on available information.

#### **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

### Components

Chemical name	CAS-No.	Concentration (% w/w)
molybdenum disulphide	1317-33-5	>= 90 -<= 100

# 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

In case of contact, immediately flush skin with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Do not induce vomiting without medical advice.

Rinse mouth with water.

Most important symptoms

and effects, both acute and

delayed

No information available.

None known.

Notes to physician : No information available.

according to GB/T 16483 and GB/T 17519



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod: :

ucts

Sulphur oxides Metal oxides

Specific extinguishing meth-

ods

Standard procedure for chemical fires.
Cool containers/tanks with water spray.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Avoid dust formation. Avoid breathing dust.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Prevent further leakage or spillage.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

#### 7. HANDLING AND STORAGE

Handling



according to GB/T 16483 and GB/T 17519



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03 1.5

Advice on protection against : Avoid dust formation.

fire and explosion

Advice on safe handling Do not use in areas without adequate ventilation.

Do not breathe vapours/dust.

In case of insufficient ventilation, wear suitable respiratory

equipment.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Avoid dust accumulation in enclosed space.

Avoidance of contact No materials to be especially mentioned.

Storage

Conditions for safe storage Store in original container.

> Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
molybdenum disulphide	1317-33-5	PC-TWA	6 mg/m3	CN OEL
,			(Molybdenum)	(2019-08-27)
		TWA (Inhal-	10 mg/m3	ACGIH
		able particu-	(Molybdenum)	(2019-03-05)
		late matter)		
		TWA (Res-	3 mg/m3	ACGIH
		pirable par-	(Molybdenum)	(2019-03-05)
		ticulate mat-		
		ter)		

**Engineering measures** Local exhaust

Ensure that dust-handling systems (such as exhaust ducts,



according to GB/T 16483 and GB/T 17519 CN



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : Use the indicated respiratory protection if the occupational

exposure limit is exceeded and/or in case of product release

(dust).

Filter type : P2 filter

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : grey

Odour : odourless

Odour Threshold : No data available

according to GB/T 16483 and GB/T 17519 CN



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

pH : Not applicable

substance/mixture is non-soluble (in water)

Melting point/range : 1,185 °C

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Will not burn

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

250,000 mg/m3

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Density : 4.80 g/cm3 (20 °C)

Bulk density : 400 - 1,400 kg/m3

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : 520 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

according to GB/T 16483 and GB/T 17519



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Dust can form an explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

## 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Symptoms: Inhalation may provoke the following symptoms:,

Respiratory disorder, Dust may cause sore throat and pains in

the lungs and chest.

Acute dermal toxicity : Remarks: This information is not available.

**Components:** 

molybdenum disulphide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16,000 mg/kg

according to GB/T 16483 and GB/T 17519 CN



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

#### Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

molybdenum disulphide:

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : Contact with eyes may cause irritation.

**Components:** 

molybdenum disulphide:

Result : No eye irritation
Assessment : No eye irritation

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

**Components:** 

molybdenum disulphide:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

according to GB/T 16483 and GB/T 17519



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

Genotoxicity in vivo : Remarks: No data available

Components:

molybdenum disulphide:

Germ cell mutagenicity -

Assessment

: Animal testing did not show any mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

molybdenum disulphide:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

**Components:** 

molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

**Components:** 

molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to GB/T 16483 and GB/T 17519 CN



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Aspiration toxicity** 

**Product:** 

This information is not available.

**Further information** 

**Product:** 

Remarks : Prolonged or repeated inhalation may cause damage to the

lungs.

**Components:** 

molybdenum disulphide:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Product:** 

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available



according to GB/T 16483 and GB/T 17519



**OKS 100** 

Version Date of last issue: 2021-09-08 Revision Date:

2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03 1.5

Remarks: No data available Toxicity to microorganisms

**Components:** 

molybdenum disulphide:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Persistence and degradability

**Product:** 

Biodegradability Remarks: No data available

Physico-chemical removabil- :

ity

Remarks: No data available

Bioaccumulative potential

**Product:** 

Bioaccumulation Remarks: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

This substance is not considered to be very persistent and

very bioaccumulating (vPvB).

Mobility in soil

**Product:** 

Mobility Remarks: No data available

Distribution among environmental compartments

Remarks: No data available

Other adverse effects

**Product:** 

Additional ecological infor-No information on ecology is available.

according to GB/T 16483 and GB/T 17519 CN



**OKS 100** 

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

mation

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

#### 14. TRANSPORT INFORMATION

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

## **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

### GB 6944/12268

Not regulated as a dangerous good

## Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

## National regulatory information

Law on the Prevention and Control of Occupational Diseases

## **Regulations on Safety Management of Hazardous Chemicals**

Hazardous Chemicals for Priority Management under : Not applicable

SAWS



according to GB/T 16483 and GB/T 17519



#### **OKS 100**

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

Catalogue of Hazardous Chemicals : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

#### 16. OTHER INFORMATION

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

according to GB/T 16483 and GB/T 17519 CN



#### **OKS 100**

Version Revision Date: Date of last issue: 2021-09-08

1.5 2022-08-02 Date of first issue: 2014-06-26 Print Date: 2022-08-03

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

