according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

VersionRevision Date:Date of last issue: 2021-09-201.72023-01-25Date of first issue: 2013-10-22Print Date: 2023-01-25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	OKS 1361
Chemical nature	:	Active substance with propellant
Manufacturer or supplier's de	etai	ls
Company name of supplier	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
Emergency telephone number	:	+86 532 8388 9090 (NRCC, only for hazardous chemicals) +86 21 69225521
Recommended use of the che	emi	cal and restrictions on use
Recommended use	:	release agent spray
Restrictions on use	:	Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overvie	N	
Appearance	: aerosol	
Colour	: colourless	
Odour	: odourless	
Extremely flammable	aerosol. Pressurised container: May burst if heated	d.
GHS Classification		

Aerosols : Category 1

GHS label elements

Hazard pictograms



1



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

Version 1.7	Revision Date: 2023-01-25	Date of last issue: 2021-09-20 Date of first issue: 2013-10-22 Print Date: 2023-01-25
Sign	al word	: Danger
Haza	ard statements	: H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.
Prec	autionary stateme	nts : Prevention:
		P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use.
		Storage:
		P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Phys	sical and chemic	al hazards
Extre	emely flammable a	erosol.Pressurised container: May burst if heated.
Heal	th hazards	

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Butane	106-97-8	>= 50 -< 70
propane	74-98-6	>= 20 -< 30

4. FIRST AID MEASURES

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice.
	Keep respiratory tract clear.
	If breathing is irregular or stopped, administer artificial respiration.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

Version 1.7	Revision Date: 2023-01-25		ast issue: 2021-09-20 irst issue: 2013-10-22 Print Date: 2023-01-25
In ca	ise of skin contact	:	Remove contaminated clothing. If irritation develops, get medical attention. Wash off with soap and plenty of water. Wash clothing before reuse.
In ca	se of eye contact	:	Thoroughly clean shoes before reuse. Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
lf sw	allowed	:	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.
	t important sympto effects, both acute yed		Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness
Note	s to physician	:	Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

VersionRevision Date:Date of last issue: 2021-09-201.72023-01-25Date of first issue: 2013-10-22Print Date: 2023-01-25

health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
Prevention of secondary hazards	:	Only qualified personnel equipped with suitable protective equipment may intervene.

7. HANDLING AND STORAGE

Handling	
Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

Version 1.7	Revision Date: 2023-01-25	Date of last issue: 2021-09-20 Date of first issue: 2013-10-22 Print Date: 2023-01-25	
Avoi	dance of contact	: Oxidizing agents	-
Stor	age		
Cond	ditions for safe sto	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations. 	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
Components	CA3-N0.	Value type (Form of	parameters /	Dasis
		exposure)	Permissible	
		exposure)	concentration	
Butane	106-97-8	STEL	1,000 ppm	ACGIH
Dutane	100-97-0	SILL	1,000 ppm	(2018-03-20)
				(2010-03-20)
Engineering measures	ventilation.	n a place equipp	with explosion proof ed with local exhaust	
Porsonal protoctive equipmen				
Personal protective equipmer				
Respiratory protection :	ventilation is	provided or expo s are within reco	ess adequate local ex sure assessment der ommended exposure	monstrates
Filter type :	Filter type A-F	D		
Eye/face protection :	Safety glasse	s with side-shiel	ds	
Skin and body protection :		and amount of o	ation to its type, to the dangerous substance	
Hand protection				
Material :	Nitrile rubber			
Break through time	> 10 min			
Protective index :	Class 1			
Remarks :	break through material, the t	i time depends a	ntact use protective g mongst other things e type of glove and th case.	on the



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

Version 1.7	Revision Date: 2023-01-25	Date of last issue: 2021-09-20 Date of first issue: 2013-10-22 Print Date: 2023-01-25
Prot	ective measures	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hyg	iene measures	: Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	aerosol
Colour	:	colourless
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/range	:	No data available
Boiling point/boiling range	:	< -20.00 °C
Flash point	:	-20 °C
		Method: Abel-Pensky
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Self-ignition	:	Not applicable
Upper explosion limit / Upper flammability limit	:	10.8 %(V)
Lower explosion limit / Lower flammability limit	:	1.4 %(V)
Vapour pressure	:	< 4,000 hPa (20 °C)
Relative vapour density	:	No data available



according to GB/T 16483 and GB/T 17519 CN



OKS 1361

Version	Revision Date:	Date of last issue: 2021-09-20	
1.7	2023-01-25	Date of first issue: 2013-10-22	Print Date: 2023-01-25

Relative density	:	0.598 (20 °C) Reference substance: Water The value is calculated
Density	:	0.60 g/cm3 (20 °C)
Bulk density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	365 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	>150 °C small quantities of formaldehyde may be formed.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

VersionRevision Date:Date of last issue: 2021-09-201.72023-01-25Date of first issue: 2013-10-22Print Date: 2023-01-25

11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
Butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Serious eye damage/eye irr	itat	ion
Product:		
Remarks	:	Contact with eyes may cause irritation.
Respiratory or skin sensitis	satio	on
Product:		
Remarks	:	This information is not available.
Germ cell mutagenicity		
Product:		
Genotoxicity in vitro	:	Remarks: No data available



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

rsion ,	Revision Date: 2023-01-25	Date of last issue: 2021-09-20 Date of first issue: 2013-10-22 Print Date: 2023-01-25
Gen	otoxicity in vivo	: Remarks: No data available
Carc	inogenicity	
<u>Proc</u> Rem		: No data available
Rep	roductive toxicity	
<u>Proc</u> Effec	luct: cts on fertility	: Remarks: No data available
	cts on foetal elopment	: Remarks: No data available
Rep	eated dose toxici	у
<u>Proc</u> Rem		: This information is not available.
Aspi	iration toxicity	
<u>Proc</u> This	luct: information is not	available.
Furt	her information	
<u>Proc</u>	luct:	
Rem		: Information given is based on data on the components and the toxicology of similar products.

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

:

Toxicity to daphnia and other :



according to GB/T 16483 and GB/T 17519 CN



OKS 1361

Version 1.7			st issue: 2021-09-20 st issue: 2013-10-22 Print	t Date: 2023-01-25
aqu	atic invertebrates		Remarks: No data availab	le
Tox plar	icity to algae/aquatic hts	:	Remarks: No data availab	le
Тох	icity to microorganisr	ns :	Remarks: No data availab	le
Per	sistence and degrad	dability		
	<u>duct:</u> degradability	:	Remarks: No data availab	le
	sico-chemical ovability	:	Remarks: No data availab	le
Bio	accumulative poten	tial		
	<u>duct:</u> accumulation	:	be persistent, bioaccumula	substance considered to be very
<u>Cor</u>	nponents:			
Par	ane: tition coefficient: n- anol/water	:	log Pow: 2.89 Method: OECD Test Guide	eline 107
Par	pane: tition coefficient: n- anol/water	:	log Pow: 2.36	
Mol	bility in soil			
	<u>duct:</u> bility	:	Remarks: No data availab	le
	ribution among ironmental compartm	: nents	Remarks: No data availab	le



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 1361

Version	Revision Date:	Date of last issue: 2021-09-20	
1.7	2023-01-25	Date of first issue: 2013-10-22	Print Date: 2023-01-25

Other adverse effects

Product:

Additional ecological	:	No information on ecology is available.
information		

13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Proper shipping name Class Packing group Labels	:	UN 1950 AEROSOLS 2.1 Not assigned by regulation 2.1
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	::	UN 1950 Aerosols, flammable 2.1 Not assigned by regulation Flammable Gas 203
IMDG-Code UN number Proper shipping name		UN 1950 AEROSOLS
Class Packing group Labels EmS Code	-	2.1 Not assigned by regulation 2.1 F-D, S-U



according to GB/T 16483 and GB/T 17519 CN



OKS 1361

Version	Revision Date:	Date of last issue: 2021-09-20	
1.7	2023-01-25	Date of first issue: 2013-10-22	Print Date: 2023-01-25

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	: UN 1950
Proper shipping name	: AEROSOLS
Class	: 2.1
Packing group	: Not assigned by regulation
Labels	: 2.1

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Product name	Status	Reference number
OKS 1361	Listed	2828

List of ingredients	CAS-No.	Status	Reference number
Butane	106-97-8	Listed	2778
propane	74-98-6	Listed	139

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)CategoryThreshold quantityAerosols150 t

Hazardous Chemicals for Priority Management under : Not applicable SAWS



CN



OKS 1361

Version	Revision Date:	Date of last issue: 2021-09-20			
1.7	2023-01-25	Date of first issue: 2013-10-22	Print Date: 2023-01-25		

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

-
Catalogue of Highly Toxic Chemicals

: Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable and Export

International Regulations		
Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable

The components of this product are reported in the following inventories:

IECSC

: On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format

: yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
	•	

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level;



SAFETY DATA SHEET according to GB/T 16483 and GB/T 17519

CN



OKS 1361

VersionRevision Date:Date of last issue: 2021-09-201.72023-01-25Date of first issue: 2013-10-22Print Date: 2023-01-25

NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

