

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 2351

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant spray  
stance/Mixture

Recommended restrictions : Restricted to professional users.  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person : mcm@oks-germany.com  
responsible for the SDS Material Compliance Management

National contact : EagleBurgmann Hungaria Kft.  
Népfürdő utca 22  
1138 Budapest  
Hungary  
Tel.: +36 1 814 8160  
Fax: +36 1 319 8125  
info.hu@eagleburgmann.com

### 1.4 Emergency telephone number

Emergency telephone num- : 0049 (0) 8142-3051-517  
ber  
Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)  
H-1096 Budapest, Nagyvárad tér 2.  
Tel: +36 1 476 6464, +36 80 201 199

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version 3.2	Revision Date: 20.01.2023	Date of last issue: 08.09.2021 Date of first issue: 26.10.2016	Print Date: 20.01.2023
----------------	------------------------------	---	---------------------------

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irritation.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements	:	H222	Extremely flammable aerosol.
		H229	Pressurised container: May burst if heated.
		H304	May be fatal if swallowed and enters airways.
		H315	Causes skin irritation.
		H336	May cause drowsiness or dizziness.
		H412	Harmful to aquatic life with long lasting effects.

Precautionary statements	:	<b>Prevention:</b>	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		<b>Response:</b>	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331	Do NOT induce vomiting.
		<b>Storage:</b>	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Hazardous components which must be listed on the label:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version 3.2	Revision Date: 20.01.2023	Date of last issue: 08.09.2021 Date of first issue: 26.10.2016	Print Date: 20.01.2023
----------------	------------------------------	---	---------------------------

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Active agent with propellant and solvent.

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
propane	74-98-6 200-827-9  601-003-00-5 01-2119486944-21-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 10 - < 20
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6  01-2119475514-35-XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 10 - < 20
Kaolin, calcined	92704-41-1 296-473-8	Eye Irrit.2; H319 STOT SE3; H335; EUH066		>= 1 - < 10
isobutane	75-28-5	Flam. Gas1A;		>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version 3.2	Revision Date: 20.01.2023	Date of last issue: 08.09.2021 Date of first issue: 26.10.2016	Print Date: 20.01.2023
----------------	------------------------------	---	---------------------------

	200-857-2  601-004-00-0 01-2119485395-27-XXXX	H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	
Substances with a workplace exposure limit :				
butane	106-97-8 203-448-7  601-004-00-0 01-2119474691-32-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	$\geq 30 - < 50$
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1  649-467-00-8 01-2119484627-25-XXXX	Not classified	Note L	$\geq 10 - < 20$
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7  649-474-00-6 01-2119471299-27-XXXX	Not classified	Note L	$\geq 10 - < 20$
aluminium powder (stabilised)	7429-90-5 231-072-3  013-002-00-1 01-2119529243-45-XXXX	Flam. Sol.1; H228	Note T	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : Call a physician or poison control centre immediately.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version 3.2	Revision Date: 20.01.2023	Date of last issue: 08.09.2021 Date of first issue: 26.10.2016	Print Date: 20.01.2023
----------------	------------------------------	---	---------------------------

- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Aspiration hazard if swallowed - can enter lungs and cause damage.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness  
Skin contact may provoke the following symptoms:  
Erythema  
  
Aspiration may cause pulmonary oedema and pneumonitis.
- Risks : Central nervous system depression  
Risk of product entering the lungs on vomiting after ingestion.  
Health injuries may be delayed.  
Causes skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : ABC powder
- Unsuitable extinguishing media : High volume water jet

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire Hazard  
Do not let product enter drains.  
Contains gas under pressure; may explode if heated.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Refer to protective measures listed in sections 7 and 8.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Non-sparking tools should be used.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
------------	---------	-------------------------------	--------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

butane	106-97-8	TWA	2.350 mg/m3	HU OEL (2020-02-06)
	Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.			
		CEIL	9.400 mg/m3	HU OEL (2020-02-06)
	Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.			
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)
	Further information: SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week			
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)
	Further information: SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week			
aluminium powder (stabilised)	7429-90-5	TWA (respirable fraction)	1 mg/m3 (Aluminium)	HU OEL (2020-02-06)
	Further information: Irritants, simple suffocation gases, substances with minor health effects. No correction is required.			

### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
aluminium powder (stabilised)	7429-90-5	Aluminium: 0.06 mg/g Creatinine (Urine)	Not critical	HU BAT (2020-02-06)
		Aluminium: 0.25 micromoles per millimole creatinine (Urine)	Not critical	HU BAT (2020-02-06)

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
distillates (petroleum), hydrotreated heavy paraffinic	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic	0,97 mg/kg



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

			effects	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Workers	Skin contact	Long-term systemic effects	773 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	2035 mg/m <sup>3</sup>
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3,72 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	3,72 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), hydrotreated heavy paraffinic	Oral	9,33 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg

## 8.2 Exposure controls

### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : butyl-rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.  
Short term only

Filter type : Filter type A-P

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue:	Print Date:
3.2	20.01.2023	08.09.2021 Date of first issue: 26.10.2016	20.01.2023

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: aerosol
Colour	: grey
Odour	: characteristic
Odour Threshold	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: -44,5 °C (1.013 hPa)
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	: 10,9 %(V)
Lower explosion limit / Lower flammability limit	: 0,8 %(V)
Flash point	: -97,00 °C Method: Abel-Pensky
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: Not applicable substance/mixture is non-soluble (in water)
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: < 20,5 mm <sup>2</sup> /s (40 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	4.750 hPa (20 °C)
Relative density	:	0,7 (20 °C) Reference substance: Water The value is calculated
Density	:	0,70 g/cm <sup>3</sup> (20 °C)
Bulk density	:	No data available
Relative vapour density	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	No data available
Self-ignition	:	not auto-flammable
Metal corrosion rate	:	Not corrosive to metals
Evaporation rate	:	No data available
Sublimation point	:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

### 10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.
---------------------	---	--

### 10.5 Incompatible materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity	:	Remarks: Effects due to ingestion may include:  Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.  Remarks: Respiration of solvent vapour may cause dizziness.  Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity	:	Symptoms: Redness, Local irritation

##### Components:

#### **Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Acute oral toxicity	:	LD50 (Rat): > 5.840 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 25,2 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,8 g/kg Assessment: The substance or mixture has no acute dermal toxicity

#### **Kaolin, calcined:**

Acute inhalation toxicity	:	Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.
---------------------------	---	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

### isobutane:

Acute inhalation toxicity : LC50 (Rat): 658 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### butane:

Acute inhalation toxicity : LC50 (Rat): 658 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### aluminium powder (stabilised):

Acute inhalation toxicity : LC50 (Rat): > 5,09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

### Skin corrosion/irritation

#### Product:

Remarks : Irritating to skin.

#### Components:

#### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Species : Rabbit  
Assessment : Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

Method : OECD Test Guideline 404  
Result : Irritating to skin.

### **Kaolin, calcined:**

Result : Repeated exposure may cause skin dryness or cracking.

### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **aluminium powder (stabilised):**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks : Contact with eyes may cause irritation.

#### **Components:**

##### **Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation

### **Kaolin, calcined:**

Result : Irritating to eyes.

### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

### **aluminium powder (stabilised):**

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks : This information is not available.

#### **Components:**

### **Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.

### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

### **aluminium powder (stabilised):**

Species	:	Guinea pig
Assessment	:	Did not cause sensitisation on laboratory animals.
Result	:	Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Rodent cell line  
Method: OECD Test Guideline 473  
Result: negative

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Genotoxicity in vitro : Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Species : Mouse  
Application Route : Dermal  
Method : OECD Test Guideline 451  
Result : negative

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop- : Remarks: No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

ment

### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 414

### **STOT - single exposure**

#### Components:

#### **Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Assessment : May cause drowsiness or dizziness.

#### **Kaolin, calcined:**

Exposure routes : Inhalation  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### **STOT - repeated exposure**

#### Components:

#### **Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Exposure routes : inhalation (vapour)  
Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

### **Repeated dose toxicity**

#### Product:

Remarks : This information is not available.

### **Aspiration toxicity**

#### Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

### Components:

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

May be fatal if swallowed and enters airways.

**distillates (petroleum), hydrotreated heavy paraffinic:**

No aspiration toxicity classification

**Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

### Components:

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 22 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 3 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic : EbC50 (Pseudokirchneriella subcapitata (green algae)): 26  
plants  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other : NOEC: 10 mg/l  
aquatic invertebrates (Chron-  
ic toxicity)  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### aluminium powder (stabilised):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,12 mg/l  
Exposure time: 96 h  
Test Type: static test  
Remarks: No toxicity at the limit of solubility

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### Components:

#### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Biodegradability : Result: Readily biodegradable.

#### distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **propane:**

Partition coefficient: n-octanol/water : log Pow: 2,36

##### **isobutane:**

Partition coefficient: n-octanol/water : log Pow: 2,88  
Method: OECD Test Guideline 107

##### **butane:**

Partition coefficient: n-octanol/water : log Pow: 2,89  
Method: OECD Test Guideline 107

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Partition coefficient: n-octanol/water : log Pow: > 2

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Offer empty spray cans to an established disposal company.  
Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied  
16 05 04\*, gases in pressure containers (including halons)  
containing hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 1950

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
IATA	:	UN 1950

### 14.2 UN proper shipping name

ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
IATA	:	Aerosols, flammable

### 14.3 Transport hazard class(es)

ADN	:	2
ADR	:	2
RID	:	2
IMDG	:	2.1
IATA	:	2.1

### 14.4 Packing group

ADN	:	
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Labels	:	2.1

ADR	:	
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Labels	:	2.1
Tunnel restriction code	:	(D)

RID	:	
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Hazard Identification Number	:	23
Labels	:	2.1

IMDG	:	
Packing group	:	Not assigned by regulation
Labels	:	2.1
EmS Code	:	F-D, S-U

IATA (Cargo)	:	
Packing instruction (cargo aircraft)	:	203
Packing instruction (LQ)	:	Y203
Packing group	:	Not assigned by regulation
Labels	:	Flammable Gas

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version 3.2	Revision Date: 20.01.2023	Date of last issue: 08.09.2021 Date of first issue: 26.10.2016	Print Date: 20.01.2023
----------------	------------------------------	---	---------------------------

### IATA (Passenger)

Packing instruction (passenger aircraft)	: 203
Packing instruction (LQ)	: Y203
Packing group	: Not assigned by regulation
Labels	: Flammable Gas

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : no

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Listed

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see [https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list_of_competent_authorities_and_national_contact_points_en.pdf) aluminium powder (stabilised) (ANNEX II)

: P2

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P3a FLAMMABLE AEROSOLS

18 Liquefied extremely flammable gases (including LPG) and natural gas

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 62,5 %

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

2000 XXV. Law on chemical safety  
44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.
H225	:	Highly flammable liquid and vapour.
H228	:	Flammable solid.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note L	:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
Note T	:	This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regula-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

- tion show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.
- Note U (table 3.1) : When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
- HU BAT : Hungary. Permissible limit values of biological exposure (effect) indices
- HU OEL : Hungary. Occupational Exposure Limits - Annex 1: Permissible concentration values
- HU OEL / TWA : Mean concentration
- HU OEL / CEIL : Peak concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - HU  
(Commission Regulation (EU) 2020/878)



## OKS 2351

Version	Revision Date:	Date of last issue: 08.09.2021	Print Date:
3.2	20.01.2023	Date of first issue: 26.10.2016	20.01.2023

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aerosol 1	H222, H229
Skin Irrit. 2	H315
STOT SE 3	H336
Asp. Tox. 1	H304
Aquatic Chronic 3	H412

#### Classification procedure:

Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment
Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.