

Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name		OKS 240
	FIDUUCI Hame	•	OK3 240
1.2	Relevant identified uses of the	e s	substance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricants and lubricant additives
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the s	af	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone number	r	
	Emergency telephone	:	+34 91 562 04 20

SECTION 2: Hazards identification

number

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No	1272/2008)
Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.





Version 5.0	Revision Date: 10.10.2023		te of last issue: 16.0 te of first issue: 21.0		Print Date: 10.10.2023
2.2 Labe	l elements				
Lab	elling (REGULATION (EC)	No 1272/2008)		
Haz	ard pictograms	:		2	
Sign	al word	:	Warning		
Haz	ard statements	:	H319 H410	Causes serious eye irrit Very toxic to aquatic life effects.	
Prec	cautionary statements	:	Prevention:		
			P264 P273 P280	Wash skin thoroughly a Avoid release to the en Wear eye protection/ fa	vironment.
			Response:		
			P305 + P351 + P3	38 IF IN EYES: Rinse water for several minute lenses, if present and e rinsing.	es. Remove contact
			P337 + P313	If eye irritation persists: attention.	Get medical advice/
			P391	Collect spillage.	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Synthetic hydrocarbon oil



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 240

Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

Metal powder solid lubricant

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
copper	7440-50-8 231-159-6 029-019-01-X 01-2119480154-42- XXXX	Acute Tox.4; H302 Eye Irrit.2; H319 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/10 ATE (Oral): 500 mg/kg; ATE (Inhalation): 0,733 mg/l;	>= 10 - < 20
Substances with a wor	kplace exposure limit :			
tin	7440-31-5 231-141-8	Not classified		>= 1 - < 10
molybdenum disulphide	1317-33-5 215-263-9	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

 If inhaled
 : Remove person to fresh air. If signs/symptoms continue, get medical attention.

 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.

 Keep respiratory tract clear.
 If breathing is irregular or stopped, administer artificial respiration.

 In case of skin contact
 : Take off all contaminated clothing immediately.





OKS 24	0			
Version 5.0	Revision Date: 10.10.2023	Date of last issue: 16.02.2023Print Date:Date of first issue: 21.06.201610.10.2023		
		Wash off immediately with soap a Get medical attention immediately persists. Wash clothing before reuse. Thoroughly clean shoes before re	/ if irritation develops and	
In ca	se of eye contact	: Rinse immediately with plenty of w for at least 10 minutes. Seek medical advice.	water, also under the eyelids,	
lf swa	allowed	 Move the victim to fresh air. If unconscious, place in recovery advice. Keep respiratory tract clear. Do not induce vomiting without me Obtain medical attention. Never give anything by mouth to a 	edical advice.	

4.2 Most important symptoms and effects, both acute and delayed

: No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media		Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This



A1/A A1A



Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	
Environmental precautions :	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and transfer to properly labelled containers.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Store in original container. Keep container closed when not in





	•					
Version 5.0	Revision Date: 10.10.2023		te of last issue: 16.02.2023 te of first issue: 21.06.2016	Print Date: 10.10.2023		
areas	areas and containers		use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.			
•	fic end use(s) ific use(s)	:	Specific instructions for handling,	not required.		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
copper	7440-50-8	VLA- EDEnvironmental Daily Limit Value (respirable fraction)	0,01 mg/m3 (Copper)	ES VLA (2022-04-01)
tin	7440-31-5	VLA- EDEnvironmental Daily Limit Value	2 mg/m3	ES VLA (2015-02-19)
		TWALimit Value - eight hours	2 mg/m3 (Tin)	91/322/EEC (1991-07-05)
	Further inforr	nation: Indicative		
molybdenum disulphide	1317-33-5	VLA- EDEnvironmental Daily Limit Value (inhalable fraction)	10 mg/m3 (Molybdenum)	ES VLA (2015-02-19)
		VLA- EDEnvironmental Daily Limit Value (respirable fraction)	3 mg/m3 (Molybdenum)	ES VLA (2015-02-19)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzene, mono-C10- 13-alkyl derivs., distn. residues	Workers	Inhalation	Long-term systemic effects	2,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,15 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:





Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

Substance name	Environmental Compartment	Value
Benzene, mono-C10-13-alkyl	Fresh water	0,001 mg/l
derivs., distn. residues		
	Intermittent use/release	0,001 mg/l
	Marine water	0 mg/l
	Microbiological Activity in Sewage	2 mg/l
	Treatment Systems	
	Fresh water sediment	16,5 mg/kg
	Marine sediment	1,65 mg/kg
	Soil	3,7 mg/kg

8.2 Exposure controls

Engineering measures none Personal protective equipment					
Eye/face protection					
Hand protection Material Break through time Protective index		butyl-rubber > 10 min Class 1			
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
Respiratory protection	:	Not required; except in case of aerosol formation.			
Filter type	:	Filter type A-P			
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - ES

(Commission Regulation (EU) 2020/878)



OKS 240

Versio 5.0				of last issue: 16.02.2023 of first issue: 21.06.2016	Print Date: 10.10.2023
Р	hysica	l state	:	paste	
С	Colour		:	red brown	
O	Odour		:	characteristic	
C)dour T	hreshold	:	No data available	
N	lelting	point/range	:	Not applicable	
В	Boiling p	point/boiling range	:	No data available	
F	lamma	bility (solid, gas)	:	Combustible Solids	
		xplosion limit / Upper pility limit	:	No data available	
		xplosion limit / Lower pility limit	:	No data available	
F	lash po	pint	:	Not applicable	
A	uto-igr	ition temperature	:	No data available	
D	ecomp	osition temperature	:	No data available	
p	Н		:	Not applicable substance/mixture is non-soluble (in wat	er)
V	/iscosit Visco	y osity, dynamic	:	No data available	
	Visco	osity, kinematic	:	Not applicable	
S	Solubilit Wate	y(ies) er solubility	:	insoluble	
	Solul	bility in other solvents	:	No data available	
	Partition	coefficient: n- water	:	No data available	
V	/apour	pressure	:	< 0,001 hPa (20 °C)	
R	Relative	density	:	1,50 (20 °C) Reference substance: Water The value is calculated	





Version 5.0	Revision Date: 10.10.2023		last issue: 16.02.2023 first issue: 21.06.2016	Print Date: 10.10.2023
Dens	ity		50 g/cm3 20 °C)	
Bulk	density	: N	o data available	
Relat	ive vapour density	: N	o data available	
	cle characteristics article size	: N	ot applicable	
Pa	article Size Distribution	: N	ot applicable	
9.2 Other	information			
Explo	sives	: N	ot explosive	
Oxidiz	zing properties	: N	o data available	
Self-i	gnition	: N	o data available	
Metal	corrosion rate	: N	ot corrosive to metals	
Evap	oration rate	: N	o data available	
Sublir	mation point	: N	o data available	

SECTION 10: Stability and reactivity

10.1 Reactivity						
No hazards to be specially mentioned.						
10.2 Chemical stability Stable under normal conditions	s.					
10.3 Possibility of hazardous read	ctio	ns				
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.				
10.4 Conditions to avoid						
Conditions to avoid	:	No conditions to be specially mentioned.				
10.5 Incompatible materials						
Materials to avoid	:	No materials to be especially mentioned.				

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
		Remarks: Harmful if swallowed.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
copper:		
Acute oral toxicity	:	Acute toxicity estimate: 500 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): > 300 - 2.000 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	:	Acute toxicity estimate: 0,733 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
tin:		
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 423 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403





OKS 240)			
Version 5.0	Revision Date: 10.10.2023		e of last issue: 16.02.2023 e of first issue: 21.06.2016	Print Date: 10.10.2023
			GLP: yes Assessment: The substance or mi inhalation toxicity	xture has no acute
Acute	dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mit toxicity	
-	bdenum disulphide: oral toxicity	:	LD50 (Rat): > 5.000 mg/kg	
Acute	e dermal toxicity	:	LD50 (Rat): > 16.000 mg/kg	
Skin	corrosion/irritation			
<u>Produ</u> Rema		:	This information is not available.	
Com	oonents:			
tin:				
Asses Resul	ssment It	:	No skin irritation No skin irritation	
molyl	bdenum disulphide:			
Asses Resul	ssment It	:	No skin irritation No skin irritation	
Serio	us eye damage/eye i	irritati	on	
Produ				
Rema	arks	:	Irritating to eyes.	
<u>Comp</u>	oonents:			
copp	er:			
Resul	lt	:	Eye irritation	
tin:				
Asses Resul	ssment It	:	No eye irritation No eye irritation	
molyl	bdenum disulphide:			
Asses	ssment	:	No eye irritation	
			11 / 21	a brand of FREUDENBERG



	• • • •				
OK	S 240				
Vers 5.0	sion	Revision Date: 10.10.2023		e of last issue: 16.02.2023 e of first issue: 21.06.2016	Print Date: 10.10.2023
	Result		:	No eye irritation	
	Respi	ratory or skin sensit	isatic	on	
	<u>Produ</u>	ct:			
	Remai		:	This information is not available.	
	<u>Comp</u>	onents:			
	molvb	denum disulphide:			
	Asses	-	:	Does not cause skin sensitisation.	
	Result		:	Does not cause skin sensitisation.	
	Germ	cell mutagenicity			
	<u>Produ</u>	ct:			
	-	oxicity in vitro	:	Remarks: No data available	
	Genote	oxicity in vivo	:	Remarks: No data available	
	<u>Comp</u>	onents:			
	molyb	denum disulphide:			
	-	cell mutagenicity-	:	Animal testing did not show any mutager	ic effects.
	Carcin	ogenicity			
		•			
	Produ				
	Remai	KS	:	No data available	
	<u>Comp</u>	onents:			
	molyb	denum disulphide:			
	Carcin Asses	ogenicity - sment	:	No evidence of carcinogenicity in animal	studies.
	Repro	ductive toxicity			
	Produ	ct:			
		s on fertility	:	Remarks: No data available	
	Effects develo	s on foetal pment	:	Remarks: No data available	





OKS	240				
Versio 5.0	on	Revision Date: 10.10.2023		e of last issue: 16.02.2023 e of first issue: 21.06.2016	Print Date: 10.10.2023
S	втот -	- single exposure			
	Produ Remar		:	No data available	
<u>C</u>	Compo	onents:			
	nolyb Assess	denum disulphide: sment	:	The substance or mixture is not classifie organ toxicant, single exposure.	ed as specific target
S	бтот ·	- repeated exposure			
	Produ Remar		:	No data available	
<u>c</u>	Compo	onents:			
	nolyb \ssess	denum disulphide: sment	:	The substance or mixture is not classified organ toxicant, repeated exposure.	ed as specific target
R	Repea	ted dose toxicity			
	Produ Remar		:	This information is not available.	
А	Aspira	tion toxicity			
	Produe This inf	<u>ct:</u> formation is not availa	ıble.		
11.2 lı	nform	nation on other hazar	rds		
E	Endoc	rine disrupting prop	ertie	S	
	Produc Assess		:	The substance/mixture does not contair considered to have endocrine disrupting to REACH Article 57(f) or Commission I (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	g properties according Delegated regulation
F	urthe	er information			
	Produc Remar		:	Information given is based on data on th	ne components and





OKS 24	0			
Version 5.0	Revision Date: 10.10.2023		e of last issue: 16.02.2023 e of first issue: 21.06.2016	Print Date: 10.10.2023
			the toxicology of similar products.	
<u>Com</u>	ponents:			
	molybdenum disulphide: Remarks		Information given is based on data of the toxicology of similar products.	on the components and
SECTIO	N 12: Ecological info	orma	tion	
12.1 Toxi	city			
<u>Prod</u> Toxic	luct: city to fish	:	Remarks: May cause long-term adve environment.	erse effects in the aquatic
	city to daphnia and other tic invertebrates	r:	Remarks: No data available	
Toxic plant	city to algae/aquatic s	:	Remarks: No data available	
Toxic	Toxicity to microorganisms		Remarks: No data available	
<u>Com</u>	ponents:			
copp M-Fa toxici	actor (Acute aquatic	:	10	
M-Fa toxici	actor (Chronic aquatic ity)	:	10	
	oxicology Assessmen e aquatic toxicity	t :	Very toxic to aquatic life.	
Chro	nic aquatic toxicity	:	Very toxic to aquatic life with long las	sting effects.
tin: Toxic	city to fish	:	LC50 (Pimephales promelas (fathea Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of s	





OK	OKS 240						
Vers 5.0	ion	Revision Date: 10.10.2023		e of last issue: 16.02.2023 e of first issue: 21.06.2016	Print Date: 10.10.2023		
	Toxicity plants	∕ to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (0,0192 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubi			
	molybe Toxicity	denum disulphide: / to fish	:	LC50 (Pimephales promelas (fathead mi Exposure time: 96 h	nnow)): > 100 mg/l		
		/ to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h	00 mg/l		
	Toxicity plants	/ to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h	green algae)): > 100		
12.2	Persis	tence and degradabi	lity				
	<u>Produc</u> Biodeg	<u>et:</u> radability	:	Remarks: No data available			
	Physico remova	o-chemical ability	:	Remarks: No data available			
	<u>Compo</u>	onents:					
	coppe ı Biodeg	r: radability	:	Result: Not rapidly biodegradable			
12.3	Bioaco	cumulative potential					
	Produc Bioacci	<u>et:</u> umulation	:	Remarks: This mixture contains no subst be persistent, bioaccumulating and toxic This mixture contains no substance cons persistent and very bioaccumulating (vPv	(PBT). idered to be very		
12.4	Mobilit	ty in soil					
	Produce Mobility		:	Remarks: No data available			
		ution among Imental compartments	:	Remarks: No data available			





Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

12.5 Results of PBT and vPvB assessment

Product:

Flouuci.	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Components:	
tin:	
Assessment	: Remarks: Not applicable
12.6 Endocrine disrupting prope	rties
Product:	
Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product:	
Additional ecological	: Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

information

Product		The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.	
		Waste codes should be assigned by the user based on the application for which the product was used.	
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.	
		The following Waste Codes are only suggestions:	





	•		
Version 5.0	Revision Date: 10.10.2023	Date of last issue: 16.02.2023 Date of first issue: 21.06.2016	Print Date: 10.10.2023
Waste	e Code	 unused product 13 02 06*, synthetic engine, gear uncleaned packagings 15 01 10*, packaging containing reby hazardous substances 	, , , , , , , , , , , , , , , , , , ,

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper)
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (copper)
14.3 Transport hazard class(es)		
ADR	:	9
RID	:	9
IMDG	:	9
ΙΑΤΑ	:	9
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		III M7 90 9 (-)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - ES

(Commission Regulation (EU) 2020/878)



OKS 240

Version 5.0	Revision Date: 10.10.2023		e of last issue: 16.02.2023 e of first issue: 21.06.2016	Print Date: 10.10.2023
Class	ing group sification Code rd Identification Number Is	: : :	III M7 90 9	
Labe	ing group	:	III 9 F-A, S-F	
Pack aircra Pack	ing instruction (LQ) ing group	:	956 Y956 III Miscellaneous Dangerous Goods	
Pack (pass Pack	(Passenger) ing instruction senger aircraft) ing instruction (LQ) ing group Is	::	956 Y956 III Miscellaneous Dangerous Goods	
14.5 Envi	ronmental hazards			
ADR Envir	onmentally hazardous	:	yes	
RID Envir	onmentally hazardous	:	yes	
IMDO Marir	3 ne pollutant	:	yes	
	(Passenger) onmentally hazardous	:	yes	
	(Cargo) onmentally hazardous	:	yes	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.





Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75 copper (Number on list 75) tin (Number on list 75)		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable		
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable		
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable		
Seveso III: Directive 2012/18/EU of the European E1 Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		ENVIRONMENTAL HAZARDS		
5 1		4 November 2010 on industrial ution prevention and control)		
15.2 Chamical actaty accoment				

15.2 Chemical safety assessment

This information is not available.





Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H319 :	Causes serious eye irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

91/322/EEC	:	Europe. Commission Directive 91/322/EEC on establishing indicative limit values
ES VLA	:	Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values
91/322/EEC / TWA ES VLA / VLA-ED		Limit Value - eight hours Environmental Daily Limit Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals





Version	Revision Date:	Date of last issue: 16.02.2023	Print Date:
5.0	10.10.2023	Date of first issue: 21.06.2016	10.10.2023

Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information				
Classification of the n	nixture:	Classification procedure:		
Eye Irrit. 2	H319	Calculation method		
Aquatic Acute 1	H400	Calculation method		
Aquatic Chronic 1	H410	Calculation method		

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

