according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 250

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person : mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact :

1.4 Emergency telephone number

Emergency telephone num- : CIAV - Information Centre of Antipoison

ber (+351) 800 250 250 (free 24/7 service)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 250**

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

¥2

Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting

effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P391 Collect spillage.

#### Hazardous components which must be listed on the label:

calcium dihydroxide

#### **Additional Labelling**

EUH208 Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)]

hydrogen dithiophosphate. May produce an allergic reaction.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe

dust.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

solid lubricant polyurea

Components

| Chemical name   | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification  | specific concentration limit M-Factor Notes Acute toxicity estimate | Concentration<br>(% w/w) |
|---|---|---|---|--------------------------|
| calcium dihydroxide   | 1305-62-0<br>215-137-3<br>01-2119475151-45-<br>XXXX   | Skin Irrit.2; H315<br>Eye Dam.1; H318<br>STOT SE3; H335   |   | >= 10 - < 20             |
| Amines, N-C16-C18-<br>alkyl-(evennumbered,<br>C18 unsaturated)<br>propane-1,3-<br>diaminium di[(9Z)-<br>octadec-9-enoate] | 800-362-7<br>01-2119974117-33-<br>XXXX                | Skin Irrit.2; H315<br>Eye Irrit.2; H319<br>STOT RE2; H373<br>Aquatic Acute1;<br>H400<br>Aquatic Chronic2;<br>H411 | M-Factor: 10/1  | >= 2,5 - < 10            |
| distillates (petroleum),<br>solvent-refined heavy<br>paraffinic   | 64741-88-4<br>265-090-8<br>649-454-00-7               | Asp. Tox.1; H304  | Note L  | >= 1 - < 10              |
| Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate                           | 947-946-9<br>01-2120772600-59-<br>XXXX                | Skin Irrit.2; H315<br>Skin Sens.1B;<br>H317<br>Aquatic Chronic4;<br>H413  |   | >= 0,25 - < 1            |
| Substances with a workplace exposure limit :  |   |   |   |                          |
| titanium dioxide; [in<br>powder form contain-<br>ing <1 % of particles  | 13463-67-7<br>236-675-5                               | Not classified  |   | >= 20 - < 30             |



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 250**

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

| with aerodynamic<br>diameter ≤ 10 µm] | 01-2119489379-17-<br>XXXX                          |                |             |
|---------------------------------------|--|----------------|-------------|
| N,N'-<br>ethylene-<br>di(stearamide)  | 110-30-5<br>203-755-6<br>01-2119487304-36-<br>xxxx | Not classified | >= 1 - < 10 |

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

Get medical attention immediately.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:

Erythema

Allergic appearance

Risks : Causes skin irritation.

May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Oxides of phosphorus

Metal oxides

## 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

# 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 250**

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.

Avoid contact with skin and eyes. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

## 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

## **Occupational Exposure Limits**

| Components  | CAS-No.   | Value type (Form of exposure)    | Control parameters            | Basis                             |
|---|---|----------------------------------|-------------------------------|-----------------------------------|
| titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm] | 13463-67-7  | VLE-MP                           | 10 mg/m3                      | PT OEL<br>(2007-03-26)            |
|   | Further inform humans.  |                                  | nat are not classified as car | cinogenic for                     |
| calcium dihydrox-<br>ide  | 1305-62-0   | VLE-MP                           | 5 mg/m3                       | PT OEL<br>(2007-03-26)            |
|   |   | TWA (Respirable fraction)        | 1 mg/m3                       | 2017/164/EU<br>(2017-02-01)       |
|   | Further inform  | nation: Indicative               |                               |                                   |
|   |   | STEL (Respira-<br>ble fraction)  | 4 mg/m3                       | 2017/164/EU<br>(2017-02-01)       |
|   | Further inform  | nation: Indicative               |                               | . ,                               |
|   |   | TWA (respirable fraction)        | 1 mg/m3                       | PT DL<br>305/2007<br>(2018-06-11) |
|   |   | STEL (respirable fraction)       | 4 mg/m3                       | PT DL<br>305/2007<br>(2018-06-11) |
| N,N'-<br>ethylene-<br>di(stearamide)  | 110-30-5  | VLE-MP                           | 10 mg/m3                      | PT OEL<br>(2007-03-26)            |
|   | Further information: Substances that are not classified as carcinogenic for humans.   |                                  |                               |                                   |
| distillates (petrole-<br>um), solvent-<br>refined heavy par-<br>affinic                           | 64741-88-4  | VLE-MP (Inhala-<br>ble fraction) | 5 mg/m3                       | PT OEL<br>(2014-11-14)            |
|   | Further information: Substances that are not classified as carcinogenic for humans.  Further information: Substances that are suspected of being carcinogenic for |                                  |                               |                                   |
|   | humans.   |                                  |                               |                                   |

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name   | End Use | Exposure routes | Potential health ef-       | Value               |
|--|---------|-----------------|----------------------------|---------------------|
|  |         |                 | fects                      |                     |
| Benzene, mono-C10-<br>13-alkyl derivs., distn.<br>residues | Workers | Inhalation      | Long-term systemic effects | 3,2 mg/m3           |
|  | Workers | Skin contact    | Long-term systemic effects | 4,3 mg/kg<br>bw/day |



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

| calcium dihydroxide   | Workers | Inhalation   | Long-term local effects    | 1 mg/m3             |
|---|---------|--------------|----------------------------|---------------------|
|   | Workers | Inhalation   | Acute local effects        | 4 mg/m3             |
| Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate] | Workers | Skin contact | Long-term systemic effects | 0,04 mg/kg          |
|   | Workers | Inhalation   | Long-term systemic effects | 0,29 mg/m3          |
| Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate         | Workers | Inhalation   | Long-term systemic effects | 4,93 mg/m3          |
|   | Workers | Dermal       | Long-term systemic effects | 1,4 mg/kg<br>bw/day |

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name  | Environmental Compartment                            | Value         |
|---|--|---------------|
| Benzene, mono-C10-13-alkyl  | Fresh water  | 0,001 mg/l    |
| derivs., distn. residues  |  |               |
|   | Intermittent use/release                             | 0,001 mg/l    |
|   | Marine water   | 0 mg/l        |
|   | Microbiological Activity in Sewage Treat-            | 2 mg/l        |
|   | ment Systems Fresh water sediment                    | 1 CF m m/l m  |
|   |  | 1,65 mg/kg    |
|   | Marine sediment                                      | 0,165 mg/kg   |
|   | Soil   | 0,329 mg/kg   |
| calcium dihydroxide   | Fresh water  | 0,49 mg/l     |
|   | Marine water   | 0,32 mg/l     |
|   | Intermittent use/release                             | 0,49 mg/l     |
|   | Microbiological Activity in Sewage Treatment Systems | 3 mg/l        |
|   | Soil   | 1080 mg/kg    |
| Amines, N-C16-C18-alkyl-<br>(evennumbered, C18 unsaturat-<br>ed) propane-1,3-diaminium<br>di[(9Z)-octadec-9-enoate] | Fresh water  | 0,00638 mg/l  |
|   | Marine water   | 0,000638 mg/l |
|   | Intermittent use/release                             | 0,00509 mg/l  |
|   | Microbiological Activity in Sewage Treatment Systems | 98,6 mg/l     |
|   | Fresh water sediment                                 | 204 mg/kg     |
|   | Marine sediment                                      | 20,4 mg/kg    |
|   | Soil   | 9,93 mg/kg    |

# 8.2 Exposure controls

**Engineering measures** 

none



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : butyl-rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : white

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

: No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 1,29 (20 °C)

Reference substance: Water The value is calculated

Density : 1,29 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 250**

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

Sublimation point : No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

## 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

#### **Components:**

calcium dihydroxide:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,04 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.500 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-

octadec-9-enoate]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

distillates (petroleum), solvent-refined heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-

phosphate:

Acute dermal toxicity : Symptoms: Redness, Local irritation

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter

≤ 10 µm]:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : (Rat): > 5,09 mg/l

Method: OECD Test Guideline 403

GLP: no

N,N'-ethylenedi(stearamide):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 122 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 20.000 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 250**

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

#### Skin corrosion/irritation

**Product:** 

Remarks : Irritating to skin.

## **Components:**

#### calcium dihydroxide:

Species : human skin
Assessment : Irritating to skin.

Method : OECD Test Guideline 431

Result : Irritating to skin.

GLP : yes

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Irritating to skin.

GLP : yes

# Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species : Rabbit

Assessment : Irritating to skin. Result : Irritating to skin.

#### distillates (petroleum), solvent-refined heavy paraffinic:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

# Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-phosphate:

Assessment : Irritating to skin. Result : Irritating to skin.

Remarks : Irritating to skin.

# titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : no

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 250**

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

#### Serious eye damage/eye irritation

**Product:** 

Remarks : Risk of serious damage to eyes.

**Components:** 

calcium dihydroxide:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

GLP : yes

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Result : Irritating to eyes.

distillates (petroleum), solvent-refined heavy paraffinic:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-

phosphate:

Assessment : No eye irritation Result : No eye irritation

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter

≤ 10 µm]:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

**Components:** 

calcium dihydroxide:

Test Type : Local lymph node assay (LLNA)

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

**Species** Mouse

Assessment Does not cause skin sensitisation. Method **OECD Test Guideline 429** Result Does not cause skin sensitisation.

**GLP** ves

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoate]:

Assessment Does not cause skin sensitisation. Does not cause skin sensitisation. Result

distillates (petroleum), solvent-refined heavy paraffinic:

Test Type **Buehler Test Species** Guinea pig

Assessment Does not cause skin sensitisation. Method OECD Test Guideline 406

Does not cause skin sensitisation. Result

**GLP** yes

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment The product is a skin sensitiser, sub-category 1B. Result The product is a skin sensitiser, sub-category 1B.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]:

**Species** Mouse

Assessment Does not cause skin sensitisation.

Method **OECD Test Guideline 429** 

Result Does not cause skin sensitisation.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

calcium dihydroxide:

Genotoxicity in vitro Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: Chromosome aberration test in vitro



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

Method: OECD Test Guideline 473

Result: negative GLP: yes

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

distillates (petroleum), solvent-refined heavy paraffinic:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative GLP: yes

Germ cell mutagenicity- As-

sessment

: Animal testing did not show any mutagenic effects.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

**Components:** 

calcium dihydroxide:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

distillates (petroleum), solvent-refined heavy paraffinic:

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter  $\leq$  10 µm]:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available

**Components:** 

calcium dihydroxide:

Reproductive toxicity - As-

sessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Reproductive toxicity - As-

sessment

- Fertility -

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter  $\leq$  10  $\mu m$  ]:

Reproductive toxicity - As-

Fertility -

sessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

STOT - single exposure

Components:

calcium dihydroxide:

Assessment : May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter  $\leq$  10 µm]:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

**Components:** 

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Exposure routes : Ingestion

Assessment : May cause damage to organs through prolonged or repeated

exposure.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Aspiration toxicity** 

**Product:** 

This information is not available.

**Components:** 

distillates (petroleum), solvent-refined heavy paraffinic:

May be fatal if swallowed and enters airways.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]:

No aspiration toxicity classification



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 250**

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

**Components:** 

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-

phosphate:

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: Very toxic to aquatic organisms.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

**Components:** 

calcium dihydroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

Toxicity to daphnia and other :

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 49,1 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-

octadec-9-enoate]:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,1 - 1 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01

- 0,1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

EC50: 1,41 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

distillates (petroleum), solvent-refined heavy paraffinic:

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-phosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: May cause long-term adverse effects in the aquatic

environment.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter  $\leq$  10 µm]:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

N,N'-ethylenedi(stearamide):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,053

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability Remarks: No data available

Physico-chemical removabil- :

ity

Remarks: No data available

#### Components:

calcium dihvdroxide:

Biodegradability Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoatel:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 65 %

Exposure time: 28 d Method: OECD Test Guideline 301D

GLP: yes

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Biodegradability

Result: Not rapidly biodegradable

Biodegradation: 11 % Exposure time: 28 d

Method: OECD Test Guideline 301B

N,N'-ethylenedi(stearamide):

Biodegradability Result: Not readily biodegradable.

#### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

persistent and very bioaccumulating (vPvB).

#### **Components:**

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

distillates (petroleum), solvent-refined heavy paraffinic:

Partition coefficient: n-

octanol/water

:  $\log Pow: > 4 (20 °C)$ 

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-phosphate:

Partition coefficient: n-

octanol/water

log Pow: > 4

N,N'-ethylenedi(stearamide):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

**Components:** 

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

**Components:** 

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-

phosphate:

Additional ecological infor-

mation

May cause long lasting harmful effects to aquatic life.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

**SECTION 14: Transport information** 

14.1 UN number or ID number

**ADR** : UN 3077



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

 RID
 : UN 3077

 IMDG
 : UN 3077

 IATA
 : UN 3077

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fatty amine derivative)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

()

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fatty amine derivative)

IATA : Environmentally hazardous substance, solid, n.o.s.

(fatty amine derivative)

14.3 Transport hazard class(es)

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

**ADR** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous Dangerous Goods

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

IATA (Passenger)

Packing instruction (passen- : 95

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances.

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

(EC 1005/2009)

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

a brand of

FREUDENBERG

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

VersionRevision Date:Date of last issue: 10.08.2021Print Date:3.120.06.2022Date of first issue: 23.06.201620.06.2022

tants (recast) (EU POP)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

(EU PIC)

Seveso III: Directive 2012/18/EU of the European : E1 ENVIRONMENTAL HAZARDS

Parliament and of the Council on the control of major-accident hazards involving dangerous sub-

stances.

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 %

Not applicable

#### 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

H413 : May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless

it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

 Version
 Revision Date:
 Date of last issue: 10.08.2021
 Print Date:

 3.1
 20.06.2022
 Date of first issue: 23.06.2016
 20.06.2022

of this Regulation shall be performed also for that hazard

class.

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

PT DL 305/2007 : Portugal. Indicative Occupational Exposure Limits

PT OEL : Portugal. Security and Health at the Workplace - Occupational

exposure limits of chemical agents

2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours PT DL 305/2007 / TWA : 8 Hour limit value PT DL 305/2007 / STEL : Short term limit value PT OEL / VLE-MP : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Dam. 1 H318 Calculation method
Aquatic Acute 1 H400 Calculation method



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



**OKS 250** 

Version Revision Date: Date of last issue: 10.08.2021 Print Date: 3.1 20.06.2022 Date of first issue: 23.06.2016 20.06.2022

Aquatic Chronic 3 H412 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.