- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : OKS 252

Manufacturer or supplier's details								
Company name of supplier :	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com						
E-mail address of person : responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management						
Emergency telephone : number		+7 495 628 1687 +49 8142 3051 517						
Recommended use of the che	em	ical and restrictions on use						
Recommended use	:	Grease						
Restrictions on use	:	Restricted to professional users.						

2. HAZARDS IDENTIFICATION

GHS Classification (According Short-term (acute) aquatic hazard	to GOST 32423, GOST 32424 and GOST 32425) Category 3					
GHS-Labelling (According to C Hazard statements	GOST 31340) : H402 Harmful to aquatic life.					
Precautionary statements	Prevention: P273 Avoid release to the environment.					
Other hazards which do not result in classification						

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical nature : solid lubricant polyalkylene glycol oil



- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

silicate

Components

Chemical name	Concentration (% w/w)	Occupational E Limits	xposure	CAS-No.	EC-No.	
		MAC value mg/m3 / TSEL value	Hazard Class			
sodium benzoate	>= 1 - < 2,5	MPC-STEL: 5 mg/m3 Data Source: RU OEL	3	532-32-1	208-534-8	
calcium distearate	>= 1 - < 10	MPC-STEL: 10 mg/m3 Data Source: RU OEL	4	1592-23-0	216-472-8	
N-methyl-N-[C18- (unsaturated)alkanoyl]gl ycine	>= 0,25 - < 1	No data available			701-177-3	

4. FIRST AID MEASURES

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If symptoms persist, call a physician. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Remove contaminated clothing. If irritation develops, get medical attention. Wash off with soap and water. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	 Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.





OKS 252

Version Revision Date: 1.5 04.11.2022	Date of last issue: 24.09.2020 Date of first issue: 18.10.2013	Print Date: 04.11.2022
	Do not induce vomiting without n Never give anything by mouth to	
Most important symptoms and effects, both acute and delayed	: No information available. None known.	
Notes to physician	: No information available.	

5. FIREFIGHTING MEASURES

Flammable properties		
Flash point Ignition temperature	:	Not applicable No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Metal oxides
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	:	Evacuate personnel to safe areas.
protective equipment and		Use the indicated respiratory protection if the occupational
emergency procedures		exposure limit is exceeded and/or in case of product release



- RU



OKS 252

ersion 5	Revision Date: 04.11.2022		e of last issue: 24.09.2020 e of first issue: 18.10.2013	Print Date: 04.11.2022
			(dust). Do not breathe vapours, aerosols. Refer to protective measures liste	
Envir	onmental precautions	:	Do not allow contact with soil, surf If the product contaminates rivers respective authorities.	
	ods and materials for inment and cleaning up	:	Clean up promptly by sweeping or Keep in suitable, closed container	

7. HANDLING AND STORAGE

Advice on safe handling :	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Conditions for safe storage :	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Data Source
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
sodium benzoate	532-32-1	MPC-STEL	5 mg/m3	RU OEL
		(aerosol)	-	(2021-02-03)
	Further informa	ation: Class 3 - N	Moderately dangerous	S
calcium distearate	1592-23-0	MPC-STEL	10 mg/m3	RU OEL
		(aerosol)	-	(2021-02-03)



- RU



OKS 252

Version 1.5	Revision Date: 04.11.2022	Date of last issue: 24.09.2020Print DateDate of first issue: 18.10.201304.11.202			
		Further information: Class 4 - Low hazard			
Engi	neering measures	: none			
Pers	onal protective equip	nent			
Resp	piratory protection	: Not required; except in case of aerosol formation.			
Fi	ilter type	: Filter type P	Filter type P		
M B	d protection laterial reak through time rotective index	 Nitrile rubber > 10 min Class 1 			
R	emarks	: For prolonged or repeated contact use protective glo break through time depends amongst other things of material, the thickness and the type of glove and the has to be measured for each case.	n the		
Eye	protection	: Safety glasses with side-shields			
Skin	and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances the specific work-place.	, and to		
Prote	ective measures	: The type of protective equipment must be selected a to the concentration and amount of the dangerous so at the specific workplace.			
Hygi	ene measures	: Wash face, hands and any exposed skin thoroughly handling.	after		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	grey
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range	:	No data available



- RU



Vers 1.5	sion	Revision Date: 04.11.2022		of last issue: 24.09.2020 of first issue: 18.10.2013	Print Date: 04.11.2022
	Boiling	point/boiling range	:	No data available	
	Flash p	point	:	Not applicable	
	Evapor	ation rate	:	No data available	
	Flamm	ability (solid, gas)	:	Combustible Solids	
	Self-igr	nition	:	No data available	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Vapour	rpressure	:	< 0,001 hPa (20 °C)	
	Relativ	e vapour density	:	No data available	
	Relativ	e density	:	1,58 (20 °C) Reference substance: Water The value is calculated	
	Density	/	:	1,58 g/cm3 (20 °C)	
	Bulk de	ensity	:	No data available	
	Solubili Wat	ity(ies) ter solubility	:	insoluble	
	Solu	ubility in other solvents	;	No data available	
	Partitio octanol	n coefficient: n- I/water	:	No data available	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ity cosity, dynamic	:	No data available	
	Viso	cosity, kinematic	:	Not applicable	
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	No data available	
	Sublim	ation point	:	No data available	



- RU



OKS 252

		ist issue: 24.09.2020 rst issue: 18.10.2013	Print Date: 04.11.2022
--	--	--	---------------------------


10. STABILITY AND REACTIVITY		
Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute t	oxicity
---------	---------

Product: Acute oral toxicity	: Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Remarks: This information is not available.
Acute dermal toxicity	: Remarks: This information is not available.
Components:	
sodium benzoate: Acute oral toxicity	: LD50 (Rat): 3.450 mg/kg

calcium distearate:		
Acute oral toxicity	:	LD50 (Rat): 5.000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 200 mg/l





- RU



rsion	Revision Date: 04.11.2022	Date of last issue: 24.09.2020 Date of first issue: 18.10.2013	Print Date: 04.11.2022
Acute	e dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance o toxicity	or mixture has no acute derma
N-me	thyl-N-[C18-(unsatu	rated)alkanoyl]glycine:	
Acute	e oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline	e 401
Acute	inhalation toxicity	: LC50 (Rat, male): 1,05 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline	9 403
Skin	corrosion/irritation		
Prod Rema		: This information is not availab	le
sodiı Speci	ssment od	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	
calci	um distearate:		
Speci		: Rabbit	
Asse: Resu	ssment It	No skin irritationNo skin irritation	
N-me	thyl-N-[C18-(unsatu	rated)alkanoyl]glycine:	
Spec		: Rabbit	
Asse: Resu	ssment It	Irritating to skin.Irritating to skin.	
Serio	ous eye damage/eye	irritation	
Prod	uct:		

Remarks

: This information is not available.



- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

Components:

sodium benzoate:

Species :	Rabbit
Result :	Irritating to eyes.
Assessment :	Irritating to eyes.
Method :	OECD Test Guideline 405

calcium distearate:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.
Assessment	:	Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

sodium benzoate:

calcium distearate:

Exposure routes	:	Dermal
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Result	:	Does not cause skin sensitisation.

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.



- RU



Version 1.5	Revision Date: 04.11.2022		ast issue: 24.09.2020 rst issue: 18.10.2013	Print Date: 04.11.2022
Meth Resu			CD Test Guideline 406 s not cause skin sensitisation.	
Gerr	n cell mutagenicity			
Prod	luct:			
	otoxicity in vitro	: Rem	narks: No data available	
Geno	otoxicity in vivo	: Rem	narks: No data available	
<u>Com</u>	ponents:			
sodi	um benzoate:			
Geno	otoxicity in vitro	Test Metl	t Type: Ames test t system: Salmonella typhimur hod: OECD Test Guideline 47 ult: negative	
Geno	otoxicity in vivo	Spe Metl	t Type: in vivo assay cies: Rat hod: OECD Test Guideline 47 ult: negative	5
	n cell mutagenicity - essment		ts on bacterial or mammalian o agenic effects.	cell cultures did not show
calci	ium distearate:			
	n cell mutagenicity - essment		ts on bacterial or mammalian o agenic effects.	cell cultures did not show
Carc	inogenicity			
Prod	luct:			
Rem	arks	: No c	data available	
Com	ponents:			
sodi	um benzoate:			
Carc	inogenicity - essment	: No e	evidence of carcinogenicity in	animal studies.



- RU



rsion 5	Revision Date: 04.11.2022		e of last issue: 24.09.2020 e of first issue: 18.10.2013	Print Date: 04.11.2022
	m distearate: ogenicity - sment	:	No evidence of carcinogenicity in	animal studies.
Repro	ductive toxicity			
Produ Effects	<u>ct:</u> s on fertility	:	Remarks: No data available	
Effects develo	s on foetal pment	:	Remarks: No data available	
<u>Comp</u>	onents:			
	m benzoate: ductive toxicity - sment	:	 Fertility - No toxicity to reproduction Teratogenicity - No effects on or via lactation 	
	m distearate: ductive toxicity - sment	:	 Fertility - No toxicity to reproduction Teratogenicity - No effects on or via lactation 	
STOT	- single exposure			
Comp	onents:			
calciu Assess	m distearate: sment	:	The substance or mixture is not or organ toxicant, single exposure.	classified as specific target
STOT	- repeated exposure			
<u>Comp</u>	onents:			
calciu Assess	m distearate: sment	:	The substance or mixture is not or organ toxicant, repeated exposur	



- RU



OKS 252

		Date of last issue: 24.09.2020 Date of first issue: 18.10.2013	Print Date: 04.11.2022
Repe	eated dose toxicity		
<u>Prod</u>	uct:		
Rema		: This information is not available.	
Aspi	ration toxicity		
Prod	uct:		
	information is not ava	ailable.	
<u>Com</u>	ponents:		
calci	um distearate:		
No as	spiration toxicity class	sification	
Furth	ner information		
Prod	uct:		
Rema	arks	: Information given is based on data the toxicology of similar products.	a on the components and
		россос, россос	

12. ECOLOGICAL INFORMATION

Ecotoxicity		
<u>Product:</u> Toxicity to fish	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
Toxicity to daphnia and other aquatic invertebrates	Remarks: No data available	
Toxicity to algae/aquatic plants	Remarks: No data available	
Toxicity to microorganisms	Remarks: No data available	



- RU



OKS 252

Versi 1.5	on Revision Date: 04.11.2022		e of last issue: 24.09.2020 e of first issue: 18.10.2013	Print Date: 04.11.2022
<u>(</u>	Components:			
	sodium benzoate: Toxicity to fish	:	LC50 (Pimephales promelas (fathead r Exposure time: 96 h Test Type: flow-through test	ninnow)): 484 mg/l
	Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 68 Exposure time: 48 h	50 mg/l
	Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	(microalgae)): > 30,5
a	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 5 Exposure time: 21 d Method: OECD Test Guideline 211	51 mg/l
	calcium distearate: Toxicity to fish	:	LC50 (Oryzias latipes (Orange-red killif Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	ish)): > 100 mg/l
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test	100 mg/l
	Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata mg/l Exposure time: 72 h Test Type: static test	a (green algae)): > 100

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 0,43 mg/l
		Exposure time: 96 h
		Test Type: flow-through test
		Method: OECD Test Guideline 203
		GLP: yes



- RU



rsion	Revision Date: 04.11.2022		e of last issue: 24.09.2020 e of first issue: 18.10.2013	Print Date: 04.11.2022
	ity to daphnia and oth ic invertebrates	er :	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
Toxic plants	ity to algae/aquatic	:	EC50 (Desmodesmus subspicatu Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	
M-Fa	ctor (Acute aquatic ty)	:	1	
Ecoto	oxicology Assessme	ent		
	aquatic toxicity		Very toxic to aquatic life.	
Chror	nic aquatic toxicity	:	Harmful to aquatic life with long la	asting effects.
Persi	stence and degrada	bility		
Prod				
Biode	gradability	:	Remarks: No data available	
	co-chemical vability	:	Remarks: No data available	
Com	oonents:			
sodiu	ım benzoate:			
Biode	gradability	:	Result: rapidly biodegradable	
calci	um distearate:			
Biode	gradability	:	aerobic Result: Readily biodegradable. Biodegradation: 95 % Exposure time: 28 d Method: OECD Test Guideline 30	01D
N-me	thyl-N-[C18-(unsatu	rated):	lkanovl]glvcine:	
		-	aerobic	



- RU



UN3 232				
Version 1.5	Revision Date: 04.11.2022		e of last issue: 24.09.2020 e of first issue: 18.10.2013	Print Date: 04.11.2022
			Result: rapidly biodegradable Biodegradation: 85,2 % Exposure time: 28 d	
Bioad	cumulative potential			
Produ	uct:			
	cumulation	:	Remarks: This mixture contains no subs be persistent, bioaccumulating and toxic This mixture contains no substance cons persistent and very bioaccumulating (vP	(PBT). sidered to be very
Comp	oonents:			
sodiu	ım benzoate:			
	on coefficient: n- ol/water	:	log Pow: 1,88	
calciu	um distearate:			
	on coefficient: n- ol/water	:	log Pow: 14,34	
N-me	thyl-N-[C18-(unsaturat	ted)a	alkanoyl]glycine:	
	on coefficient: n- ol/water	:	log Pow: 3,5 - 4,2	
Mobil	lity in soil			
Produ	uct:			
Mobili	ity	:	Remarks: No data available	
	oution among onmental compartments	:	Remarks: No data available	
Other	adverse effects			
<u>Produ</u> Additi inform	onal ecological	:	Harmful to aquatic life with long lasting e	ffects.
<u>Comp</u>	oonents:			
Resul	I m benzoate: ts of PBT and vPvB ssment	:	Non-classified PBT substance Non-class	sified vPvB substance



- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

calcium distearate:

Results of PBT and vPvB assessment

: Non-classified vPvB substance Non-classified PBT substance

Hygienic standards:

(Allowable concentration in air, v	water, including fishery waters, soil)
------------------------------------	--

Components	Air	Water	Soil	Data Source
sodium benzoate	TSEL value: 0,05 mg/m3	TSEL value: 0,1 mg/l Limiting health hazard indicator: general sanitary Hazard class: Class 3 - moderately dangerous	No data available	List 2 List 3
calcium distearate	Concentration that provides admissible (acceptable) levels of risk when exposed to at least 24 hours - average daily: 0,15 mg/m3 Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous Concentration that prevents irritation, reflex reactions, odors when exposed to 20-30 minutes - maximum one-time: 0,5 mg/m3 Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous	TSEL value: 0,25 mg/l Limiting health hazard indicator: organoleptic; increases the turbidity of the water Hazard class: Class 4 - low hazard	No data available	List 1 List 3

For explanation of abbreviations see section 16.



- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging :	the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 12 01 12*, spent waxes and fats
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities". Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and



- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection". Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements" TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

International Regulations

Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable

16. OTHER INFORMATION

List of data sources used in the preparation of the Safety Data Sheet

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements. GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.

GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.

GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.

GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 19433-88 Dangerous goods. Classification and labeling.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.

GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.

GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body. GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.



- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.

GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.

GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.

GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

GOST R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.

SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".

SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.

SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures". SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.

Carriage of dangerous goods, International maritime dangerous goods (IMDG) code. Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).

Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.

Agreement on International Goods Transport by Rail (SMGS).

UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second revised edition. United Nations, New York and Geneva, 2021.

Montreal Protocol (Ozone Depleting Substances)

Stockholm Convention (Persistent Organic Pollutants)

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Eye Irrit. Skin Irrit. RU OEL		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Skin irritation SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area
RU OEL / MPC-STEL List 1		Maximum Permissible Concentration - Short Term Exposure SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements
List 2	:	SanPiN 1.2.3685-21 Table 1.2, Table 1.12 & Table 1.13 Tentative Safe Exposure Levels (TSEL) in the air of urban and rural settlements
List 3	:	SanPiN 1.2.3685-21 Table 3.14 & Table 3.18 Indicative permissible levels (TAC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of ground and surface water bodies of



- RU



OKS 252

Version	Revision Date:	Date of last issue: 24.09.2020	Print Date:
1.5	04.11.2022	Date of first issue: 18.10.2013	04.11.2022

drinking and cultural and domestic water use, water of swimming pools, water parks

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

