according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

4 4	Product identifier		
1.1	Product identifier Product name	:	OKS 255
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone number	er	
		:	CIAV - Information Centre of Antipoison (+351) 800 250 250 (free 24/7 service)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### Additional Labelling



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version Revision Date: 2.1 01.03.2023		Date of last issue: 06.09.2021 Date of first issue: 30.05.2016	Print Date: 01.03.2023
EUH210 Safety dat		y data sheet available on request.	
EUH212 Warning! H dust.		ing! Hazardous respirable dust may be forme	d when used. Do not breathe

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

5

#### 3.2 Mixtures

Chemical nature

Mineral oil. Thickening agent

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)	
Kaolin, calcined	92704-41-1 296-473-8	Eye Irrit.2; H319 STOT SE3; H335; EUH066		>= 1 - < 10	
2,5-bis(tert- nonyldithio)-1,3,4- thiadiazole	89347-09-1 289-493-3	Aquatic Chronic3; H412		>= 1 - < 2,5	
Substances with a workplace exposure limit :					
distillates (petroleum), hydrotreated heavy	64742-54-7 265-157-1	Not classified		>= 30 - < 50	
paraffinic	649-467-00-8 01-2119484627-25-		Note L		



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

	xxxx			
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 30 - < 50
titanium dioxide; [in powder form contain- ing <1 % of particles with aerodynamic diameter $\leq$ 10 µm] 13463-67-7 236-675-5 01-2119489379-17- XXXX		Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

4.1 Description	in or mist and measures	5
If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respira- tion.
In case of	skin contact :	Remove contaminated clothing. If irritation develops, get med- ical attention. Wash off with soap and water.
In case of	eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowe	ed :	Move the victim to fresh air. Do not induce vomiting without medical advice.
4.2 Most impo	rtant symptoms and e	effects, both acute and delayed
Symptoms		No information available.
Risks	:	None known.
4.3 Indication	of any immediate med	dical attention and special treatment needed
Treatment	:	No information available.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
	Do not breathe vapours, aerosols.
	Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

courses. Local authorities should be advised if significant spillage cannot be contained.		Environmental precautions	:	Local authorities should be advised if significant spillage	
---	--	---------------------------	---	---	--

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
		Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
distillates (petrole- um), hydrotreated heavy paraffinic	64742-54-7	VLE-MP (Inhala- ble fraction)	5 mg/m3	PT OEL (2014-11-14)		
	Further inform humans.	nation: Substances th	hat are not classified as carc	inogenic for		
Distillates (petrole- um), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	VLE-MP (Inhala- ble fraction)	5 mg/m3	PT OEL (2014-11-14)		
	Further information: Substances that are not classified as carcinogenic function humans.					
titanium dioxide; [in powder form con- taining <1 % of particles with aer- odynamic diameter ≤ 10 µm]	13463-67-7	VLE-MP	10 mg/m3	PT OEL (2007-03-26)		



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



### **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

Further information: Substances that are not classified as carcinogenic for humans.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,			
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
distillates (petroleum), hydrotreated heavy paraffinic	Workers	Inhalation	Long-term local ef- fects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petrole- um), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), hy-	Oral	9,33 mg/kg
drotreated heavy paraffinic		
Distillates (petroleum), solvent-	Oral	9,33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

#### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye protection :		Safety glasses with side-shields		
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1		
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.		
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version 2.1	Revision Date: 01.03.2023	Date of last issue: 06.09.2021Print Date:Date of first issue: 30.05.201601.03.2023	
Respiratory protection		: Use respiratory protection unless adequate local exha- tilation is provided or exposure assessment demonstr exposures are within recommended exposure guideli	ates that
Filter type		: Filter type A-P	
Protective measures		: The type of protective equipment must be selected at to the concentration and amount of the dangerous su at the specific workplace.	

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

 Physical state	:	paste
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	Not applicable
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



### **OKS 255**

Version 2.1	Revision Date: 01.03.2023		e of last issue: 06.09.2021 e of first issue: 30.05.2016	Print Date: 01.03.2023
	Solubility(ies) Water solubility		insoluble	
S	olubility in other solvent	s :	No data available	
	tion coefficient: n- nol/water	:	No data available	
Vapo	our pressure	:	< 0,001 hPa (20 °C)	
Rela	tive density	:	0,93 (20 °C) Reference substance: Water The value is calculated	
Dens	sity	:	0,93 g/cm3 (20 °C)	
Bulk	density	:	No data available	
Rela	tive vapour density	:	No data available	
9.2 Other	information			
Explo	osives	:	Not explosive	
Oxid	izing properties	:	No data available	
Self-	ignition	:	No data available	
Meta	l corrosion rate	:	Not corrosive to metals	
Evap	ooration rate	:	No data available	
Subli	mation point	:	No data available	

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

#### **10.5 Incompatible materials**

Materials to avoid

: No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product:

Acute inhalation toxicity : Remarks: This information is not available.

#### **Components:**

#### Kaolin, calcined:

Acute inhalation toxicity	Assessment: The substance or mixture is classified as specific
	target organ toxicant, single exposure, category 3 with respiratory tract irritation.

#### 2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:

Acute oral toxicity	:	LD50 (Rat): > 10.000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg

### distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

#### Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

titanium dioxide; [in powd	er for	m containing <1 % of particles with aerodynamic diameter
≤ 10 μm]:		
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	(Rat): > 5,09 mg/l Method: OECD Test Guideline 403 GLP: no
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Components:		
Kaolin, calcined:		
Result	:	Repeated exposure may cause skin dryness or cracking.
distillates (petroleum), hyd	drotre	ated heavy paraffinic:
Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Distillates (petroleum), so	lvent-	dewaxed heavy paraffinic; Baseoil — unspecified:
Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
titanium dioxide; [in powd ≤ 10 μm]:	ler for	m containing <1 % of particles with aerodynamic diameter
Species	•	Rabbit
Assessment	÷	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	no
Serious eye damage/eye i	rritati	on
Product:		
Remarks	:	This information is not available.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



### **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date: 01.03.2023
2.1	01.03.2023	Date of first issue: 30.05.2016	

#### Components:

### Kaolin, calcined:

Result

: Irritating to eyes.

#### distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

# titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter $\leq$ 10 µm]:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

#### **Components:**

#### distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

sion	Revision Date: 01.03.2023		of last issue: 06.09.2021 of first issue: 30.05.2016	Print Date: 01.03.2023
titani ≤ 10 j		er forr	n containing <1 % of particles w	rith aerodynamic diamete
Speci Asses Metho Resul	ssment od	:	Mouse Does not cause skin sensitisation. OECD Test Guideline 429 Does not cause skin sensitisation.	
Germ	cell mutagenicity			
Prod	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
<u>Com</u>	ponents:			
Distil	lates (petroleum), sol	vent-c	lewaxed heavy paraffinic; Based	oil — unspecified:
Geno	toxicity in vitro		Test system: Salmonella typhimur Metabolic activation: with and with Method: OECD Test Guideline 47 Result: negative	out metabolic activation
Geno	toxicity in vivo		Species: Mouse Application Route: Oral Method: OECD Test Guideline 47 Result: negative	4
titani ≤ 10 j		er forr	n containing <1 % of particles w	rith aerodynamic diamete
Germ sessn	cell mutagenicity- As- nent		Tests on bacterial or mammalian o mutagenic effects.	cell cultures did not show
Carci	nogenicity			
Prod	uct:			
Rema		:	No data available	
<u>Com</u>	ponents:			
distil	lates (petroleum), hyc	drotrea	ted heavy paraffinic:	
Carcii ment	nogenicity - Assess-	:	Not classifiable as a human carcir	logen.
Distil	lates (petroleum), sol	lvent-c	lewaxed heavy paraffinic; Based	oil — unspecified:
Speci			Mouse	
	cation Route	:	Dermal	
Applic Metho Resul	bc	:	OECD Test Guideline 451 negative	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

rsion	Revision Date: 01.03.2023		e of last issue: 06.09.2021 e of first issue: 30.05.2016	Print Date: 01.03.2023
titani	um dioxide: [in powo	der fo	rm containing <1 % of particles w	vith aerodvnamic diamete
≤ 10 µ				·····
Carcir ment	nogenicity - Assess-	:	No evidence of carcinogenicity in	animal studies.
Repro	oductive toxicity			
<u>Produ</u>	uct:			
Effect	s on fertility	:	Remarks: No data available	
Effect ment	s on foetal develop-	:	Remarks: No data available	
<u>Comp</u>	oonents:			
distill	ates (petroleum), hy	drotr	eated heavy paraffinic:	
•	oductive toxicity - As-	:	- Fertility -	
sessn	nent		No toxicity to reproduction	
Distil	lates (petroleum), so	olvent	-dewaxed heavy paraffinic; Base	oil — unspecified:
Effect ment	s on foetal develop-	:	Species: Rat Application Route: Dermal General Toxicity Maternal: NOAEI Developmental Toxicity: NOAEL: 3 Method: OECD Test Guideline 41	30 mg/kg body weight
titani ≤ 10 µ		der fo	rm containing <1 % of particles w	vith aerodynamic diamete
-	oductive toxicity - As-	:	- Fertility -	
sessn	nent		No toxicity to reproduction - Teratogenicity -	
			No effects on or via lactation	
STOT	- single exposure			
Com	oonents:			
Kaoli	n, calcined:			
Expos	sure routes ssment	:	Inhalation The substance or mixture is classi toxicant, single exposure, categor irritation.	
titani ≤ 10 µ		der fo	rm containing <1 % of particles w	vith aerodynamic diamete
-	ssment	:	The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

#### STOT - repeated exposure

#### **Components:**

titanium dioxide; [in powder fo	orm conta	aining <1 %	of particle	s with	aerodyna	mic diamet	er
≤ 10 μm]:							

- Assessment
- : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Repeated dose toxicity**

### Product:

Remarks

: This information is not available.

#### Aspiration toxicity

#### Product:

This information is not available.

#### **Components:**

#### distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

No aspiration toxicity classification

# titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter $\leq$ 10 µm]:

No aspiration toxicity classification

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

### Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
2,5-bis(tert-nonyldithio)-1,3,	4-tl	niadiazole:
Toxicity to fish	:	LC50 (Fish): > 10 - 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 : > 10 - 100 mg/l Exposure time: 72 h
distillates (petroleum), hydro	otre	eated heavy paraffinic:
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes
---	---	---

### Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

UKS	5 255				
Versi 2.1	ion	Revision Date: 01.03.2023		e of last issue: 06.09.2021 e of first issue: 30.05.2016	Print Date: 01.03.2023
	Toxicity	y to fish	:	LC50 (Pimephales promelas (fathea Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	d minnow)): > 100 mg/l
		y to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	: > 10.000 mg/l
	Toxicity plants	y to algae/aquatic	:	NOEC (Pseudokirchneriella subcapit mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	tata (green algae)): > 100
;	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)			NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea	a)
	titaniu ≤ 10 µr		er for	m containing <1 % of particles with	n aerodynamic diameter
	Toxicity	y to fish	:	LC50 (Oncorhynchus mykiss (rainbo Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	w trout)): > 100 mg/l
		y to daphnia and other invertebrates	:	LC50 (Daphnia magna (Water flea)): Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	: > 100 mg/l
12.2	Persis	tence and degradabi	lity		
	<b>Produ</b> Biodeg	<u>ct:</u> radability	:	Remarks: No data available	
	Physico ity	o-chemical removabil-	:	Remarks: No data available	
9	Compo	onents:			
:	2,5-bis	(tert-nonyldithio)-1,3	, <b>4-</b> th	iadiazole:	
	Biodeg	radability	:	Result: Not readily biodegradable.	

### distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability	:	Test Type: aerobic
		Inoculum: activated sludge
		Result: Not rapidly biodegradable



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

<b>OKS 25</b>	5			
Version 2.1	Revision Date: 01.03.2023		e of last issue: 06.09.2021 e of first issue: 30.05.2016	Print Date: 01.03.2023
			Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 3018 GLP: yes	3
Disti	llates (petroleum), sol	vent	-dewaxed heavy paraffinic; Baseoi	I — unspecified:
	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 3018 GLP: yes	
12.3 Bioa	ccumulative potential			
Prod	uct:			
Bioad	ccumulation	:	Remarks: This mixture contains no be persistent, bioaccumulating and This mixture contains no substance persistent and very bioaccumulating	toxic (PBT). considered to be very
<u>Com</u>	ponents:			
distil	lates (petroleum), hyc	lrotr	eated heavy paraffinic:	
	ion coefficient: n- nol/water	:	log Pow: > 2	
12.4 Mobi	ility in soil			
Prod	uct:			
Mobi		:	Remarks: No data available	
	bution among environ- al compartments	:	Remarks: No data available	
12.5 Resı	ults of PBT and vPvB a	asse	ssment	
Prod	uct:			
	ssment	:	This substance/mixture contains no to be either persistent, bioaccumula very persistent and very bioaccumu 0.1% or higher.	tive and toxic (PBT), or

### Components:

# distillates (petroleum), hydrotreated heavy paraffinic:



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



### **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter  $\leq$  10 µm]:

Assessment

: Non-classified vPvB substance. Non-classified PBT substance

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	<ul> <li>Packaging that is not properly emptied must be disposed of as the unused product.</li> <li>Dispose of waste product or used containers according to local regulations.</li> </ul>
	The following Waste Codes are only suggestions:
Waste Code	<ul> <li>used product, unused product</li> <li>12 01 12*, spent waxes and fats</li> </ul>
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR

: Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Version 2.1	Revision Date: 01.03.2023	Date of last issue: 06.09.2021Print Date:Date of first issue: 30.05.201601.03.2023	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
ΙΑΤΑ	L .	: Not regulated as a dangerous good	
14.2 UN p	proper shipping nam		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	L .	: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(e	)	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	۱.	: Not regulated as a dangerous good	
14.4 Pack	king group		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
-	cial precautions for u applicable	er	
	•	according to IMO instruments	
Rem	arks	: Not applicable for product as supplied.	

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on	:	Not applicable
the market and use of certain dangerous substances,		
mixtures and articles (Annex XVII)		

REACH - Candidate List of Substances of Very High : This product does not contain sub-

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 255**

Versior 2.1		Revision Date: 01.03.2023		of last issue: 06.09.202 of first issue: 30.05.20		Print Date: 01.03.2023
(E	EU SV	n for Authorisation (A HC) - List of substances				stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57). Not applicable
(A	nnex 2		Subje		•	
ple	ete the	on (EC) No 1005/200 o ozone layer 05/2009)	09 on	substances that de-	:	Not applicable
tar	egulati nts (re EU PO	cast)	on per	sistent organic pollu-	:	Not applicable
me of	ent an	erous chemicals		he European Parlia- he export and import	:	Not applicable
Pa ma	arliame	III: Directive 2012/18 ent and of the Counc ccident hazards invol	il on t	he control of		Not applicable
Vo	olatile	organic compounds	:			4 November 2010 on industrial ution prevention and control)

### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

# Full text of H-Statements

EUH066 H319	<ul><li>Repeated exposure may cause skin dryness or cracking.</li><li>Causes serious eye irritation.</li></ul>
H335 H412	<ul> <li>May cause respiratory irritation.</li> <li>Harmful to aquatic life with long lasting effects.</li> </ul>
EUH066	: Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

Note L

: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



### **OKS 255**

Version 2.1	Revision Date: 01.03.2023		e of last issue: 06.09.2021 e of first issue: 30.05.2016	Print Date: 01.03.2023
2.1	01.00.2020	Dui		
			dimethyl sulphoxide extract as meas nation of polycyclic aromatics in unu- and asphaltene free petroleum fracti extraction refractive index method"In don), in which case a classification ir of this Regulation shall be performed class.	sed lubricating base oils ons - Dimethyl sulphoxide istitute of Petroleum, Lon- n accordance with Title II
PT OE	ĒL	:	Portugal. Security and Health at the exposure limits of chemical agents	Workplace - Occupational
PT OE	EL / VLE-MP	:	Time Weighted Average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



### **OKS 255**

Version	Revision Date:	Date of last issue: 06.09.2021	Print Date:
2.1	01.03.2023	Date of first issue: 30.05.2016	01.03.2023

other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

