according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

VersionRevision Date:Date of last issue: 2021-01-262.32022-11-28Date of first issue: 2014-03-28Print Date: 2022-11-28

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	OKS 2610
Chemical nature	:	Solvent mixture
Manufacturer or supplier's de	etai	Is
Company name of supplier	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
Emergency telephone number	:	+86 532 8388 9090 (NRCC, only for hazardous chemicals) +86 21 69225521
Recommended use of the che	emi	ical and restrictions on use
Recommended use	:	Detergent
Restrictions on use	:	Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	:	liquid		
Colour	colourless			
Odour	:	characteristic		
	•	ur. May be fatal if swallowed and enters airways. Causes drowsiness or dizziness. Toxic to aquatic life with long lasting		
GHS Classification				
Flammable liquids	:	Category 2		

Eye irritation	:	Category 2A
Specific target organ toxicity - single exposure	:	Category 3 (Narcotic effects)



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

OKS 26	510		
Version 2.3	Revision Date: 2022-11-28		st issue: 2021-01-26 st issue: 2014-03-28 Print Date: 2022-11-28
. .			
Aspi	ration hazard	:	Category 1
Long haza	g-term (chronic) ac ard	quatic :	Category 2
GHS	label elements		
Haza	ard pictograms	:	
Sign	al word	:	Danger
Haza	ard statements	:	H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.
Prec	autionary stateme	ents :	Prevention:
			 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapours. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
			 Response: P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 Do NOT induce vomiting. P337 + P313 If eye irritation persists: Get medical advice/ attention.
			a brand of



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

VersionRevision Date:Date of last issue: 2021-01-262.32022-11-28Date of first issue: 2014-03-28Print Date: 2022-11-28

P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish. P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/containers according the local government requirements.

Physical and chemical hazards

Highly flammable liquid and vapour.

Health hazards

Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Environmental hazards

Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 50 -< 70
Propan-2-ol	67-63-0	>= 30 -< 50
Acetone	67-64-1	>= 20 -< 30

4. FIRST AID MEASURES

If inhaled

Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610 Version Revision Date: Date of last issue: 2021-01-26 2022-11-28 Date of first issue: 2014-03-28 Print Date: 2022-11-28 2.3 respiration. In case of skin contact Take off all contaminated clothing immediately. 5 Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser. In case of eye contact Rinse immediately with plenty of water, also under the eyelids, : for at least 10 minutes. Seek medical advice. If swallowed Move the victim to fresh air. 2 If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. Central nervous system depression Most important symptoms : Can be absorbed through skin. and effects, both acute and delayed Risk of product entering the lungs on vomiting after ingestion. Health injuries may be delayed. Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the following symptoms: Ervthema Aspiration may cause pulmonary oedema and pneumonitis. Notes to physician Treat symptomatically. 2

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

Version 2.3	Revision Date: 2022-11-28		ast issue: 2021-01-26 irst issue: 2014-03-28 Print Date: 2022-11-28
•	cific hazards during ighting	g :	Do not let product enter drains. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
	ardous combustion	ı :	Carbon oxides
•	cific extinguishing hods	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.
	cial protective equi irefighters	pment :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.

7. HANDLING AND STORAGE

Handling

Advice on protection against	:	Keep away from heat and sources of ignition.
fire and explosion		
Advice on safe handling	:	Use only in an area containing explosion proof equipment. Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

Version 2.3	Revision Date: 2022-11-28	Date of last issue: 2021-01-26 Date of first issue: 2014-03-28 Print Date: 2022-11-28
		In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Ensure all equipment is electrically grounded before beginnin transfer operations. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. Do not enter areas where used or stored until adequately ventilated. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging whic may still contain product residues. Keep container closed when not in use.
Avoi	dance of contact	: Oxidizing agents
Stor	age	
Cond	ditions for safe stor	 age : Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	PC-TWA	350 mg/m3	CN OEL (2019-08-27)
		PC-STEL	700 mg/m3	CN OEL (2019-08-27)
		TWA	200 ppm	ACGIH (2013-03-01)



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

VersionRevision Date:Date of last issue: 2021-01-262.32022-11-28Date of first issue: 2014-03-28Print Date: 2022-11-28

		STEL	400 ppm	ACGIH (2013-03-01)
Acetone	67-64-1	PC-TWA	300 mg/m3	CN OEL (2019-08-27)
		PC-STEL	450 mg/m3	CN OEL (2019-08-27)
		TWA	250 ppm	ACGIH (2021-01-01)
		STEL	500 ppm	ACGIH (2021-01-01)

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI (2007-01- 01)
Acetone	67-64-1	Acetone	Urine	End of shift	50 mg/l	CN BEI (2019-08- 27)
		Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI (2017-03- 01)

Engineering measures : Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Recommended Filter type:
		Organic gas and low boiling vapour type
Eye/face protection	:	Safety glasses with side-shields
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

Version 2.3	Revision Date: 2022-11-28		ast issue: 2021-01-26 rst issue: 2014-03-28 Print Date: 2022-11-28
r E F	nd protection Material Break through time Protective index Remarks	: : : : : : : : : : : : : : : : : : : :	Nitrile rubber > 10 min Class 1 Wear protective gloves. The break through time depends
	Conditio	·	amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Prot	tective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hyg	iene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-polar/aprotic
Melting point/range	:	No data available
Boiling point/boiling range	:	67.2 °C (1,013 hPa)
Flash point	:	< 0 °C
		Method: ISO 2719
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Self-ignition	:	not auto-flammable



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

VersionRevision Date:Date of last issue: 2021-01-262.32022-11-28Date of first issue: 2014-03-28Print Date: 2022-11-28

Upper explosion limit / Upper flammability limit	:	13 %(V)
Lower explosion limit / Lower flammability limit		1.0 %(V)
Vapour pressure	:	9.4 hPa (20 °C)
Relative vapour density	:	No data available
Relative density		0.7568 (20 °C) Reference substance: Water The value is calculated
Density	:	0.76 g/cm3 (20 °C)
Bulk density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 20.5 mm2/s (40 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available
Metal corrosion rate	:	Not corrosive to metals

10. STABILITY AND REACTIVITY

Reactivity

: No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

Version	Revision Date:	Date of last issue: 2021-01-26	
2.3	2022-11-28	Date of first issue: 2014-03-28 Print Date: 2022-11-28	

Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Product: Acute oral toxicity :	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
	Remarks: Effects due to ingestion may include:
	Symptoms: Central nervous system depression
Acute inhalation toxicity :	Remarks: Respiration of solvent vapour may cause dizziness.
	Symptoms: Inhalation may provoke the following symptoms:, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity :	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
	Symptoms: Skin disorders

Components:

Naphtha (petroleum), hydrotreated light:

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
---------------------	---	--------------------------------



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

Date of last issue: 2021-01-26 Date of first issue: 2014-03-28 Print Date: 2022-11-28
: LD50 Oral (Rat): 5,840 mg/kg
: LD50 Oral (Rat): 5,800 mg/kg
1
: This information is not available.
e irritation
: Irritating to eyes.
: Irritating to eyes.
: Rabbit
: Eye irritation
sitisation
: This information is not available.
: Remarks: No data available



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

rsion B	Revision Date: 2022-11-28	Date of last issue: 2021-01-26 Date of first issue: 2014-03-28 Print Date: 2022-11-28
Carc	cinogenicity	
Prod	luct:	
Rem		: No data available
Repi	roductive toxicit	ty
Prod	luct:	
Effec	cts on fertility	: Remarks: No data available
	cts on foetal	: Remarks: No data available
ueve	elopment	
STO	T - single expos	sure
Com	ponents:	
Napl	htha (petroleum)), hydrotreated light:
Asse	essment	: May cause drowsiness or dizziness.
Prop	oan-2-ol:	
Asse	essment	: May cause drowsiness or dizziness.
Acet	one:	
	osure routes	: Inhalation
Asse	essment	: May cause drowsiness or dizziness.
Repe	eated dose toxic	bity
Prod	luct:	
Rem	arks	: This information is not available.
Aspi	iration toxicity	
Droe	luct:	

Components:

Naphtha (petroleum), hydrotreated light:

May be fatal if swallowed and enters airways.



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

Version	Revision Date:	Date of last issue: 2021-01-26	
2.3	2022-11-28	Date of first issue: 2014-03-28	Print Date: 2022-11-28

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Naphtha (petroleum), hydroti	rea	ted light:
Ecotoxicology Assessment Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
Densistance and denne debilit		

Persistence and degradability

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

Version 2.3	Revision Date: 2022-11-28		st issue: 2021-01-26 rst issue: 2014-03-28 Print Date: 2022-11-28
<u>Co</u>	mponents:		
Nap	ohtha (petroleum),	hydrotrea	ted light:
Bio	degradability	:	Result: Readily biodegradable.
Pro	pan-2-ol:		
	degradability	:	Result: Readily biodegradable.
Ace	etone:		
	degradability	:	Result: rapidly biodegradable
	0		
Bio	accumulative pote	ential	
	-		
	oduct: accumulation		Remarks: This mixture contains no substance considered to
DIO	accumulation	•	be persistent, bioaccumulating and toxic (PBT).
			This mixture contains no substance considered to be very
			persistent and very bioaccumulating (vPvB).
<u>Co</u>	<u>mponents:</u>		
-	ohtha (petroleum),	hydrotrea	-
Bio	accumulation	:	Remarks: Not applicable
D			
	tition coefficient: n- anol/water	:	Remarks: No data available
	pan-2-ol:		
Bio	accumulation	:	Remarks: Bioaccumulation is unlikely.
	tition coefficient: n- anol/water	:	log Pow: 0.05
0018			
Ace	etone:		
Bio	accumulation	:	Remarks: Does not bioaccumulate.
	tition coefficient: n-	:	log Pow: 0.2
octa	anol/water		



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

Version	Revision Date:	Date of last issue: 2021-01-26	
2.3	2022-11-28	Date of first issue: 2014-03-28	Print Date: 2022-11-28

Mobility in soil

Product: N.A. 1. 1114

Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available
Other adverse effects		

Product:

Additional ecological	:	Toxic to aquatic life with long lasting effects.
intornation		

13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	The product should not be allowed to enter drains, wat courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with loca national regulations.	
Contaminated packaging	Packaging that is not properly emptied must be dispose the unused product. Dispose of waste product or used containers according local regulations.	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number	: UN 1993	
Proper shipping name	 FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C7-C9, n-alkanes, isoall cvclics) 	kanes,
Class	: 3	
Packing group	: 1	
Labels	: 3	
Labels	. 0	
IATA-DGR		
UN/ID No.	: UN 1993	
Proper shipping name	: Flammable liquid, n.o.s. (isopropanol, Hydrocarbons, C7-C9, n-alkanes, isoall cyclics)	canes,
Class	: 3	



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

VersionRevision Date:Date of last issue: 2021-01-262.32022-11-28Date of first issue: 2014-03-28Print Date: 2022-11-28

Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)		II Flammable Liquids 364 353
IMDG-Code UN number Proper shipping name	:	UN 1993 FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics)
Class Packing group Labels EmS Code Marine pollutant	:	3 II 3 F-E, <u>S-E</u> yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB	6944/1	2268
----	--------	------

UN number Proper shipping name	:	UN 1993 FLAMMABLE LIQUID, N.O.S.
Class Packing group Labels	:	(,) 3 11 3

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Product name	Status	Reference number
OKS 2610	Listed	2828



CN



OKS 2610

VersionRevision Date:Date of last issue: 2021-01-262.32022-11-28Date of first issue: 2014-03-28Print Date: 2022-11-28

List of ingredients	CAS-No.	Status	Reference number
Propan-2-ol	67-63-0	Listed	111
Acetone	67-64-1	Listed	137

Identification of Major Hazard Installations for Hazardou Category Flammable liquids	us C	hemicals (GB 18218) Threshold quantity 1,000 t
Hazardous Chemicals for Priority Management under SAWS		Not applicable
Regulations on Labour Protection in Workplaces w	here	e Toxic Substances are Used
Catalogue of Highly Toxic Chemicals	:	Not applicable
Regulation of Environmental Management on the Fi and Export of Toxic Chemicals	irst	Import of Chemicals and the Import
China Severely Restricted Toxic Chemicals for Import and Export	:	Not applicable
International Regulations		
Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable
The components of this product are reported in the	foll	owing inventories.

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format

: yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CN BEI	:	China. Biological Occupational Exposure Indices
CN OEL	:	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.



according to GB/T 16483 and GB/T 17519 CN



OKS 2610

Version	Revision Date:	Date of last issue: 2021-01-26	
2.3	2022-11-28	Date of first issue: 2014-03-28	Print Date: 2022-11-28

ACGIH / TWA :	8-hour, time-weighted average
ACGIH / STEL :	Short-term exposure limit
CN OEL / PC-TWA :	Permissible concentration - time weighted average
CN OEL / PC-STEL :	Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 2610

VersionRevision Date:Date of last issue: 2021-01-262.32022-11-28Date of first issue: 2014-03-28Print Date: 2022-11-28

product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

