according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	:	OKS 2611
1.2 Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Cleaning agent / Cleaner, Detergent
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
1.4 Emergency telephone number	er	
Emergency telephone num- ber	:	CIAV - Information Centre of Antipoison (+351) 800 250 250 (free 24/7 service)
SECTION 2: Hazards identific	atio	on

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.					
Skin irritation, Category 2	H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Specific target organ toxicity - single ex- posure, Category 3, Central nervous	H336: May cause drowsiness or dizziness.					



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

fects.

system

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

H412: Harmful to aquatic life with long lasting ef-

Long-term (chronic) aquatic hazard, Category 3

## 2.2 Label elements

Labelling (REGULATION (E Hazard pictograms	C) No 1272/2008)	
Signal word	: Danger	• •
Hazard statements	: H222 H229 H304 H315 H319 H336 H412	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters air- ways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting ef- fects.
Precautionary statements	: Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	Storage:	
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

# Hazardous components which must be listed on the label:

propan-2-ol

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

acetone

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active substance with propellant Solvent mixture

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 603-117-00-0 02-2119457558-25- XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336		>= 20 - < 30
Hydrocarbons, C9- C10, n-alkanes, isoal- kanes, cyclics, <2% aromatics	927-241-2 01-2119471843-32- xxxx	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic3; H412; EUH066	Note P	>= 25 - < 30
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304		>= 20 - < 25



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version 3.5	Revision Date 01.03.2023		ssue: 29.11.2022 ssue: 28.06.2016	Print Date: 01.03.2023	
		01-2119475514-35- XXXX	Aquatic Chronic2; H411		
acetone		67-64-1 200-662-2 606-001-00-8 01-2119471330-49- XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066	>= 10 - •	< 20
Substance	es with a workp	lace exposure limit :			
carbon dio		124-38-9 204-696-9	Press. GasCompr. Gas; H280	>= 1 - <	: 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled	:	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact	:	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed	:	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	<ul> <li>Inhalation may provoke the following symptoms:</li> <li>Unconsciousness</li> <li>Dizziness</li> <li>Drowsiness</li> <li>Headache</li> <li>Nausea</li> <li>Tiredness</li> <li>Skin contact may provoke the following symptoms:</li> <li>Erythema</li> </ul>
	Aspiration may cause pulmonary oedema and pneumonitis.
Risks	<ul> <li>Central nervous system depression</li> <li>Risk of product entering the lungs on vomiting after ingestion.</li> <li>Health injuries may be delayed.</li> <li>Causes skin irritation.</li> </ul>

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically.
Trodution	riout symptomation.

## **SECTION 5: Firefighting measures**

5.1	Extinguishing media		
	Suitable extinguishing media	:	ABC powder
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
	Hazardous combustion prod- ucts	:	Carbon oxides
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
	Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.

### **6.2 Environmental precautions**

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling:Do not use in areas without adequate ventilation.<br/>Do not breathe vapours or spray mist.<br/>In case of insufficient ventilation, wear suitable respiratory<br/>equipment.<br/>Avoid contact with skin and eyes.<br/>For personal protection see section 8.<br/>Keep away from fire, sparks and heated surfaces.<br/>Smoking, eating and drinking should be prohibited in the ap-<br/>plication area.<br/>Wash hands and face before breaks and immediately after<br/>handling the product.<br/>Do not get in eyes or mouth or on skin.<br/>Do not get on skin or clothing.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 2611**

Version 3.5	Revision Date: 01.03.2023		e of last issue: 29.11.2022 e of first issue: 28.06.2016	Print Date: 01.03.2023
			Do not ingest. Do not use sparking tools. These safety instructions also apply to en may still contain product residues. Pressurized container: protect from sunli pose to temperatures exceeding 50 °C. I even after use.	ght and do not ex-
Hygiene measures		:	Wash face, hands and any exposed skin handling.	thoroughly after
7.2 Condit	ions for safe storage	e, incl	luding any incompatibilities	
Requirements for storage areas and containers		:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular na- tional regulations.	
-	<b>ic end use(s)</b> fic use(s)		Specific instructions for handling, not req	uired
Speci		•	Specific manufactions for handling, not req	uileu.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
propan-2-ol	67-63-0	VLE-MP	200 ppm	PT OEL (2014-11-14)		
	Further infor humans.	mation: Substances t	hat are not classified as c	arcinogenic for		
		VLE_CD	400 ppm	PT OEL (2014-11-14)		
	Further infor humans.	mation: Substances t	hat are not classified as c	arcinogenic for		
acetone	67-64-1	TWA	500 ppm 1.210 mg/m3	2000/39/EC (2000-06-16)		
	Further information: Indicative					
		VLE-MP	500 ppm	PT OEL (2014-11-14)		
	Further infor humans.	mation: Substances t	hat are not classified as c	arcinogenic for		
		VLE_CD	750 ppm	PT OEL (2014-11-14)		
	Further information: Substances that are not classified as carcinogenic for humans.					
		TWA	500 ppm	PT DL		



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



# **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

			1.210 mg/m3	305/2007 (2007-08-24)
carbon dioxide	124-38-9	TWA	5.000 ppm 9.000 mg/m3	2006/15/EC (2006-02-09)
	Further info	mation: Indicative	9	
		VLE-MP	5.000 ppm	PT OEL
				(2004-06-01)
		VLE_CD	30.000 ppm	PT OEL (2004-06-01)
		TWA	5.000 ppm 9.000 mg/m3	PT DL 305/2007 (2007-08-24)

### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
propan-2-ol	67-63-0	Acetone: 40 mg/l (Urine)	At the end of the shift and at the end of the working week	PT NP1796 (2014-11- 14)
acetone	67-64-1	Acetone: 50 mg/l (Urine)	End of shift	PT NP1796 (2014-11- 14)

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg
Hydrocarbons, C6- C7, n-alkanes, isoal- kanes, cyclics, <5% n-hexane	Workers	Skin contact	Long-term systemic effects	773 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	2035 mg/m3
acetone	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
	Workers	Skin contact	Long-term systemic effects	186 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
acetone	Fresh water	10,6 mg/l
	Marine water	1,06 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	30,4 mg/kg
	Marine sediment	3,04 mg/kg
	Soil	29,5 mg/kg



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

### 8.2 Exposure controls

### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment					
Eye protection	Safety glasses with side-shields				
Hand protection Material Break through time Protective index	butyl-rubber > 10 min Class 1				
Remarks	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.				
Skin and body protection	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.	•			
Respiratory protection	Use respiratory protection unless adequate local exhaust ven tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.				
Filter type	Recommended Filter type:				
	Organic gas and low boiling vapour type (AX)				
Protective measures	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.				

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	colourless
Odour	:	solvent-like
Odour Threshold	:	No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

Melting point/range	:	No data available
Boiling point/boiling range	:	56 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	13 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	-18 °C Method: Abel-Pensky
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	233 hPa (20 °C)
Relative density	:	0,7533 (20 °C) Reference substance: Water The value is calculated
Density	:	0,75 g/cm3 (20 °C)
Bulk density	:	No data available
Relative vapour density	:	No data available

### 9.2 Other information



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version 3.5	Revision Date: 01.03.2023	Date of last issue: 29.11.2022 Date of first issue: 28.06.2016	Print Date: 01.03.2023
Explo	osives	: Not explosive	
Oxidi	zing properties	: No data available	
Self-i	gnition	: not auto-flammable	
Meta	l corrosion rate	: Not corrosive to metals	
Evap	oration rate	: No data available	
Subli	mation point	: No data available	

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No da	ingerous reaction known under conditions of normal use.
-----------------------------	---

### 10.4 Conditions to avoid

Conditions to avoid

#### : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product: Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness. Harmful by inhalation.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

rsion	Revision Date: 01.03.2023		e of last issue: 29.11.2022 e of first issue: 28.06.2016	Print Date: 01.03.2023
			Symptoms: Inhalation may provo Respiratory disorder, Dizziness, tigue, Vertigo, Central nervous s	Drowsiness, Vomiting, Fa-
Acute	dermal toxicity	:	Symptoms: Redness, Local irrita	tion
<u>Comp</u>	oonents:			
propa	an-2-ol:			
	oral toxicity	:	LD50 Oral (Rat): 5.840 mg/kg	
Hydro	ocarbons, C9-C10, r	n-alkar	es, isoalkanes, cyclics, <2% arc	omatics:
Acute	oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
Hydro	ocarbons, C6-C7, n-	alkane	s, isoalkanes, cyclics, <5% n-he	exane:
Acute	oral toxicity	:	LD50 (Rat): > 5.840 mg/kg Assessment: The substance or n icity	nixture has no acute oral tox-
Acute	inhalation toxicity	:	LC50 (Rat): > 25,2 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or n tion toxicity	nixture has no acute inhala-
Acute	dermal toxicity	:	LD50 (Rat): > 2,8 g/kg Assessment: The substance or n toxicity	nixture has no acute dermal
aceto	ne:			
Acute	oral toxicity	:	LD50 Oral (Rat): 5.800 mg/kg	
Skin	corrosion/irritation			
<u>Produ</u>	uct:			
Rema	arks	:	Irritating to skin.	
<u>Comp</u>	oonents:			
Hydro	ocarbons, C9-C10, r	n-alkar	es, isoalkanes, cyclics, <2% arc	omatics:
Resul	t	:	Repeated exposure may cause s	skin dryness or cracking.
Hydro	ocarbons, C6-C7, n-	alkane	s, isoalkanes, cyclics, <5% n-he	exane:
Speci		:	Rabbit	
	ssment	:	Irritating to skin. OECD Test Guideline 404	
Metho Resul		:	Irritating to skin.	
Resul	t	:	Irritating to skin.	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

rsion	Revision Date: 01.03.2023		e of last issue: 29.11.2022 e of first issue: 28.06.2016	Print Date: 01.03.2023
aceto	ne:			
Resul	t	:	Repeated exposure may cause sl	kin dryness or cracking.
Serio	us eye damage/eye	irritati	on	
<u>Produ</u>	<u>ict:</u>			
Rema	ırks	:	Irritating to eyes.	
Comp	oonents:			
propa	an-2-ol:			
Resul	t	:	Irritating to eyes.	
Hydro	ocarbons, C6-C7, n	-alkane	s, isoalkanes, cyclics, <5% n-he	xane:
Specie	es	:	Rabbit	
	sment	:	No eye irritation	
Resul	t	:	No eye irritation	
aceto	-			
Specie		:	Rabbit	
Resul	t	:	Eye irritation	
Respi	iratory or skin sens	itisatio	n	
<u>Produ</u>	<u>ict:</u>			
Rema	rks	:	This information is not available.	
Comp	oonents:			
Hydro	ocarbons, C6-C7, n	-alkane	s, isoalkanes, cyclics, <5% n-he	xane:
Test T		:	Maximisation Test	
	sure routes	:	Dermal	
Specie	es sment	:	Guinea pig Does not cause skin sensitisation	
Metho		:	OECD Test Guideline 406	•
Result		:	Did not cause sensitisation on lab	oratory animals.
Germ	cell mutagenicity			
<u>Produ</u>	<u>uct:</u>			
Genot	toxicity in vitro	:	Remarks: No data available	
Genot	toxicity in vivo	:	Remarks: No data available	
Comp	oonents:			
		alliana	s, isoalkanes, cyclics, <5% n-he	vono



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

	• •			
rsion 5	Revision Date: 01.03.2023		e of last issue: 29.11.2022 e of first issue: 28.06.2016	Print Date: 01.03.2023
Geno	toxicity in vitro	:	Test Type: Chromosome aberrat Test system: Rodent cell line Method: OECD Test Guideline 4 Result: negative	
Carci	nogenicity			
Produ	uct:			
Rema		:	No data available	
Repro	oductive toxicity			
Produ	uct:			
Effect	s on fertility	:	Remarks: No data available	
Effect ment	s on foetal develop-	:	Remarks: No data available	
STOT	- single exposure			
<u>Com</u>	oonents:			
propa	an-2-ol:			
Asses	ssment	:	May cause drowsiness or dizzine	ess.
Hydro	ocarbons, C9-C10, n⋅	-alkar	ies, isoalkanes, cyclics, <2% ard	omatics:
	sure routes	:	Inhalation	
Asses	ssment	:	May cause drowsiness or dizzine	ess.
Hydro	ocarbons, C6-C7, n-a	alkane	es, isoalkanes, cyclics, <5% n-h	exane:
Asses	ssment	:	May cause drowsiness or dizzine	ess.
aceto	one:			
	sure routes ssment	:	Inhalation May cause drowsiness or dizzine	ess.
STOT	- repeated exposure	e		
<u>Com</u>	oonents:			
Hydro	ocarbons, C6-C7, n-a	alkane	es, isoalkanes, cyclics, <5% n-h	exane:
	sure routes ssment	:	inhalation (vapour) No significant health effects obse tions of 1 mg/l/6h/d or less.	erved in animals at concentra-
Repe	ated dose toxicity			
Produ	uct:			
	·			



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

Remarks

: This information is not available.

### Aspiration toxicity

#### Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

#### **Components:**

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics: May be fatal if swallowed and enters airways.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane: May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

### Product:

Remarks

 Risks of irreversible effects after a single exposure.
 Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

VersionRevision Date:Date of last issue: 29.11.2022Print Date:3.501.03.2023Date of first issue: 28.06.201601.03.2023				-		
--	--	--	--	---	--	--

Toxicity to microorganisms

Remarks: No data available

## Components:

1

Acute aquatic toxicity	:	Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aqua	atic life with long lasting effects.
--	--------------------------------------

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)): > 22 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	EL50 (Daphnia magna (Water flea)): 3 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	EbC50 (Pseudokirchneriella subcapitata (green algae)): 26 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

### Ecotoxicology Assessment

Acute aquatic toxicity	:	Toxic to aquatic life.
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available

#### **Components:**

propan-2-ol:		
Biodegradability	:	Result: Readily biodegradable.

### Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Biodegradability : Result: rapidly biodegradable



mental compartments

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version 3.5	Revision Date: 01.03.2023	Date of last issue: 29.11.2022 Date of first issue: 28.06.2016	Print Date: 01.03.2023	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:				

	Biodegradability	:	Result: Readily biodegradable.			
	acetone:					
	Biodegradability	:	Result: rapidly biodegradable			
12.3	Bioaccumulative potential					
	Product:					
	Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).			
	Components:					
	propan-2-ol:					
	Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.			
	Partition coefficient: n- octanol/water	:	log Pow: 0,05			
	Hydrocarbons, C9-C10, n-al	kar	ies, isoalkanes, cyclics, <2% aromatics:			
	Bioaccumulation	:				
	Partition coefficient: n- octanol/water	:	Remarks: No data available			
	acetone:					
	Bioaccumulation	:	Remarks: Does not bioaccumulate.			
	Partition coefficient: n- octanol/water	:	log Pow: 0,2			
	carbon dioxide:					
	Partition coefficient: n- octanol/water	:	log Pow: 0,83			
12.4	Mobility in soil					
	Product:					
	Mobility	:	Remarks: No data available			
	Distribution among environ-	:	Remarks: No data available			



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	Harmful to aquatic life with long lasting effects.
mation		

### **Global warming potential**

The Fifth Assessment Report of the United Nations Intergovernmental Panel on Climate Change (IPCC)

### Components:

### carbon dioxide:

20-year global warming potential: 1 100-year global warming potential: 1 Further information: No single lifetime can be given. The impulse response function for CO2 from Joos et al. (2013) has been used. See also Supplementary Material Section 8.SM.11.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date: 01.03.2023
3.5	01.03.2023	Date of first issue: 28.06.2016	
Wast	te Code	<ul> <li>The following Waste Codes are or</li> <li>unused product, packagings not containing hazardous substances</li> </ul>	ompletely emptied

# **SECTION 14: Transport information**

14.1	UN number or ID number		
	ADR	:	UN 1950
	RID	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	2 UN proper shipping name		
	ADR	:	AEROSOLS
	RID	:	AEROSOLS
	IMDG	:	AEROSOLS
	ΙΑΤΑ	:	Aerosols, flammable
14.3	Transport hazard class(es)		
	ADR	:	2
	RID	:	2
	IMDG	:	2.1
	ΙΑΤΑ	:	2.1
14.4	Packing group		
	ADR Packing group Classification Code Labels Tunnel restriction code	: : :	Not assigned by regulation 5F 2.1 (D)
	RID Packing group Classification Code Hazard Identification Number Labels	: : : :	Not assigned by regulation 5F 23 2.1
	Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U

IATA (Cargo)



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Ver 3.5	sion	Revision Date: 01.03.2023		e of last issue: 29.11.2022 e of first issue: 28.06.2016	Print Date: 01.03.2023
	aircraf Packin	g instruction (LQ) g group	:	203 Y203 Not assigned by regulation Flammable Gas	
	Packin ger air Packin	g instruction (LQ) g group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.	5 Enviro	onmental hazards			
		nmentally hazardous	:	no	
	<b>RID</b> Enviro	nmentally hazardous	:	no	
	<b>IMDG</b> Marine	pollutant	:	no	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

the	ACH - Restrictions on the manufacture, placing on market and use of certain dangerous substances, atures and articles (Annex XVII)	:	Not applicable
Co	ACH - Candidate List of Substances of Very High ncern for Authorisation (Article 59). U SVHC)	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
(An	ACH - List of substances subject to authorisation nex XIV) U. REACH-Annex XIV)	:	Not applicable
ple	gulation (EC) No 1005/2009 on substances that de- te the ozone layer C 1005/2009)	:	Not applicable
Re	gulation (EU) 2019/1021 on persistent organic pollu-	:	Not applicable
			a brand of

20/23

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version 3.5	Revision Date: 01.03.2023	Date of last issue: 2 Date of first issue: 2		Print Date: 01.03.2023
tants ( (EU F	(recast) POP)			
ment a	and the Council cond gerous chemicals	012 of the European Pa cerning the export and in		Not applicable
	ation (EU) 2019/114 sives precursors	8 on the marketing and	use of :	Listed
all sus ances tional https:/ fairs/fi terroris precur sors/d	spicious transactions and thefts should be contact point. Please //ec.europa.eu/home les/what-we-do/polic sm/explosives/explo	-affairs/sites/ homeaf- ies/crisis-and-	ear- ht na-	acetone (ANNEX II)
			: P5c	
Parlia	ment and of the Cou -accident hazards in	18/EU of the European ncil on the control of volving dangerous sub-	P3b	FLAMMABLE AEROSOLS
Volatil	e organic compound	emissions (inte	grated pollut	November 2010 on industrial tion prevention and control) s (VOC) content: 96,39 %
	ation (EC) No. 004, as amended	: Ingredients >= 30%: Alipha	tic hydrocar	bons

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

### Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H225	:	Highly flammable liquid and vapour.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



## **OKS 2611**

Version 3.5	Revision Date: 01.03.2023		e of last issue: 29.11.2022 e of first issue: 28.06.2016	Print Date: 01.03.2023
H226 H280 H304 H315 H319 H336 H411 H412 EUH <b>Full</b> 1		iations	Flammable liquid and vapour. Contains gas under pressure; ma May be fatal if swallowed and ent Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizzine Toxic to aquatic life with long last Harmful to aquatic life with long la Repeated exposure may cause s	ss. ing effects. asting effects.
Note	Ρ	:	The harmonised classification as applies unless it can be shown th less than 0,1 % w/w benzene (Eir case a classification in accordance tion shall be performed also for th the substance is not classified as least the precautionary statement D240 D221 chall early	at the substance contains necs No 200-753-7), in which ce with Title II of this Regula- nose hazard classes. Where a carcinogen or mutagen, at

		tion shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at
		least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2006/15/EC	:	Europe. Indicative occupational exposure limit values
PT DL 305/2007	:	Portugal. Indicative Occupational Exposure Limits
PT NP1796	:	Portuguese Norm 1796 - Biological Exposure Indices
PT OEL	:	Portugal. Security and Health at the Workplace - Occupational exposure limits of chemical agents
2000/39/EC / TWA	:	Limit Value - eight hours
2006/15/EC / TWA	:	Limit Value - eight hours
PT DL 305/2007 / TWA	:	8 Hour limit value
PT OEL / VLE-MP	:	Time Weighted Average
PT OEL / VLE_CD	:	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergencv Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Classification procedure:

## **OKS 2611**

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
3.5	01.03.2023	Date of first issue: 28.06.2016	01.03.2023

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Classification	of	the	mixture:	

		•
Aerosol 1	H222, H229	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

