according to GB/T 16483 and GB/T 17519



### **OKS 2621**

Version Date of last issue: 2018-08-14 Revision Date:

Date of first issue: 2014-05-06 Print Date: 2022-08-18 2022-08-18 2.3

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 2621

Chemical nature Active agent with propellant and solvent.

Manufacturer or supplier's details

Company name of supplier OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person mcm@oks-germany.com

Material Compliance Management responsible for the SDS

National contact

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use Detergent

Restrictions on use Restricted to professional users.

## 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

**Appearance** aerosol Colour colourless Odour characteristic

Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

**GHS Classification** 

Aerosols Category 1

Skin irritation Category 2

single exposure

Specific target organ toxicity - : Category 3 (Narcotic effects)



according to GB/T 16483 and GB/T 17519 CN



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

Aspiration hazard : Category 1

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 2

#### **GHS** label elements

Hazard pictograms









Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

# Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing mist.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves.

# Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.



according to GB/T 16483 and GB/T 17519



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

P405 Store locked up.

P410 + P412 Protect from sunlight. Do not expose to

temperatures exceeding 50 °C/122 °F.

#### Disposal:

P501 Dispose of contents/containers according the local government requirements.

# Physical and chemical hazards

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### **Health hazards**

Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

#### **Environmental hazards**

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

# Other hazards which do not result in classification

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 90 -<= 100
n-hexane	110-54-3	>= 3 -< 10
Carbon dioxide	124-38-9	>= 1 -< 10

# 4. FIRST AID MEASURES

If inhaled : Call a physician or poison control centre immediately.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.



according to GB/T 16483 and GB/T 17519



**OKS 2621** 

Version **Revision Date:** Date of last issue: 2018-08-14

2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18 2.3

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed Move the victim to fresh air.

If accidentally swallowed obtain immediate medical attention.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Aspiration hazard if swallowed - can enter lungs and cause

damage.

Most important symptoms and effects, both acute and

delayed

Central nervous system depression

Risk of product entering the lungs on vomiting after ingestion.

Health injuries may be delayed.

Causes skin irritation.

Inhalation may provoke the following symptoms:

Unconsciousness

**Dizziness Drowsiness** Headache Nausea **Tiredness** 

Skin contact may provoke the following symptoms:

Aspiration may cause pulmonary oedema and pneumonitis.

Notes to physician Treat symptomatically.

# 5. FIREFIGHTING MEASURES

Suitable extinguishing media : ABC powder

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not let product enter drains.

Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion

products

Carbon oxides

Fire Hazard

Specific extinguishing

methods

Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

according to GB/T 16483 and GB/T 17519



**OKS 2621** 

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

must not be discharged into drains. Cool containers/tanks with water spray.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.

Ensure adequate ventilation. Remove all sources of ignition.

Do not breathe vapours or spray mist.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

Non-sparking tools should be used.

Prevention of secondary

hazards

Only qualified personnel equipped with suitable protective

equipment may intervene.

# 7. HANDLING AND STORAGE

#### Handling

Advice on safe handling : Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.



according to GB/T 16483 and GB/T 17519



# **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

Do not get on skin or clothing.

Do not ingest.

Do not use sparking tools.

These safety instructions also apply to empty packaging which

may still contain product residues.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or

burn, even after use.

Avoidance of contact : Oxidizing agents

**Storage** 

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Store in accordance with the particular national regulations.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
n-hexane	110-54-3	PC-TWA	100 mg/m3	CN OEL (2019-08-27)
	Further infor	mation: Skin		
		PC-STEL	180 mg/m3	CN OEL (2019-08-27)
	Further infor	mation: Skin		
		TWA	50 ppm	ACGIH (2007-01-01)
Carbon dioxide	124-38-9	PC-TWA	9,000 mg/m3	CN OEL (2019-08-27)
		PC-STEL	18,000 mg/m3	CN OEL (2019-08-27)
		TWA	5,000 ppm	ACGIH (2007-01-01)
		STEL	30,000 ppm	ACGIH (2007-01-01)

# **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen		Permissible concentratio n	Basis
n-hexane	110-54-3	2,5- hexanedion	Urine	After shift	4 mg/l	CN BEI (2019-08-



according to GB/T 16483 and GB/T 17519



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

	е				27)
	2,5-	Urine	After	35 micromol	CN BEI
	hexanedion		shift	per litre	(2019-08-
	е				27)
	2,5-	Urine	End of	0.5 mg/l	ACGIH
	Hexanedion		shift		BEI
	е				(2020-02-
					01)

**Engineering measures** : Use only in an area equipped with explosion proof exhaust

ventilation.

Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Recommended Filter type:

Organic gas and low boiling vapour type

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol



according to GB/T 16483 and GB/T 17519 CN



# **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

Colour : colourless

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : not determined

Evaporation rate : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Self-ignition : not auto-flammable

Upper explosion limit / Upper

flammability limit

7.0 %(V)

Lower explosion limit / Lower :

flammability limit

0.6 %(V)

Vapour pressure : 149 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.7248 (20 °C)

Reference substance: Water The value is calculated

Density : 0.72 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

according to GB/T 16483 and GB/T 17519



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : < 20.5 mm2/s ( 40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

# 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Strong sunlight for prolonged periods.

Risk of receptacle bursting.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No decomposition if stored and applied as directed.

## 11. TOXICOLOGICAL INFORMATION

# **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Effects due to ingestion may include:

Symptoms: Central nervous system depression

according to GB/T 16483 and GB/T 17519



**OKS 2621** 

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.

Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression

Acute dermal toxicity : Symptoms: Redness, Local irritation

**Components:** 

Naphtha (petroleum), hydrotreated light:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 25.2 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

n-hexane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 259.35 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 3,350 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

according to GB/T 16483 and GB/T 17519



# **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

#### Skin corrosion/irritation

**Product:** 

Remarks : Irritating to skin.

# **Components:**

# Naphtha (petroleum), hydrotreated light:

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Irritating to skin.

GLP : yes

n-hexane:

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Irritating to skin.

# Serious eye damage/eye irritation

**Product:** 

Remarks : Contact with eyes may cause irritation.

# **Components:**

# Naphtha (petroleum), hydrotreated light:

Species : Rabbit

Result : No eye irritation Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

n-hexane:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

according to GB/T 16483 and GB/T 17519 CN



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

# Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

# **Components:**

# Naphtha (petroleum), hydrotreated light:

Test Type : Buehler Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

n-hexane:

Species : Mouse

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

# Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

# Carcinogenicity

**Product:** 

Remarks : No data available

# Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal : Remarks: No data available

development

Reproductive toxicity -

Assessment

: - Fertility -



according to GB/T 16483 and GB/T 17519



# **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

No toxicity to reproduction

Components:

n-hexane:

Reproductive toxicity - : - Fertility -

Assessment Suspected human reproductive toxicant

STOT - single exposure

**Components:** 

Naphtha (petroleum), hydrotreated light:

Exposure routes : Inhalation

Target Organs : Central nervous system

Assessment : May cause drowsiness or dizziness.

n-hexane:

Exposure routes : Inhalation

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

Components:

n-hexane:

Exposure routes : Inhalation

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Aspiration toxicity** 

**Product:** 

May be fatal if swallowed and enters airways.



according to GB/T 16483 and GB/T 17519 CN



# **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

May be fatal if swallowed and enters airways.

#### Components:

# Naphtha (petroleum), hydrotreated light:

May be fatal if swallowed and enters airways.

#### n-hexane:

May be fatal if swallowed and enters airways.

#### **Further information**

**Product:** 

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

**Product:** 

Toxicity to fish

Remarks: Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

# **Components:**

# Naphtha (petroleum), hydrotreated light:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l

according to GB/T 16483 and GB/T 17519



**OKS 2621** 

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.5 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1

mg/l

Exposure time: 72 h Test Type: static test

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

n-hexane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12.51 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 21.85 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 9.285

mg/

Exposure time: 72 h

Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical

removability

: Remarks: No data available



according to GB/T 16483 and GB/T 17519



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

# **Components:**

# Naphtha (petroleum), hydrotreated light:

Biodegradability : aerobic

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 90.35 % Exposure time: 28 d

n-hexane:

Biodegradability : aerobic

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 21 % Exposure time: 28 d

GLP: yes

# **Bioaccumulative potential**

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

# **Components:**

# Naphtha (petroleum), hydrotreated light:

Partition coefficient: n-

octanol/water

: log Pow: 3.4 - 5.2

n-hexane:

Bioaccumulation : Bioconcentration factor (BCF): 501.19

Partition coefficient: n-

octanol/water

log Pow: 4 (20 °C)

pH: 7

Carbon dioxide:

Partition coefficient: n-

octanol/water

log Pow: 0.83



according to GB/T 16483 and GB/T 17519



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

# Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among : Remarks: No data available

environmental compartments

#### Other adverse effects

**Product:** 

Additional ecological

information

: Toxic to aquatic life with long lasting effects.

#### Global warming potential

The Fifth Assessment Report of the United Nations Intergovernmental Panel on Climate Change (IPCC)

#### Components:

#### Carbon dioxide:

20-year global warming potential: 1 100-year global warming potential: 1

Further information: No single lifetime can be given. The impulse response function for CO2 from

Joos et al. (2013) has been used. See also Supplementary Material Section 8.SM.11.

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.

# 14. TRANSPORT INFORMATION

# **International Regulations**

**UNRTDG** 

UN number : UN 1950
Proper shipping name : AEROSOLS



according to GB/T 16483 and GB/T 17519



### **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1

**IATA-DGR** 

UN/ID No. : UN 1950

Proper shipping name : Aerosols, flammable

Class : 2.1

Packing group : Not assigned by regulation

203

Labels : Flammable Gas

Packing instruction (cargo

aircraft)

Packing instruction : 203

(passenger aircraft)

**IMDG-Code** 

UN number : UN 1950
Proper shipping name : AEROSOLS

(naphtha (petroleum), hydrotreated light)

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1
EmS Code : F-D, S-U
Marine pollutant : yes

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

# GB 6944/12268

UN number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.1

Packing group : Not assigned by regulation

Labels : 2.1

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 15. REGULATORY INFORMATION

#### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

# **Regulations on Safety Management of Hazardous Chemicals**

Catalogue of Hazardous Chemicals



according to GB/T 16483 and GB/T 17519



# **OKS 2621**

Version **Revision Date:** Date of last issue: 2018-08-14

2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18 2.3

Product name	Status	Reference number
OKS 2621	Listed	2828

List of ingredients	CAS-No.	Status	Reference number
n-hexane	110-54-3	Listed	2789
Carbon dioxide	124-38-9	Listed	642

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

Category Threshold quantity

Aerosols 150 t

Hazardous Chemicals for Priority Management under

SAWS

Not applicable

# Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals Not applicable

# Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

# International Regulations

Montreal Protocol Not applicable

Rotterdam Convention (Prior Informed Consent) Not applicable

Stockholm Convention (Persistent Organic Pollutants) Not applicable

# The components of this product are reported in the following inventories:

**IECSC** : On the inventory, or in compliance with the inventory

# 16. OTHER INFORMATION

Date format yyyy/mm/dd

Full text of other abbreviations

**ACGIH** USA. ACGIH Threshold Limit Values (TLV)

according to GB/T 16483 and GB/T 17519



# **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
CN BEI : China. Biological Occupational Exposure Indices

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CN OEL / PC-TWA : Permissible concentration - time weighted average CN OEL / PC-STEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# **Disclaimer**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and



according to GB/T 16483 and GB/T 17519 CN



# **OKS 2621**

Version Revision Date: Date of last issue: 2018-08-14

2.3 2022-08-18 Date of first issue: 2014-05-06 Print Date: 2022-08-18

other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.