

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 F	Product identifier		
	Product name	:	OKS 270
1.2 F	Relevant identified uses of th	le s	ubstance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
	Details of the supplier of the	saf	-
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	

1.4 Emergency telephone number

Emergency telephone	: +34 91 562 04 20
number	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.





VersionRevision Date:Date of last issue: 04.11.20223.219.02.2024Date of first issue: 01.07.2016	Print Date: 19.02.2024
---	---------------------------

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	(EC) :	No 1272/2008)	
Signal word	:	Warning	
Hazard statements	:	H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273	Avoid release to the environment.
		Response: P391	Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Mineral oil. PTFE solid lubricant lithium soap

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	specific concentration limit M-Factor	Concentration (% w/w)
	Index-Ino.		IVI-Faciol	



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 270

Version I 3.2

Revision Date: 19.02.2024

Date of last issue: 04.11.2022 Date of first issue: 01.07.2016 Print Date: 19.02.2024

	Registration number		Notes	
			Acute toxicity	
			estimate	
Distillates (petroleum),	64742-54-7	Asp. Tox.1; H304		>= 30 - < 50
hydrotreated heavy	265-157-1			
paraffinic; Baseoil —			Note L	
unspecified	649-467-00-8			
Amines, N-C16-C18-		Skin Irrit.2; H315		>= 2,5 - < 10
alkyl-(evennumbered,	800-362-7	Eye Irrit.2; H319	M-Factor: 10/1	
C18 unsaturated)		STOT RE2; H373		
propane-1,3-		Aquatic Acute1;		
diaminium di[(9Z)-	01-2119974117-33-	H400		
octadec-9-enoate]	XXXX	Aquatic Chronic2;		
		H411		
zinc oxide	1314-13-2	Aquatic Acute1;		>= 1 - < 2,5
	215-222-5	H400	M-Factor: 1/1	
		Aquatic Chronic1;		
	030-013-00-7	H410		
	01-2119463881-32-			
	XXXX			
Tipe corborate	2496 25 0	Aquetie Acute4		>= 0,1 - < 0,25
zinc carbonate	3486-35-9 222-477-6	Aquatic Acute1;	M Factor 1/1	>= 0,1 - < 0,25
	222-477-0	H400	M-Factor: 1/1	
		Aquatic Chronic1; H410		
Benzenamine, N-	68411-46-1	Repr.2; H361f		>= 0,1 - < 1
phenyl-, reaction	270-128-1	1100112, 110011		
products with 2,4,4-				
trimethylpentene	01-2119491299-23-			
, , , , , , , , , , , , , , , , , , ,	XXXX			
Benzenesulfonic acid,		Skin Sens.1B;	> 10 - 100 %	>= 0,1 - < 1
di-C10-14-alkyl	939-603-7	H317	Skin Sens.1B,	
derivs., calcium salts			H317	
	04 0440070044 00			
	01-2119978241-36-			
	XXXX			
Substances with a meri				
Substances with a work				× 00 × 00
Distillates (petroleum),	64742-54-7	Not classified		>= 20 - < 30
hydrotreated heavy	265-157-1		Note L	
paraffinic; Baseoil —	649-467-00-8		NOLE L	
unspecified				
	01-2119484627-25-			





Version Revision 3.2 19.02.20		ssue: 04.11.2022 ssue: 01.07.2016	Print Date: 19.02.2024
	xxxx		
lithium 12- hydroxystearate	7620-77-1 231-536-5 01-2119970893-23- XXXX 01-2119970893-23- XXXX 01-2119970893-23- XXXX 01-2119970893-23- XXXX 01-2119970893-23- XXXX	Not classified	>= 1 - < 10
calcium distearate	1592-23-0 216-472-8	Not classified	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Obtain medical attention. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.





OKS 2	70
-------	----

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024
lf swa	allowed	 Move the victim to fresh air. If unconscious, place in recovery advice. Keep respiratory tract clear. Do not induce vomiting without modified attention. Never give anything by mouth to a 	edical advice.
4.2 Most i	important symptom	s and effects, both acute and delayed	
Symp	otoms	: No symptoms known or expected	
Risks	3	: None known.	

· · · · · · · · · · · · · · · · · · ·	
Treatment	: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Halogenated compounds Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions Environmental precautions	:	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and transfer to properly labelled containers.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	5	
Advice on safe handling	:	Do not use in areas without adequate ventilation. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Keep container closed when not in
areas and containers		use. Keep in a dry, cool and well-ventilated place. Containers
		which are opened must be carefully resealed and kept upright
		to prevent leakage. Store in accordance with the particular





OKS 27	0		
Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
		national regulations. Keep in prope	erly labelled containers.
•	f ic end use(s) ific use(s)	: Specific instructions for handling, r	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	VLA- EDEnvironmental Daily Limit Value (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA- ECEnvironmental Short Term Value (Mist)	10 mg/m3	ES VLA (2019-02-20)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	VLA- EDEnvironmental Daily Limit Value (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA- ECEnvironmental Short Term Value (Mist)	10 mg/m3	ES VLA (2019-02-20)
lithium 12- hydroxystearate	7620-77-1	VLA- EDEnvironmental Daily Limit Value	10 mg/m3	ES VLA (2012-01-01)
calcium distearate	1592-23-0	VLA- EDEnvironmental Daily Limit Value	10 mg/m3	ES VLA (2012-01-01)
zinc oxide	1314-13-2	VLA- EDEnvironmental Daily Limit Value	10 mg/m3	ES VLA (2007-01-01)
	Further inform		es are applicable to stabilized	
		VLA- EDEnvironmental Daily Limit Value	5 mg/m3	ES VLA (2007-01-01)
		VLA- ECEnvironmental Short Term Value	10 mg/m3	ES VLA (2007-01-01)
		VLA-	2 mg/m3	ES VLA





Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016		Print Date: 19.02.2024
		EDEnvironmental Daily Limit Value (respirable fraction)		(2016-01-01)
		VLA- ECEnvironmental Short Term Value (respirable fraction)	10 mg/m3	ES VLA (2016-01-01)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	Workers	Skin contact	Long-term systemic effects	0,04 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,29 mg/m3
calcium distearate		Skin contact	Long-term local effects	0,172 mg/m3
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m3
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
	Workers	Dermal	Long-term systemic effects	25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Amines, N-C16-C18-alkyl-	Fresh water	0,00638 mg/l



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 270

sion		pate of last issue: 04.11.2022 pate of first issue: 01.07.2016	Print Date: 19.02.2024
unsat	numbered, C18 urated) propane-1,3- nium di[(9Z)-octadec-9- e]		
		Marine water	0,000638 mg/
		Intermittent use/release	0,00509 mg/l
		Microbiological Activity in Sewage Treatment Systems	98,6 mg/l
		Fresh water sediment	204 mg/kg
		Marine sediment	20,4 mg/kg
		Soil	9,93 mg/kg
zinc c	oxide	Fresh water	0,0179 mg/l
		Marine water	0,009 mg/l
		Sewage treatment plant	0,1245 mg/l
		Fresh water sediment	182,8 mg/kg
		Marine sediment	201,9 mg/kg
		Soil	103,4 mg/kg
reacti	enamine, N-phenyl-, on products with 2,4,4- hylpentene	Fresh water	0,034 mg/l
		Marine water	0,003 mg/l
		Fresh water sediment	0,446 mg/kg
		Marine sediment	0,045 mg/kg
		Soil	1,76 mg/kg
		Sewage treatment plant	10 mg/l
		Intermittent use/release	0,51 mg/l
	enesulfonic acid, di-C10-1 derivs., calcium salts	4- Fresh water	0,1 mg/l
		Marine water	0,1 mg/l
		Fresh water sediment	45211 mg/kg
		Marine sediment	45211 mg/kg
		Microbiological Activity in Sewage Treatment Systems	1000 mg/l
		Soil	36739 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection Material Break through time Protective index	:	Fluorinated rubber > 10 min Class 1

Remarks

: Wear protective gloves. The break through time depends





OKS 270)				
Version 3.2	Version Revision Date:		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024	
Skin and body protection		:	amongst other things on the material, t type of glove and therefore has to be n case. The selected protective gloves have to specifications of Regulation (EU) 2016 EN 374 derived from it. Choose body protection in relation to it concentration and amount of dangerou the specific work-place.	neasured for each satisfy the /425 and the standard s type, to the	
Respi	iratory protection	:	Not required; except in case of aerosol	formation.	
Filter type		:	: Filter type A-P		
Protective measures		:	The type of protective equipment must to the concentration and amount of the at the specific workplace.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	beige
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
Drop point	:	> 190 °C (1.013 hPa)
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available





Versior 3.2	n Revision Date: 19.02.2024		of last issue: 04.11.2022 of first issue: 01.07.2016	Print Date: 19.02.2024
De	ecomposition temperature	:	No data available	
p⊦	ł	:	Not applicable substance/mixture is non-soluble ((in water)
Vi	scosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
Sc	blubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	; :	No data available	
	artition coefficient: n- tanol/water	:	No data available	
Va	apour pressure	:	< 0,001 hPa (20 °C)	
Re	elative density	:	1,15 (20 °C) Reference substance: Water The value is calculated	
De	ensity	:	1,15 g/cm3 (20 °C)	
Βι	ılk density	:	No data available	
Re	elative vapour density	:	No data available	
Pa	article characteristics Particle size	:	Not applicable	
	Particle Size Distribution	:	Not applicable	
9.2 Oth	ner information			
Ex	plosives	:	Not explosive	
0>	kidizing properties	:	No data available	
Se	elf-ignition	:	not auto-flammable	
Me	etal corrosion rate	:	Not corrosive to metals	
Εv	aporation rate	:	No data available	
Su	Iblimation point	:	No data available	
			11 / 35	a brand of





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Ha

azardous reactions	:	No dangerous	reaction known	under	conditions of normal use.
--------------------	---	--------------	----------------	-------	---------------------------

10.4 Conditions to avoid

Conditions to avoid	:	No conditions to be specially mentioned.
---------------------	---	--

10.5 Incompatible materials

Acute toxicity

Materials to avoid	:	No materials to be especially mentioned.
--------------------	---	--

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Addie toxicity	
Product:	
Acute oral toxicity	: Remarks: This information is not available.
Acute inhalation toxicity	: Remarks: This information is not available.
Acute dermal toxicity	: Remarks: This information is not available.
Components:	
Distillates (petroleum), hy	drotreated heavy paraffinic; Baseoil — unspecified:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg





2 19.02.2024 Date of first issue: 01.07.2016 19.02.2024 Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium diffortadec-9-encate]: Acute oral toxicity : Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute oral toxicity : LD50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute dermatoxicity zinc carbonate: . Acute oral toxicity : Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : <th>ersion</th> <th>Revision Date:</th> <th></th> <th>e of last issue: 04.11.2022</th> <th>Print Date:</th>	ersion	Revision Date:		e of last issue: 04.11.2022	Print Date:
octadec-9-enoate]: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute oral toxicity : LD50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dus/mist Test atmosphere: dus/mist Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dus/mist Test atmosphere: dus/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity : Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermatoxicity : zinc carbonate: . . Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 . . Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: . Acute oral toxicity : <td< th=""><th>2</th><th>19.02.2024</th><th>Dat</th><th>e of first issue: 01.07.2016</th><th>19.02.2024</th></td<>	2	19.02.2024	Dat	e of first issue: 01.07.2016	19.02.2024
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermatoxicity zinc oxide: . Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dus/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermatoxicity zinc carbonate: . Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity Enzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity			l-(even	numbered, C18 unsaturated) pro	pane-1,3-diaminium di[(9
Assessment: The substance or mixture has no acute derma toxicity zinc oxide: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute derma toxicity zinc carbonate: : Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium satts: Acute oral toxicity Acute oral toxicity : LD50 (Rat): > 1.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has	Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg	
Acute oral toxicity E LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity E LC50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity E LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute derma toxicity zinc carbonate: Acute oral toxicity Acute oral toxicity E LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity E LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity E LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity E LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity E LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity E LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity E LD50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e dermal toxicity	:	Assessment: The substance or m	ixture has no acute derma
Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute derma toxicity zinc carbonate: : Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: : Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: : Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute oral toxicity : LD50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity </td <td>zinc</td> <td>oxide:</td> <td></td> <td></td> <td></td>	zinc	oxide:			
Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute derma toxicity zinc carbonate: : Acute oral toxicity Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e oral toxicity	:		1
Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermatoxicity zinc carbonate: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermatoxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute oral toxicity : LD50 (Rat): > 1.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e inhalation toxicity	:	Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40 Assessment: The substance or mi	-
Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e dermal toxicity	:	Method: OECD Test Guideline 40. GLP: yes Assessment: The substance or mi	
Method: OECD Test Guideline 401 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	zinc	carbonate:			
Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e oral toxicity	:		1
Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Benz	enamine, N-phenyl-	, react	ion products with 2,4,4-trimethyl	pentene:
Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermatoxicity Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e oral toxicity	:		1
Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e dermal toxicity	:	Method: OECD Test Guideline 40 Assessment: The substance or m	
Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Benz	enesulfonic acid, di	-C10-1	4-alkyl derivs., calcium salts:	
Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity	Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg	
	Acute	e inhalation toxicity	:	Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mi	ixture has no acute
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg	Acute	e dermal toxicitv	:	LD50 (Rat): > 2.000 mg/kg	





OKS 27	0				
Version 3.2	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024	
			Assessment: The substance or mi toxicity	xture has no acute dermal	
Disti	llates (petroleum), hy	vdrotr	eated heavy paraffinic; Baseoil –	- unspecified:	
	e oral toxicity	-	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: yes		
Acute	Acute inhalation toxicity		LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity		
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	2	
lithiu	ım 12-hydroxysteara	te:			
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	1	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 3.000 mg/kg Assessment: The substance or mi toxicity	xture has no acute dermal	
calci	um distearate:				
Acute	e oral toxicity	:	LD50 (Rat): 5.000 mg/kg Assessment: The substance or mi toxicity	xture has no acute oral	
Acute	e inhalation toxicity	:	LC50 (Rat): > 200 mg/l Exposure time: 1 h Test atmosphere: dust/mist		
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mi toxicity	xture has no acute dermal	
Skin	corrosion/irritation				
Prod	uct:				
Rema		:	This information is not available.		
Com	ponents:				

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:





	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
Specie Asses Result	sment	RabbitIrritating to skin.Irritating to skin.	
zinc o	oxide:		
Specie	es	: Rabbit	
	sment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Result	t	: No skin irritation	
Benze	enamine, N-phenyl-	-, reaction products with 2,4,4-trimethylp	pentene:
Specie	es	: Rabbit	
	sment	: No skin irritation	
Result	t	: No skin irritation	
Benze	enesulfonic acid, d	i-C10-14-alkyl derivs., calcium salts:	
Asses	sment	: No skin irritation	
Metho	bd	: OECD Test Guideline 404	
Result	t	: No skin irritation	
Distill	lates (petroleum), h	nydrotreated heavy paraffinic; Baseoil —	- unspecified:
		nydrotreated heavy paraffinic; Baseoil – : Rabbit	- unspecified:
Specie			- unspecified:
Specie	es ssment	: Rabbit	- unspecified:
Specie Asses Metho Result	es ssment od	: Rabbit : No skin irritation	- unspecified:
Specie Asses Metho	es ssment od	RabbitNo skin irritationOECD Test Guideline 404	- unspecified:
Specie Asses Metho Result GLP	es ssment od	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	- unspecified:
Specie Asses Metho Result GLP	es ssment od t	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	- unspecified:
Specie Asses Metho Result GLP	es ssment od t m 12-hydroxystear a ssment	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	- unspecified:
Specie Asses Metho Result GLP lithiur Asses	es ssment od t m 12-hydroxystear a ssment od	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	- unspecified:
Specie Asses Metho Result GLP Iithiur Asses Metho Result	es ssment od t m 12-hydroxystear a ssment od	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes ate: No skin irritation OECD Test Guideline 439 	- unspecified:
Specie Asses Metho Result GLP Iithiur Asses Metho Result	es ssment od t m 12-hydroxystear ssment od t t um distearate:	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes ate: No skin irritation OECD Test Guideline 439 	- unspecified:
Specie Asses Metho Result GLP Iithiur Asses Metho Result Specie	es ssment od t m 12-hydroxystear ssment od t t um distearate:	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes ate: No skin irritation OECD Test Guideline 439 No skin irritation 	- unspecified:
Specie Asses Metho Result GLP Iithiur Asses Metho Result Specie	es ssment od t m 12-hydroxystear ssment od t um distearate: es ssment	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes ate: No skin irritation OECD Test Guideline 439 No skin irritation : Rabbit	- unspecified:
Specie Asses Metho Result GLP Iithiur Asses Metho Result Specie Asses Result	es ssment od t m 12-hydroxystear ssment od t um distearate: es ssment	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes ate: No skin irritation OECD Test Guideline 439 No skin irritation No skin irritation Rabbit No skin irritation No skin irritation 	- unspecified:
Specie Asses Metho Result GLP Iithiur Asses Metho Result Specie Asses Result	es ssment od t m 12-hydroxystear ssment od t im distearate: es ssment t us eye damage/eye	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes ate: No skin irritation OECD Test Guideline 439 No skin irritation No skin irritation Rabbit No skin irritation No skin irritation 	- unspecified:





Version	Revision Date: 19.02.2024	Date of last issue: 04.11.2022	Print Date:
3.2		Date of first issue: 01.07.2016	19.02.2024

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species Assessment Method Result	:	Rabbit Irritating to eyes. OECD Test Guideline 405 Irritating to eyes.
Rooun	•	initiating to byob.

zinc oxide:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

zinc carbonate:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

lithium 12-hydroxystearate:

Species	Rabbit
Assessment	No eye irritation
Method	OECD Test Guideline 405
Result	No eye irritation

calcium distearate:





ision	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3011	19.02.2024	Date of first issue: 01.07.2016	19.02.2024
Speci	es	: Rabbit	
	ssment	: No eye irritation	
Resul	lt	: No eye irritation	
Resp	iratory or skin sens	itisation	
<u>Produ</u>			
Rema	arks	: This information is not available	Э.
<u>Com</u>	oonents:		
	es, N-C16-C18-alky lec-9-enoate]:	l-(evennumbered, C18 unsaturated) p	propane-1,3-diaminium di[(9Z)
	ssment	: Does not cause skin sensitisati	on.
Resul		: Does not cause skin sensitisati	
zinc o	oxide:		
Test T		: Maximisation Test	
Speci		: Guinea pig	
	ssment	 Does not cause skin sensitisati OECD Test Guideline 406 	on.
Metho Resul		: Does not cause skin sensitisati	00
GLP		: yes	
zinc o	carbonate:		
Test	Гуре	: Maximisation Test	
Speci		: Guinea pig	
	ssment	: Does not cause skin sensitisati	-
Resul	lt	: Does not cause skin sensitisati	on.
		, reaction products with 2,4,4-trimeth	nylpentene:
Speci		: Guinea pig	
Asses	ssment	 Does not cause skin sensitisati OECD Test Guideline 406 	on.
Resul		: Does not cause skin sensitisati	on.
Benz	enesulfonic acid, d	-C10-14-alkyl derivs., calcium salts:	
Asses	ssment	: Probability or evidence of low to rate in humans	o moderate skin sensitisation
Resul	lt	: Probability or evidence of low to rate in humans	o moderate skin sensitisation
Distil	lates (petroleum), h	ydrotreated heavy paraffinic; Baseoi	I — unspecified:
Speci	es	: Guinea pig	
	ssment	: Does not cause skin sensitisati	on.





OKS 27	0		
Version 3.2	Revision Date: 19.02.2024		Date: 2.2024
Metho Resu GLP		 OECD Test Guideline 406 Does not cause skin sensitisation. yes 	
lithiu	m 12-hydroxysteara	e:	
Expos Speci Metho Resu	bc	 Dermal Mouse OECD Test Guideline 429 negative 	
calci	um distearate:		
Speci	ssment	 Dermal Guinea pig Does not cause skin sensitisation. Does not cause skin sensitisation. 	
Germ	cell mutagenicity		
Prod	uct:		
Geno	toxicity in vitro	: Remarks: No data available	
Geno	toxicity in vivo	: Remarks: No data available	
Com	ponents:		
	es, N-C16-C18-alkyl lec-9-enoate]:	(evennumbered, C18 unsaturated) propane-1,3-dia	ninium di[(9Z)-
	toxicity in vitro	: Test Type: Ames test Result: negative	
	cell mutagenicity- ssment	: Tests on bacterial or mammalian cell cultures d mutagenic effects.	d not show
zinc	oxide:		
	cell mutagenicity- ssment	: Tests on bacterial or mammalian cell cultures d mutagenic effects.	d not show
Benz	enesulfonic acid, di	C10-14-alkyl derivs., calcium salts:	
Geno	toxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames Test system: Salmonella typhimurium Metabolic activation: with and without metabolic Method: OECD Test Guideline 471 Result: negative	

calcium distearate:





rsion 2	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
	cell mutagenicity- ssment	:	Tests on bacterial or mammalian c mutagenic effects.	ell cultures did not show
Carci	inogenicity			
<u>Prod</u> Rema		:	No data available	
Com	ponents:			
		ydrotr	eated heavy paraffinic; Baseoil —	unspecified:
	nogenicity - ssment	:	Not classifiable as a human carcin	ogen.
	es, N-C16-C18-alky lec-9-enoate]:	l-(ever	numbered, C18 unsaturated) prop	pane-1,3-diaminium di[(92
	nogenicity - ssment	:	No evidence of carcinogenicity in a	animal studies.
zinc	oxide:			
	nogenicity - ssment	:	Not classifiable as a human carcin	ogen.
Distil	lates (petroleum), h	ydrotr	eated heavy paraffinic; Baseoil —	unspecified:
	nogenicity - ssment	:	Not classifiable as a human carcin	ogen.
calci	um distearate:			
	nogenicity - ssment	:	No evidence of carcinogenicity in a	animal studies.
Repr	oductive toxicity			
Prod	uct:			
Effect	ts on fertility	:	Remarks: No data available	
	ts on foetal opment	:	Remarks: No data available	
Com	ponents:			
	ies, N-C16-C18-alky dec-9-enoate]:	l-(ever	numbered, C18 unsaturated) prop	oane-1,3-diaminium di[(92
	oductive toxicity -	:	- Fertility -	

Assessment No toxicity to reproduction





(S 270)					
rsion	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024			
		- Teratogenicity -				
		No toxicity to reproduction				
zinc o	oxide:					
Reproductive toxicity -		: - Fertility -				
Asses	ssment	No toxicity to reproduction - Teratogenicity -				
		No toxicity to reproduction				
Benz	enamine, N-phenyl·	, reaction products with 2,4,4-trimethyl	pentene:			
	oductive toxicity -	: - Fertility -				
Asses	ssment	Some evidence of adverse effects fertility, based on animal experime				
Benz	enesulfonic acid, d	-C10-14-alkyl derivs., calcium salts:				
Reproductive toxicity - Assessment	: - Fertility -					
Asses	ssment	No toxicity to reproduction - Teratogenicity -				
		No toxicity to reproduction				
Distil	lates (petroleum), h	ydrotreated heavy paraffinic; Baseoil –	- unspecified:			
	oductive toxicity -	: - Fertility -				
Asses	ssment	No toxicity to reproduction				
calciu	um distearate:					
	oductive toxicity - ssment	: - Fertility -				
ASSet	ssment	No toxicity to reproduction - Teratogenicity -				
		No effects on or via lactation				
STOT	- single exposure					
<u>Produ</u>						
Rema	arks	: No data available				
<u>Com</u>	oonents:					
	es, N-C16-C18-alky lec-9-enoate]:	l-(evennumbered, C18 unsaturated) pro	pane-1,3-diaminium di[(92			
	ssment	: The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target			
			a brand of			





	Dat : :	te of last issue: 04.11.2022 te of first issue: 01.07.2016 The substance or mixture is not class organ toxicant, single exposure. The substance or mixture is not class organ toxicant, single exposure.	
ment n distearate: ment repeated exposure <u>t:</u> s <u>nents:</u> s, N-C16-C18-alkyl-(6	:	organ toxicant, single exposure. The substance or mixture is not class organ toxicant, single exposure.	
ment n distearate: ment repeated exposure <u>t:</u> s <u>nents:</u> s, N-C16-C18-alkyl-(6	:	organ toxicant, single exposure. The substance or mixture is not class organ toxicant, single exposure.	
n distearate: ment repeated exposure <u>t:</u> s <u>nents:</u> s, N-C16-C18-alkyl-(6	:	organ toxicant, single exposure. The substance or mixture is not class organ toxicant, single exposure.	
ment repeated exposure <u>t:</u> s <u>nents:</u> s, N-C16-C18-alkyl-(6	:	organ toxicant, single exposure.	ssified as specific target
repeated exposure <u>t:</u> s <u>nents:</u> s, N-C16-C18-alkyl-((:	organ toxicant, single exposure.	ssified as specific target
<u>t:</u> s <u>nents:</u> s, N-C16-C18-alkyl-((:	No data available	
s <u>nents:</u> s, N-C16-C18-alkyl-((:	No data available	
<u>nents:</u> s, N-C16-C18-alkyl-((:	No data available	
s, N-C16-C18-alkyl-(«			
c-9-enoate]:	even	nnumbered, C18 unsaturated) propa	ane-1,3-diaminium di[(9Z
re routes ment	:	Ingestion May cause damage to organs throu exposure.	gh prolonged or repeated
ide:			
nent	:	The substance or mixture is not class organ toxicant, repeated exposure.	ssified as specific target
n distearate:			
nent	:	The substance or mixture is not class organ toxicant, repeated exposure.	ssified as specific target
ed dose toxicity			
<u>t:</u>			
S	:	This information is not available.	
ion toxicity			
<u>t:</u>			
ormation is not availa	ble.		
	nent de: nent distearate: nent ed dose toxicity t: s ion toxicity t: prmation is not availa nents:	nent : de: nent : distearate: nent : ed dose toxicity t: s : ion toxicity t: prmation is not available. nents:	nent : May cause damage to organs throu exposure. ide: . nent : The substance or mixture is not class organ toxicant, repeated exposure. idistearate: . nent : The substance or mixture is not class organ toxicant, repeated exposure. ed dose toxicity . t: . ion toxicity . t: . prmation is not available.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified: May be fatal if swallowed and enters airways.





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

May be harmful if swallowed and enters airways.

zinc oxide:

No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification

calcium distearate:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product: Remarks : Information given is based on data on the components and the toxicology of similar products.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:Remarks:Information given is based on data on the components and
the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:				
Toxicity to fish	:	Remarks: Very toxic to aquatic organisms.	1	
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available		
Toxicity to algae/aquatic	:	Remarks: No data available		
			a brand of	







OKS	6 270				
Versi 3.2	on	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
F	plants				
-	Toxicity	<i>i</i> to microorganisms	:	Remarks: No data available	
9	Compo	onents:			
		s, N-C16-C18-alkyl-(e c-9-enoate]:	even	numbered, C18 unsaturated) prop	ane-1,3-diaminium di[(9Z)-
-	Toxicity	/ to fish	:	LC50 (Danio rerio (zebra fish)): > 0, Exposure time: 96 h Method: OECD Test Guideline 203	1 - 1 mg/l
		v to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h): > 0,1 - 1 mg/l
	Toxicity plants	∕ to algae/aquatic	:	EC50 (Pseudokirchneriella subcapir - 0,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	tata (green algae)): > 0,01
	M-Factor toxicity)	or (Acute aquatic)	:	10	
á	aquatic	/ to daphnia and other invertebrates ic toxicity)	:	EC50: 1,41 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle Test Type: semi-static test Method: OECD Test Guideline 211	ea)
	M-Facto toxicity)	or (Chronic aquatic)	:	1	
I	Ecotox	cicology Assessment	t		
1	Acute a	aquatic toxicity	:	Very toxic to aquatic life.	
(Chronic	c aquatic toxicity	:	Toxic to aquatic life with long lasting	g effects.
2	zinc ox	(ide:			
-	Toxicity	/ to fish	:	LC50 (Danio rerio (zebra fish)): 1,55 Exposure time: 96 h Test Type: static test	5 mg/l
		/ to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202): 1 mg/l
-	Toxicity	v to algae/aquatic	:	EC50 (Pseudokirchneriella subcapit	tata (green algae)): 0,136
				00 / 05	a brand of



01/	0 070				
OK	S 270				
Vers 3.2	sion	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
	plants			mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	
	M-Fact toxicity	or (Acute aquatic)	:	1	
	Toxicity	y to microorganisms	:	EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes	
	aquatic	y to daphnia and other invertebrates ic toxicity)	:	0,04 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211	
	M-Fact toxicity	or (Chronic aquatic)	:	1	
	zinc ca	arbonate:			
		y to fish	:	EC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h	out)): 0,169 mg/l
		y to daphnia and other invertebrates	÷	EC50 (Ceriodaphnia dubia (water flea)): 0 Exposure time: 48 h),147 mg/l
	M-Fact toxicity	or (Acute aquatic)	:	1	
	M-Fact toxicity	or (Chronic aquatic)	:	1	
	Bonzo	nomino N-nhonyl- r	aati	on products with 2,4,4-trimethylpentene	
		y to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg Exposure time: 96 h Method: OECD Test Guideline 203	
		y to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 51 r Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	ng/l
	Toxicity plants	y to algae/aquatic	:	EC50 (Desmodesmus subspicatus (greer Exposure time: 72 h Method: OECD Test Guideline 201	า algae)): > 100 mg/l





OK	S 270				
Vers 3.2	sion	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
	Toxicit	y to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	
	aquatio	y to daphnia and other c invertebrates ic toxicity)	· :	EL10: 1,69 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)	
	Bonzo	nesulfonic acid di-C	10-1	4-alkyl derivs., calcium salts:	
		y to fish	:	LC50 (Oncorhynchus mykiss (rainbow tr Exposure time: 96 h Method: OECD Test Guideline 203	out)): > 100 mg/l
		y to daphnia and other invertebrates	• :	(Daphnia magna (Water flea)): > 100 m Exposure time: 48 h Method: OECD Test Guideline 202	g/I
	Toxicit plants	y to algae/aquatic	:	NOELR (Desmodesmus subspicatus (gr Exposure time: 72 h Method: OECD Test Guideline 201	een algae)): 100 mg/l
				EL50 (Desmodesmus subspicatus (gree Exposure time: 72 h Method: OECD Test Guideline 201	n algae)): > 100 mg/l
	Toxicit	y to microorganisms	:	EC50 (activated sludge): > 10.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209	
	Distille			atad baaw paraffinia. Daacail	acifical
		y to fish		eated heavy paraffinic; Baseoil — unsp LC50 (Pimephales promelas (fathead mi Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	
		y to daphnia and other invertebrates	· :	EC50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes	0.000 mg/l
	aquatio	y to daphnia and other c invertebrates ic toxicity)	· :	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211	





OK	S 270				
Vers 3.2		Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
				GLP: yes	
	lithiun	n 12-hydroxystearate	:		
		y to fish	:	LC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes	out)): > 100 mg/l
		y to daphnia and other c invertebrates	r:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h)0 mg/l
	Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g mg/l Exposure time: 72 h Method: OECD Test Guideline 201	Jreen algae)): > 160
				NOEC (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h Method: OECD Test Guideline 201	green algae)): 160
	calciu	m distearate:			
	Toxicit	y to fish	:	LC50 (Oryzias latipes (Orange-red killifish Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	ו(ו)): > 100 mg/l
		y to daphnia and other c invertebrates	r:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: static test)0 mg/l
	Toxicit plants	y to algae/aquatic	:	ErC50 (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h Test Type: static test	green algae)): > 100
12.2	Persis	tence and degradabi	ility		

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available





KS 270	0		
rsion	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
<u>Com</u>	ponents:		
	ies, N-C16-C18-alky dec-9-enoate]:	l-(evennumbered, C18 unsaturated) pi	opane-1,3-diaminium di[(92
Biode	egradability	: Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 65 % Exposure time: 28 d Method: OECD Test Guideline 3 GLP: yes	301D
zinc	oxide:		
Biode	egradability	: Remarks: The methods for dete not applicable to inorganic subst	
Benz	enamine, N-phenyl	, reaction products with 2,4,4-trimethy	/lpentene:
Biode	egradability	: Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradabl Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guideline 3 GLP: yes	
Benz	enesulfonic acid, d	-C10-14-alkyl derivs., calcium salts:	
Biode	egradability	: Result: Not readily biodegradabl Biodegradation: 8 % Exposure time: 28 d Method: OECD Test Guideline 3	
Distil	llates (petroleum), h	ydrotreated heavy paraffinic; Baseoil	- unspecified:
Biode	egradability	: Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradabl Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 3 GLP: yes	
lithiu	m 12-hydroxysteara	ate:	
Biode	egradability	: Test Type: Primary biodegradati Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 74,7 % Exposure time: 28 d Method: OECD Test Guideline 3	
			a brand of





/ersion	Revision Date:	Date of last issue: 04.11.2022	
3.2	19.02.2024	Date of first issue: 01.07.2016	6 19.02.2024
calci	um distearate:		
	egradability	: Test Type: aerobic Result: Readily biodegra Biodegradation: 95 % Exposure time: 28 d Method: OECD Test Gui	
I2.3 Bioa	ccumulative potent	al	
Prod	uct:		
Bioad	ccumulation	be persistent, bioaccum	substance considered to be very
<u>Com</u>	ponents:		
	nes, N-C16-C18-alky dec-9-enoate]:	-(evennumbered, C18 unsatur	ated) propane-1,3-diaminium di[(9Z
Bioad	ccumulation	: Remarks: Bioaccumulati	ion is unlikely.
Benz	enamine, N-phenyl-	reaction products with 2,4,4-t	trimethylpentene:
Bioad	ccumulation	: Species: Cyprinus carpio Exposure time: 42 d Bioconcentration factor (Remarks: Due to the dis accumulation in organisr	(BCF): 1.730 tribution coefficient n-octanol/water,
	tion coefficient: n- nol/water	: log Pow: > 6	
Benz	enesulfonic acid, di	-C10-14-alkyl derivs., calcium	salts:
Bioad	ccumulation	: Bioconcentration factor ((BCF): 70,8
	ion coefficient: n- nol/water	: log Pow: 6,91 (20 °C)	
Disti	llates (petroleum), h	ydrotreated heavy paraffinic; E	Baseoil — unspecified:
	tion coefficient: n- nol/water	: log Pow: > 2	
lithiu	ım 12-hydroxysteara	te:	
	ion coefficient: n-	: log Pow: 2,6	





OKS 27	0			
Version 3.2	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
Partit	um distearate: ion coefficient: n- ol/water	:	log Pow: 14,34	
12.4 Mob	ility in soil			
Prod	uct:			
Mobi	lity	:	Remarks: No data available	
	bution among onmental compartments	:	Remarks: No data available	
12.5 Resu	Ilts of PBT and vPvB a	isse	ssment	
Prod	uct:			
Asse	ssment	:	This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher.	lative and toxic (PBT), or
<u>Com</u>	ponents:			
zinc	oxide:			
Asse	ssment	:	Remarks: Not applicable	
Benz	enamine, N-phenyl-, re	eact	ion products with 2,4,4-trimethyl	pentene:
Asse	ssment	:	Non-classified PBT substance. No	on-classified vPvB substance
Disti	llates (petroleum), hyd	lrotr	eated heavy paraffinic; Baseoil –	- unspecified:
	ssment	:	Non-classified vPvB substance. N	-
calci	um distearate:			
Asse	ssment	:	Non-classified vPvB substance. N	on-classified PBT substance
12.6 Endo	ocrine disrupting prop	ertie	S	
Prod	uct:			
	ssment	:	The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	upting properties according ssion Delegated regulation

12.7 Other adverse effects

Product:





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date: 19.02.2024
3.2	19.02.2024	Date of first issue: 01.07.2016	
	ional ecological nation	: Very toxic to aquatic organisms, meffects in the aquatic environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 12 01 12**, spent waxes and fats
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,





Version	Revision Date:	Dat	e of last issue: 04.11.2022	Print Date:	
3.2	19.02.2024		e of first issue: 01.07.2016	19.02.2024	
			N.O.S.		
IMDC	3	:	ENVIRONMENTALLY HAZARDO N.O.S. (fatty amine derivative)	OUS SUBSTANCE, SOLID,	
ΙΑΤΑ	ΙΑΤΑ		Environmentally hazardous substance, solid, n.o.s. (fatty amine derivative)		
14.3 Tran	sport hazard class(es)				
ADR		:	9		
RID		:	9		
IMDO	3	:	9		
ΙΑΤΑ	L Contraction of the second seco	:	9		
14.4 Pack	king group				
Class Haza Labe	ing group sification Code ard Identification Number	:	III M7 90 9 (-)		
Class	ing group sification Code ard Identification Number Is	:	III M7 90 9		
Labe	ing group	:	III 9 F-A, S-F		
Pack aircra Pack	ing instruction (LQ) ing group	:	956 Y956 III Miscellaneous Dangerous Goods	5	
ΙΑΤΑ	(Passenger)		Ū		
Pack (pass Pack	ing instruction senger aircraft) ing instruction (LQ) ing group	:	956 Y956 III		
Labe		:	Miscellaneous Dangerous Goods	6	
14.5 Envi	ronmental hazards				
ADR					
Envir	onmentally hazardous	:	yes		





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

RID

Environmentally hazardous	:	yes	
IMDG Marine pollutant	:	yes	
IATA (Passenger) Environmentally hazardous	:	yes	
IATA (Cargo)			

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	: Not applicable





OKS 270					
Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024		
•	Regulation (EU) 2019/1148 on the marketing and use of : Not applicable explosives precursors				
Seveso III: Directive 2012/18/EU of the European E1 ENVIRONMENTAL HAZARDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.					
Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable					
15.2 Chemical safety assessment					

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H361f :	Suspected of damaging fertility.
H373 :	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400 :	Very toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note L

: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed





Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024	
ES VLA		also for that hazard class. : Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values		
ES VLA / VLA-ED ES VLA / VLA-EC		: Environmental Daily Limit Value : Environmental Short Term Value	Environmental Daily Limit Value	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtu	Classification procedure:	
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

