according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1 1	Product identifier		
1.1	Product identifier Product name	:	OKS 300
1.2	Relevant identified uses of th	ie s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone number	ər	
	Emergency telephone num- ber		CIAV - Information Centre of Antipoison (+351) 800 250 250 (free 24/7 service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version 2.1	Revisior 28.02.20		Date of last issue: 06.12.2021 Date of first issue: 23.06.2016	Print Date: 28.02.2023
EUH2	10	Safety data	a sheet available on request.	
EUH2	08	Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhe: hydrogen dithiophosphate. May produce an allergic reaction.		

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Mineral oil. Molybdenum disulfide

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	947-946-9 01-2120772600-59- XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4; H413		>= 0,1 - < 0,25
Substances with a work	place exposure limit :	•		
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 50 - < 70
molybdenum disul-	1317-33-5	Not classified		>= 1 - < 10



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version 2.1	Revision Date: 28.02.2023	Date of last issue: 06.12.2021 Date of first issue: 23.06.2016	Print Date: 28.02.2023
phide	215-2	63-9	
	walenation of obbravi	ations soo sostion 16	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description of mist and med	
If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	 Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Allergic appearance
Risks	: May cause an allergic skin reaction.
4.3 Indication of any immediate	e medical attention and special treatment needed
Treatment	: The first aid procedure should be established in consultation



with the doctor responsible for industrial medicine.

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	Carbon oxides
ucts		Sulphur oxides
		Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	

Environmental precautions : Try to prevent the material from entering drains or water

course	t further leakage or spillage if safe to do so.
Preven	uthorities should be advised if significant spillages
Local a	be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab-
		sorbent material, (e.g. sand, earth, diatomaceous earth, ver-
		miculite) and place in container for disposal according to local
		/ national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Do not breathe vapours or spray mist.
	Avoid contact with skin and eyes.
	For personal protection see section 8.
	Persons with a history of skin sensitisation problems or asth-
	ma, allergies, chronic or recurrent respiratory disease should
	not be employed in any process in which this mixture is being used.
	Smoking, eating and drinking should be prohibited in the application area.
	Wash hands and face before breaks and immediately after handling the product.
	Do not get in eyes or mouth or on skin.
	Do not get on skin or clothing.
	Do not ingest.
	Do not repack.
	Do not re-use empty containers.
	These safety instructions also apply to empty packaging which may still contain product residues.
	Keep container closed when not in use.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.2 Sussifierend was(a)	

7.3 Specific end use(s)

- Specific use(s) : Sp
- : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Distillates (petrole- um), solvent- dewaxed heavy	64742-65-0	VLE-MP (Inhala- ble fraction)	5 mg/m3	PT OEL (2014-11-14)



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

paraffinic; Baseoil — unspecified				
		nation: Substances th	nat are not classified as carci	nogenic for
	humans.			
molybdenum di-	1317-33-5	VLE-MP (Inhala-	10 mg/m3	PT OEL
sulphide		ble fraction)	(Molybdenum)	(2014-11-14)
		VLE-MP (Respir-	3 mg/m3	PT OEL
		able fraction)	(Molybdenum)	(2014-11-14)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Distillates (petrole- um), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	vent-dewaxed araffinic;		Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye protection

: Safety glasses with side-shields

Hand	protection
------	------------

Material	: Nitri	le rubber
Break through time	: >10) min
Protective index	: Clas	ss 1

Remarks

: For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version 2.1	Revision Date: 28.02.2023		e of last issue: 06.12.2021 e of first issue: 23.06.2016	Print Date: 28.02.2023
Skin a	and body protection	:	Choose body protection in relation t tration and amount of dangerous su cific work-place.	
Resp	iratory protection	:	Not required; except in case of aero	sol formation.
Fil	lter type	:	Filter type A-P	
Protective measures		:	The type of protective equipment m to the concentration and amount of at the specific workplace.	•

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

-	Physical state	:	liquid
	Colour	:	black
	Odour	:	hydrocarbon-like
	Odour Threshold	:	No data available
	Melting point/range	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	201 °C
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	pН	:	Not applicable substance/mixture is non-polar/aprotic
	Viscosity		

Viscosity, dynamic : No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version 2.1	Revision Date: 28.02.2023		of last issue: 06.12.2021 of first issue: 23.06.2016	Print Date: 28.02.2023
Vi	scosity, kinematic	:	100 mm2/s (40 °C)	
		•		
	oility(ies) /ater solubility	:	immiscible	
S	olubility in other solvents	S :	No data available	
	tion coefficient: n- nol/water	:	No data available	
Vapo	our pressure	:	< 1.100 hPa (20 °C)	
Relat	Relative density		0,92 (20 °C) Reference substance: Water The value is calculated	
Dens	ity	:	0,92 g/cm3 (20 °C)	
Bulk	density	:	No data available	
Relat	Relative vapour density		No data available	
9.2 Other	information			
Explo	osives	:	Not explosive	
Oxidi	Oxidizing properties		No data available	
Self-i	Self-ignition		No data available	
Evap	Evaporation rate		No data available	
Subli	mation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity No hazards to be specially mentioned. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions No dangerous reaction known under conditions of normal use. 10.4 Conditions to avoid No conditions to be specially mentioned.

•

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

10.5 Incompatible materials

Materials to avoid

: No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product:	
Acute oral toxicity	: Remarks: This information is not available.
Acute inhalation toxicity	: Remarks: This information is not available.
Acute dermal toxicity	: Symptoms: Redness, Local irritation
Components:	

Components:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio- phosphate:								
Acute dermal toxicity :	:	Symptoms: Redness, Local irritation						
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:								
Acute oral toxicity :	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401						
Acute dermal toxicity :	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402						
molybdenum disulphide:								
•	:	LD50 (Rat): > 5.000 mg/kg						
Acute dermal toxicity :	:	LD50 (Rat): > 16.000 mg/kg						
Skin corrosion/irritation								
Product:								
Remarks :	:	This information is not available.						
Components:								

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-phosphate:



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



	Revision Date: 28.02.2023		e of last issue: 06.12.2021 e of first issue: 23.06.2016	Print Date: 28.02.2023
	sment	:	Irritating to skin.	
Resul	t	:	Irritating to skin.	
Rema	rks	:	Irritating to skin.	
Distill	ates (petroleum), s	olvent-	dewaxed heavy paraffinic; Base	oil — unspecified:
Specie	es	:	Rabbit	
Asses	sment	:	No skin irritation	
Metho	bd	:	OECD Test Guideline 404	
Resul	t	:	No skin irritation	
GLP		:	yes	
moly	odenum disulphide	:		
Asses	sment	:	No skin irritation	
Resul	t	:	No skin irritation	
Serio	us eye damage/eye	e irritatio	on	
<u>Produ</u>	<u>ict:</u>			
Rema	rks	:	This information is not available.	
Comp	oonents:			
Moly	odenum trioxide, re ohate:	action	products with bis[O,O-bis(2-ethy	ylhexyl)] hydrogen dith
Molyb phosp		action :	products with bis[0,0-bis(2-eth)	ylhexyl)] hydrogen dith
Molyb phosp	sment	eaction : :		ylhexyl)] hydrogen dith
Molyt phosi Asses Resul	ohate: ssment t	:	No eye irritation	
Molyt phosi Asses Resul	ohate: ssment t lates (petroleum), s	:	No eye irritation No eye irritation	
Molyk phosp Asses Result Distill Specie	ohate: ssment t lates (petroleum), s	:	No eye irritation No eye irritation dewaxed heavy paraffinic; Base	
Molyk phosp Asses Result Distill Specie	ohate: ssment t ates (petroleum), s es ssment	:	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit	
Molyk phosp Asses Result Distill Specie Asses	ohate: ssment t ates (petroleum), s es ssment od	:	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation	
Molyb phose Asses Result Distill Specie Asses Metho	ohate: ssment t ates (petroleum), s es ssment od	:	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405	
Molyt phose Asses Result Distill Specie Asses Metho Result GLP	ohate: ssment t ates (petroleum), s es ssment od	solvent-	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405 No eye irritation	
Molyk phose Asses Result Distill Specie Asses Metho Result GLP molyk	ohate: issment t l ates (petroleum), s es issment od t	solvent-	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes	
Molyk phose Asses Result Distill Specie Asses Metho Result GLP molyk	ohate: Issment t lates (petroleum), s es issment od t odenum disulphide issment	solvent-	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405 No eye irritation	
Molyk phose Asses Result Distill Specie Asses Metho GLP molyk Asses Result	ohate: Issment t lates (petroleum), s es issment od t odenum disulphide issment	solvent-	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes	
Molyk phose Asses Result Distill Specie Asses Metho GLP molyk Asses Result	ohate: ssment t lates (petroleum), s es ssment od t odenum disulphide ssment t ratory or skin sens	solvent-	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes	
Molyk phose Asses Result Distill Specie Asses Metho Result GLP molyk Asses Result	ohate: issment t lates (petroleum), s es issment od t odenum disulphide issment t iratory or skin sens	solvent-	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes	
Molyk phosp Asses Result Distill Specie Asses Metho Result GLP molyk Asses Result Respi Respi Respi	ohate: issment t lates (petroleum), s es issment od t odenum disulphide issment t iratory or skin sens	solvent-	No eye irritation No eye irritation dewaxed heavy paraffinic; Base Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes No eye irritation No eye irritation	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



rsion	Revision Date: 28.02.2023		e of last issue: 06.12.2021 e of first issue: 23.06.2016	Print Date: 28.02.2023				
Assessment Result			 The product is a skin sensitiser, sub-category 1B. The product is a skin sensitiser, sub-category 1B. 					
Distill	lates (petroleum), sol	vent	-dewaxed heavy paraffinic; Baseoi	il — unspecified:				
Specie Asses Metho Resul GLP	ssment od	:	Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation. yes					
molył	bdenum disulphide:							
Asses Resul	ssment It	:	Does not cause skin sensitisation. Does not cause skin sensitisation.					
Germ	cell mutagenicity							
<u>Produ</u>								
Genot	toxicity in vitro	:	Remarks: No data available					
Genot	toxicity in vivo	:	Remarks: No data available					
<u>Comp</u>	<u>oonents:</u>							
Distill	lates (petroleum), sol	vent	dewaxed heavy paraffinic; Baseoi	il — unspecified:				
Genot	toxicity in vitro	:	Test system: Salmonella typhimuriu Metabolic activation: with and witho Method: OECD Test Guideline 471 Result: negative					
Genot	toxicity in vivo	:	Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative					
molył	bdenum disulphide:							
Germ sessm	cell mutagenicity- As- nent	:	Animal testing did not show any mu	Itagenic effects.				
Carci	nogenicity							
<u>Produ</u> Rema		:	No data available					
<u>Comr</u>	oonents:							
Distill	lates (petroleum), sol	vent	-dewaxed heavy paraffinic; Baseoi	il — unspecified:				
Speci		:	Mouse	-				



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



• • •					
Vers 2.1	sion	Revision Date: 28.02.2023		of last issue: 06.12.2021 of first issue: 23.06.2016	Print Date: 28.02.2023
	Applica Method Result	tion Route I	:	Dermal OECD Test Guideline 451 negative	
	molybdenum disulphide: Carcinogenicity - Assess- ment		:	No evidence of carcinogenicity in animal	studies.
	Reproc	luctive toxicity			
	Produc Effects	<u>et:</u> on fertility	:	Remarks: No data available	
	Effects ment	on foetal develop-	:	Remarks: No data available	
	Compo	onents:			
	Distilla	tes (petroleum), solv	vent-	dewaxed heavy paraffinic; Baseoil — u	nspecified:
	Effects ment	on foetal develop-	:	Species: Rat Application Route: Dermal General Toxicity Maternal: NOAEL: 30 m Developmental Toxicity: NOAEL: 30 mg/ Method: OECD Test Guideline 414	
	STOT -	single exposure			
	Compo	onents:			
	molybo Assess	denum disulphide: ment	:	The substance or mixture is not classified organ toxicant, single exposure.	d as specific target
	STOT -	repeated exposure			
	Compo	onents:			
	molybo Assess	denum disulphide: ment	:	The substance or mixture is not classified organ toxicant, repeated exposure.	d as specific target
	Repeat	ed dose toxicity			
	Produc Remark		:	This information is not available.	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties						
Product:						
Assessment	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
Further information						
Product:						
Remarks	Information given is based on data on the components and the toxicology of similar products.					
Components:						
Molybdenum trioxide, reactio phosphate:	n products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithio-					
Remarks	Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.					
molybdenum disulphide:						
	Information given is based on data on the components and the toxicology of similar products.					

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



ersion .1	Revision Date: 28.02.2023		e of last issue: 06.12.2021 e of first issue: 23.06.2016	Print Date: 28.02.2023
Toxici plants	ity to algae/aquatic	:	Remarks: No data available	
Toxici	ity to microorganisms	:	Remarks: No data available	
<u>Comp</u>	oonents:			
	odenum trioxide, reac phate:	tion	products with bis[O,O-bis(2-eth	ylhexyl)] hydrogen dithio-
Toxici	ity to fish	:	LC50 (Oncorhynchus mykiss (rai Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 20 GLP: yes	03
			Remarks: May cause long-term a environment.	adverse effects in the aquation
	ity to daphnia and other ic invertebrates	r:	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
Toxici plants	ity to algae/aquatic	:	EC50 (Pseudokirchneriella subca mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
Distil	lates (petroleum), solv	vent-	dewaxed heavy paraffinic; Base	eoil — unspecified:
			LC50 (Pimephales promelas (fath Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	nead minnow)): > 100 mg/l
	ity to daphnia and other ic invertebrates	r:	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20	
Toxici plants	ity to algae/aquatic	:	NOEC (Pseudokirchneriella subc mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	
	ity to daphnia and other ic invertebrates (Chron		NOEC: 10 mg/l Exposure time: 21 d	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Version 2.1	Revision Date: 28.02.2023		e of last issue: 06.12.2021 e of first issue: 23.06.2016	Print Date: 28.02.2023	
ic toxi	icity)		Species: Daphnia magna (Water	flea)	
moly	bdenum disulphide:				
-	ity to fish	:	LC50 (Pimephales promelas (fath Exposure time: 96 h	nead minnow)): > 100 mg/l	
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h		
Toxic plants	ity to algae/aquatic s	:	EC50 (Pseudokirchneriella subca mg/l Exposure time: 72 h	apitata (green algae)): > 100	
12.2 Persi	istence and degradabi	lity			
Produ	uct:				
Biode	egradability	:	Remarks: No data available		
Physi ity	co-chemical removabil-	:	Remarks: No data available		
Com	ponents:				
	bdenum trioxide, react phate:	tion	products with bis[O,O-bis(2-eth	ylhexyl)] hydrogen dithio-	
Biode	egradability	:	Result: Not rapidly biodegradable Biodegradation: 11 % Exposure time: 28 d Method: OECD Test Guideline 30		
Dietil	lates (netroleum) solv	iont.	dewaxed heavy paraffinic; Base	oil — unspecified:	
	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 30 GLP: yes	9	
12.3 Bioa	ccumulative potential				
Produ	uct:				
	cumulation	:	Remarks: This mixture contains r be persistent, bioaccumulating ar This mixture contains no substan persistent and very bioaccumulat	nd toxic (PBT). ce considered to be very	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

Components:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Partition coefficient: n- : log Pow: > 4 octanol/water

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered
		to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

Components:

Molybdenum trioxide, reaction products with bis[0,0-bis(2-ethylhexyl)] hydrogen dithio-
phosphate:

Additional ecological infor- : May cause long lasting harmful effects to aquatic life. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version 2.1	Revision Date: 28.02.2023	Date of last issue: 06.12.2021 Date of first issue: 23.06.2016	Print Date: 28.02.2023		
Product		 The product should not be allowed to enter drains, wate courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with loca national regulations. 			
		Waste codes should be assigned by t application for which the product was			
Contaminated packaging		 Packaging that is not properly emptie the unused product. Dispose of waste product or used cor local regulations. 	·		
		The following Waste Codes are only	suggestions:		
Waste Code		: unused product 13 02 05*, mineral-based non-chlorin lubricating oils	ated engine, gear and		
		uncleaned packagings 15 01 10*, packaging containing resic by hazardous substances	lues of or contaminated		

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version 2.1	Revision Date: 28.02.2023	Date of last issue: 06.12.2021Print Date:Date of first issue: 23.06.201628.02.2023	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	6	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	6	: Not regulated as a dangerous good	
14.6 Spec	ial precautions for	er	
Not a	pplicable		
14.7 Marit	time transport in bu	according to IMO instruments	
Rema	arks	: Not applicable for product as supplied.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals (EU PIC)	: Not applicable
Seveso III: Directive 2012/18/EU of the European :	Not applicable

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements	
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H413	: May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Note L	:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determi- nation of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, Lon- don), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
PT OEL	:	Portugal. Security and Health at the Workplace - Occupational exposure limits of chemical agents
PT OEL / VLE-MP	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 300

Version	Revision Date:	Date of last issue: 06.12.2021	Print Date:
2.1	28.02.2023	Date of first issue: 23.06.2016	28.02.2023

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

