according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



### **OKS 340**

VersionRevision Date:Date of last issue: 2019-11-072.72022-10-20Date of first issue: 2014-04-07Print Date: 2022-10-20

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	OKS 340		
Chemical nature	:	Synthetic hydrocarbon oil		
Manufacturer or supplier's de	etai	Is		
Company name of supplier	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com		
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management		
National contact	:			
Emergency telephone number	:	+86 532 8388 9090 (NRCC, only for hazardous chemicals) +86 21 69225521		
Recommended use of the chemical and restrictions on use				
Recommended use	:	Lubricant		
Restrictions on use	:	Restricted to professional users.		

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview** Appearance : liquid Colour : green Odour characteristic : Causes serious eye irritation. **GHS Classification** Eye irritation : Category 2A **GHS** label elements Hazard pictograms



according to GB/T 16483 and GB/T 17519 CN



### **OKS 340**

Version Revision Date: Date of last issue: 2019-11-07 2022-10-20 Date of first issue: 2014-04-07 Print Date: 2022-10-20 2.7 Signal word : Warning Hazard statements H319 Causes serious eye irritation. 2 Precautionary statements 2 **Prevention:** P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. **Response:** P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Causes serious eye irritation.

#### **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
zinc bis[O,O-bis(2-ethylhexyl)]	4259-15-8	>= 1 -< 2.5
bis(dithiophosphate)		
Sulfonic acids, petroleum, calcium salts	61789-86-4	>= 1 -< 10
Molybdenum, bis[O,O-bis(2-ethylhexyl)	72030-25-2	>= 0.25 -< 1
phosphorodithioatokappa.S,.kappa.S']dioxodi-		
.muthioxodi-, (Mo-Mo)		

#### 4. FIRST AID MEASURES

If inhaled

: Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical



according to GB/T 16483 and GB/T 17519 CN



Versio 2.7	on Revision Date: 2022-10-20		nst issue: 2019-11-07 rst issue: 2014-04-07 Print Date: 2022-10-20
			advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
lı	n case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
lı	n case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
II	f swallowed	:	Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.
а	Nost important symptor and effects, both acute lelayed		May cause an allergic skin reaction. Allergic appearance
Ν	Notes to physician	:	The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
5. FIR	REFIGHTING MEASUR	RES	
S	Suitable extinguishing r	nedia :	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	Jnsuitable extinguishin nedia	g :	High volume water jet
	lazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus Metal oxides
	Specific extinguishing nethods	:	Standard procedure for chemical fires.
	Special protective equip or firefighters	oment :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



### **OKS 340**

VersionRevision Date:Date of last issue: 2019-11-072.72022-10-20Date of first issue: 2014-04-07Print Date: 2022-10-20

#### health.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 7. HANDLING AND STORAGE

Handling

панинну		
Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not repack. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Avoidance of contact	:	No materials to be especially mentioned.

Storage



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



### **OKS 340**

Version	Revision Date:	Date of last issue: 2019-11-07
2.7	2022-10-20	Date of first issue: 2014-04-07 Print Date: 2022-10-20
Con	ditions for safe sto	<ul> <li>Store in original container.</li> <li>Keep container closed when not in use.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Store in accordance with the particular national regulations.</li> <li>Keep in properly labelled containers.</li> </ul>

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.				
Engineering measures	:	none		
Personal protective equipm	ent			
Respiratory protection	:	Not required; except in case of aerosol formation.		
Filter type	:	Filter type A-P		
Eye/face protection	:	Safety glasses with side-shields		
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.		
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1		
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.		
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		
Hygiene measures	•	Wash face, hands and any exposed skin thoroughly after handling.		

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid



according to GB/T 16483 and GB/T 17519 CN



Version 2.7			st issue: 2019-11-07 st issue: 2014-04-07 Print Date: 2022-10-20
Col	our	:	green
Ode	our	:	characteristic
Odd	our Threshold	:	No data available
рН		:	Not applicable substance/mixture is non-polar/aprotic
Mel	lting point/range	:	No data available
Boil	ling point/boiling range	:	221 °C (1,013 hPa)
Flas	sh point	:	214 °C
			Method: ISO 2592
Eva	aporation rate	:	No data available
Flai	mmability (solid, gas)	:	Not applicable
Self	f-ignition	:	not auto-flammable
	per explosion limit / Up nmability limit	per :	7 %(V)
	ver explosion limit / Lov nmability limit	ver :	0.6 %(V)
Vap	oour pressure	:	32.5 hPa (20 °C)
Rel	ative vapour density	:	No data available
Rel	ative density	:	0.877 (20 °C) Reference substance: Water The value is calculated
Der	nsity	:	0.88 g/cm3 (20 °C)
Bull	k density	:	No data available
	ubility(ies) Water solubility	:	insoluble
:	Solubility in other solve	ents :	No data available



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



### **OKS 340**

VersionRevision Date:Date of last issue: 2019-11-072.72022-10-20Date of first issue: 2014-04-07Print Date: 2022-10-20

Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	440 mm2/s ( 40 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available
Metal corrosion rate	:	Not corrosive to metals

#### **10. STABILITY AND REACTIVITY**

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

#### **11. TOXICOLOGICAL INFORMATION**

Acute toxicity	
Product:	

Product: Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method	
Acute inhalation toxicity	: Remarks: This information is not available.	



according to GB/T 16483 and GB/T 17519 CN



	evision Date: 022-10-20		ast issue: 2019-11-07 rst issue: 2014-04-07 Print Date: 2022-10-20
Acute de	ermal toxicity	:	Symptoms: Redness, Local irritation
<u>Compo</u>	nents:		
zinc bis	[O,O-bis(2-eth	ylhexyl)]	bis(dithiophosphate):
Acute or	ral toxicity	:	LD50 (Rat, male): 3,100 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute de	ermal toxicity	:	LD50 (Rabbit, male): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: no
	enum, bis[O,O oxodi-, (Mo-M		ylhexyl) phosphorodithioatokappa.S,.kappa.S']dioxodi-
	ermal toxicity	-	Symptoms: Redness, Local irritation
Skin co	rrosion/irritati	on	
Product	t:		
Remark		:	This information is not available.
<u>Compo</u>	nents:		
zinc bis	(0 0-his(2-eth	vlbexvl)1	bis(dithiophosphate):
Species			
Assessn		:	No skin irritation
Method		:	OECD Test Guideline 404
Result		:	No skin irritation
GLP		:	yes
	enum, bis[O,O oxodi-, (Mo-M		ylhexyl) phosphorodithioatokappa.S,.kappa.S']dioxodi-
Assessn Result	nent	:	Irritating to skin. Irritating to skin.
Remark	S	:	Irritating to skin.



according to GB/T 16483 and GB/T 17519 CN



### **OKS 340**

VersionRevision Date:Date of last issue: 2019-11-072.72022-10-20Date of first issue: 2014-04-07Print Date: 2022-10-20

#### Serious eye damage/eye irritation

#### Product:

Remarks

: Irritating to eyes.

#### **Components:**

#### zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate):

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.
Assessment	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405
GLP	:	yes

# Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Result	:	No eye irritation
Assessment	:	No eye irritation

#### Respiratory or skin sensitisation

**Product:** 

Remarks

: This information is not available.

#### **Components:**

#### zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Test Type :	Maximisation Test
Species :	Guinea pig
Assessment :	Did not cause sensitisation on laboratory animals.
Method :	OECD Test Guideline 406
Result :	Did not cause sensitisation on laboratory animals.
GLP :	yes

#### Sulfonic acids, petroleum, calcium salts:

Assessment	: The product is a skin sensitiser, sub-category 1B.
------------	--

# Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Assessment	:	The product is a skin sensitiser, sub-category 1B.
Result	:	The product is a skin sensitiser, sub-category 1B.



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



#### **OKS 340**

VersionRevision Date:Date of last issue: 2019-11-072.72022-10-20Date of first issue: 2014-04-07Print Date: 2022-10-20

### Germ cell mutagenicity Product: : Remarks: No data available Genotoxicity in vitro Genotoxicity in vivo : Remarks: No data available Carcinogenicity Product: Remarks : No data available **Reproductive toxicity** Product: : Remarks: No data available Effects on fertility Effects on foetal : Remarks: No data available development **Repeated dose toxicity** Product: : This information is not available. Remarks

#### **Aspiration toxicity**

<u>Product:</u> This information is not available.

#### Components:

**zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):** No aspiration toxicity classification

:

#### **Further information**

#### Product:

Remarks

Information given is based on data on the components and the toxicology of similar products.



according to GB/T 16483 and GB/T 17519 CN



#### **OKS 340**

Version	Revision Date:	Date of last issue: 2019-11-07	
2.7	2022-10-20	Date of first issue: 2014-04-07	Print Date: 2022-10-20

#### **Components:**

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo): •

Remarks

Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

#### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Product: Toxicity to fish		
		Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available

#### Toxicity to microorganisms : Remarks: No data available

#### **Components:**

#### zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate): Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l : Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 75 mg/l

- aquatic invertebrates Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
- Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 240 mg/l



according to GB/T 16483 and GB/T 17519 CN



### **OKS 340**

Version 2.7	Revision Date: 2022-10-20		ast issue: 2019-11-07 irst issue: 2014-04-07 Print Date: 2022-10-20
plant	S		Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
aqua	city to daphnia and tic invertebrates onic toxicity)	other :	NOEC (Daphnia magna (Water flea)): > 0.8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 GLP: yes Remarks: Information given is based on data obtained from similar substances.
Τοχία	sity to microorganis	ims :	EC50 (Pseudomonas putida): 380 mg/l Exposure time: 16 h Test Type: static test GLP: yes
	bdenum, bis[O,O •thioxodi-, (Mo-Mo		ylhexyl) phosphorodithioatokappa.S,.kappa.S']dioxodi-
Toxic	sity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
			Remarks: May cause long-term adverse effects in the aquatic environment.
	city to daphnia and tic invertebrates	other :	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxic plant	city to algae/aquations	c :	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes

#### Persistence and degradability

Product:



according to GB/T 16483 and GB/T 17519 CN



sion	Revision Date: 2022-10-20	Date of last issue: 2019-11-07 Date of first issue: 2014-04-07 Print Date: 2022-10-20
Biod	legradability	: Remarks: No data available
	sico-chemical ovability	: Remarks: No data available
<u>Con</u>	nponents:	
zinc	bis[O,O-bis(2-et	hylhexyl)] bis(dithiophosphate):
Biod	legradability	<ul> <li>Result: Not rapidly biodegradable Biodegradation: &lt; 5 % Exposure time: 27 d Method: OECD Test Guideline 301D GLP: no</li> </ul>
	ybdenum, bis[O,0 thioxodi-, (Mo-N	D-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']dioxoo וס):
	legradability	<ul> <li>Result: Not rapidly biodegradable</li> <li>Biodegradation: 11 %</li> <li>Exposure time: 28 d</li> <li>Method: OECD Test Guideline 301B</li> </ul>
Bioa	accumulative pot	ential
Pro	duct:	
Bioa	accumulation	<ul> <li>Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).</li> </ul>
<u>Con</u>	nponents:	
zinc	bis[O,O-bis(2-et	hylhexyl)] bis(dithiophosphate):
	ition coefficient: n- nol/water	pH: 5 Method: OECD Test Guideline 107
UCIA		GLP: yes
Mol	ybdenum, bis[O,( thioxodi-, (Mo-N	O-bis(2-ethylhexyl) phosphorodithioatokappa.S,.kappa.S']dioxod



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



### **OKS 340**

Version	Revision Date:	Date of last issue: 2019-11-07	
2.7	2022-10-20	Date of first issue: 2014-04-07	Print Date: 2022-10-20

#### Mobility in soil

#### Product: Mobility Remarks: No data available : Distribution among Remarks: No data available : environmental compartments Other adverse effects Product: Additional ecological : No information on ecology is available. information **Components:** zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate): Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance assessment

## Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo): Additional ecological : May cause long lasting harmful effects to aquatic life.

	-	-		-		-	-	-
ır	۱tı	nr	m	າວ	tio	n		

#### **13. DISPOSAL CONSIDERATIONS**

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not dispose of with domestic refuse.</li> <li>Dispose of as hazardous waste in compliance with local and national regulations.</li> </ul>
Contaminated packaging	<ul> <li>Packaging that is not properly emptied must be disposed of as the unused product.</li> <li>Dispose of waste product or used containers according to local regulations.</li> </ul>

### 14. TRANSPORT INFORMATION

#### International Regulations

UNRTDG UN number

: Not applicable



according to GB/T 16483 and GB/T 17519 CN



### **OKS 340**

Version	Revision Date:	Date of last issue: 2019-11-07	
2.7	2022-10-20	Date of first issue: 2014-04-07	Print Date: 2022-10-20

Proper shipping name Class	:	Not applicable
	:	Not applicable
Subsidiary risk	•	Not applicable
Packing group		Not applicable
Labels		Not applicable
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group		Not applicable
Labels		Not applicable
Packing instruction (cargo		Not applicable
aircraft)	•	
Packing instruction	:	Not applicable
(passenger aircraft)		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group		Not applicable
i doning group	•	

#### EmS Code Not applicable : Marine pollutant : Not applicable

:

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Not applicable for product as supplied.

#### **National Regulations**

#### GB 6944/12268

Labels

:	Not applicable
:	Not applicable
	: : : : : : : : : : : : : : : : : : : :

#### Special precautions for user

Not applicable

#### **15. REGULATORY INFORMATION**

National regulatory information

#### **Regulations on Safety Management of Hazardous Chemicals**

Catalogue of Hazardous Chemicals

: Not applicable



according to GB/T 16483 and GB/T 17519 CN



#### **OKS 340**

Version 2.7	Revision Date: 2022-10-20	Date of last issue: 2019-11-07 Date of first issue: 2014-04-07	Pr	int Date: 2022-10-20
	zardous Chemicals WS	for Priority Management under	:	Not applicable
Re	gulations on Labo	ur Protection in Workplaces w	her	e Toxic Substances are Used
Ca	talogue of Highly To	oxic Chemicals	:	Not applicable
Re	gulation of Enviro	nmental Management on the F	irst	Import of Chemicals and the Import
	d Export of Toxic C	-		
	ina Severely Restric d Export	ted Toxic Chemicals for Import	:	Not applicable
Int	ernational Regulat	ions		
Мо	ontreal Protocol		:	Not applicable
Ro	tterdam Convention	(Prior Informed Consent)	:	Not applicable
Sto	ockholm Convention	(Persistent Organic Pollutants)	:	Not applicable

#### The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

#### **16. OTHER INFORMATION**

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50



according to GB/T 16483 and GB/T 17519 CN



#### **OKS 340**

VersionRevision Date:Date of last issue: 2019-11-072.72022-10-20Date of first issue: 2014-04-07Print Date: 2022-10-20

- Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions. please contact your responsible sales contact or authorized trading partner.

