according to GB/T 16483 and GB/T 17519



## **OKS 400**

Version Date of last issue: 2022-02-25 Revision Date:

Date of first issue: 2014-06-10 Print Date: 2023-02-10 2023-02-10 1.7

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 400

Chemical nature Mineral oil.

> solid lubricant lithium soap

#### Manufacturer or supplier's details

Company name of supplier OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

# Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

# 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

**Appearance** paste Colour black

Odour characteristic

Not a hazardous substance or mixture.

## **GHS Classification**

Not a hazardous substance or mixture.

## **GHS** label elements

Not a hazardous substance or mixture.

according to GB/T 16483 and GB/T 17519 CN



## **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

## Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Not classified based on available information.

#### **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>= 70 -< 90
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 10 -< 20
lithium 12-hydroxystearate	7620-77-1	>= 1 -< 10
molybdenum disulphide	1317-33-5	>= 1 -< 10
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 0.25 -< 1
Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts	93820-57-6	>= 0.1 -< 1

## 4. FIRST AID MEASURES

If inhaled : Obtain medical attention.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.



according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

No information available.

None known.

Notes to physician : No information available.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides Sulphur oxides Metal oxides

Specific extinguishing

methods

Standard procedure for chemical fires.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.



according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version **Revision Date:** Date of last issue: 2022-02-25

Date of first issue: 2014-06-10 Print Date: 2023-02-10 2023-02-10 1.7

**Environmental precautions** Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal. containment and cleaning up

#### 7. HANDLING AND STORAGE

## Handling

Advice on safe handling Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Avoidance of contact No materials to be especially mentioned.

**Storage** 

Conditions for safe storage Store in original container.

> Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable particulate	5 mg/m3	ACGIH (2013-03-01)



according to GB/T 16483 and GB/T 17519



# **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

		matter)		
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH (2018-03-20)
molybdenum disulphide	1317-33-5	PC-TWA	6 mg/m3 (Molybdenum)	CN OEL (2019-08-27)
		TWA (Inhalable particulate matter)	10 mg/m3 (Molybdenum)	ACGIH (2019-03-05)
		TWA (Respirable particulate matter)	3 mg/m3 (Molybdenum)	ACGIH (2019-03-05)

Engineering measures : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

according to GB/T 16483 and GB/T 17519 CN



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : black

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.90 (20 °C)

Reference substance: Water The value is calculated

Density : 0.90 g/cm3 (20 °C)

according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

## 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

# 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

according to GB/T 16483 and GB/T 17519



#### **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

## **Components:**

Distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

Distillates (petroleum), hydrotreated heavy naphthenic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

lithium 12-hydroxystearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg



according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

molybdenum disulphide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16,000 mg/kg

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.



according to GB/T 16483 and GB/T 17519



## **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

## **Components:**

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

## Distillates (petroleum), hydrotreated heavy naphthenic:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

## lithium 12-hydroxystearate:

Assessment : No skin irritation

Method : OECD Test Guideline 439

Result : No skin irritation

# molybdenum disulphide:

Assessment : No skin irritation Result : No skin irritation

## Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

# Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Assessment : No skin irritation Result : No skin irritation

## Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

according to GB/T 16483 and GB/T 17519 CN



## **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

## **Components:**

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit

Result : No eye irritation Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

## Distillates (petroleum), hydrotreated heavy naphthenic:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

## lithium 12-hydroxystearate:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

## molybdenum disulphide:

Result : No eye irritation
Assessment : No eye irritation

# Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

#### Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Result : No eye irritation
Assessment : No eye irritation

#### Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

according to GB/T 16483 and GB/T 17519



#### **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

## **Components:**

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

## Distillates (petroleum), hydrotreated heavy naphthenic:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

## lithium 12-hydroxystearate:

Exposure routes : Dermal Species : Mouse

Method : OECD Test Guideline 429

Result : negative

# molybdenum disulphide:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

# Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

# Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

#### Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available



according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Genotoxicity in vivo : Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated heavy naphthenic:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

molybdenum disulphide:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

Distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - : Not classifiable as a human carcinogen.

Assessment

Distillates (petroleum), hydrotreated heavy naphthenic:

Carcinogenicity - : Not classifiable as a human carcinogen.

Assessment

molybdenum disulphide:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment



according to GB/T 16483 and GB/T 17519



## **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

## Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal development

Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - : - Fertility -

Assessment No toxicity to reproduction

Distillates (petroleum), hydrotreated heavy naphthenic:

Effects on foetal : Species: Rat

development Application Route: Dermal

General Toxicity Maternal: LOAEL: 125 mg/kg body weight Teratogenicity: NOAEL: >= 2,000 mg/kg body weight

Developmental Toxicity: NOAEL: >= 2,000 mg/kg body weight Embryo-foetal toxicity: NOAEL: >= 2,000 mg/kg body weight

Method: OECD Test Guideline 414

Result: No effects on fertility and early embryonic

development were detected.

Reproductive toxicity -

Assessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - : - Fertility -

Assessment Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Reproductive toxicity - : - Fertility -

Assessment No toxicity to reproduction

according to GB/T 16483 and GB/T 17519 CN



## **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

## STOT - single exposure

#### **Components:**

#### Distillates (petroleum), hydrotreated heavy naphthenic:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### STOT - repeated exposure

#### **Components:**

## Distillates (petroleum), hydrotreated heavy naphthenic:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

## Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

# **Aspiration toxicity**

#### **Product:**

This information is not available.

## **Components:**

# Distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

## Distillates (petroleum), hydrotreated heavy naphthenic:

No aspiration toxicity classification



according to GB/T 16483 and GB/T 17519 CN



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

**Further information** 

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

**Components:** 

molybdenum disulphide:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Product:** 

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h



according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Distillates (petroleum), hydrotreated heavy naphthenic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

LC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l

Exposure time: 28 d

Remarks: The value is calculated

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOELR (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Test Type: Reproduction Test Method: OECD Test Guideline 211

lithium 12-hydroxystearate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Date of last issue: 2022-02-25 Revision Date:

Date of first issue: 2014-06-10 Print Date: 2023-02-10 2023-02-10 1.7

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 160

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

molybdenum disulphide:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

LC50 (Danio rerio (zebra fish)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates

EL10 (Daphnia magna (Water flea)): 1.69 mg/l

Exposure time: 21 d

according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

(Chronic toxicity)

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l

Exposure time: 3 h Test Type: static test

Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical

removability

: Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

according to GB/T 16483 and GB/T 17519



#### **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

#### Distillates (petroleum), hydrotreated heavy naphthenic:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

#### lithium 12-hydroxystearate:

Biodegradability : Primary biodegradation

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 74.7 %

Exposure time: 28 d

Method: OECD Test Guideline 301C

# Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

# Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.

#### **Bioaccumulative potential**

## **Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

#### Components:

# Distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-

octanol/water

: log Pow: > 2



according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

lithium 12-hydroxystearate:

Partition coefficient: n-

octanol/water

log Pow: 2.6

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 1,730

Exposure time: 42 d

Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n-

octanol/water

log Pow: > 6

Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 70.8

Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among : Remarks: No data available

environmental compartments

Other adverse effects

**Product:** 

Additional ecological

information

No information on ecology is available.

**Components:** 

Distillates (petroleum), hydrotreated heavy paraffinic:

Results of PBT and vPvB

Non-classified vPvB substance Non-classified PBT substance

assessment

Distillates (petroleum), hydrotreated heavy naphthenic:

Results of PBT and vPvB

: Non-classified PBT substance Non-classified vPvB substance

assessment

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance

according to GB/T 16483 and GB/T 17519



**OKS 400** 

Version Date of last issue: 2022-02-25 Revision Date:

Date of first issue: 2014-06-10 Print Date: 2023-02-10 2023-02-10 1.7

assessment

Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts:

Results of PBT and vPvB

assessment

: Non-classified PBT substance Non-classified vPvB substance

#### 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Packaging that is not properly emptied must be disposed of as Contaminated packaging

the unused product.

Dispose of waste product or used containers according to

local regulations.

## 14. TRANSPORT INFORMATION

# International Regulations

**UNRTDG** 

Not applicable **UN** number Not applicable Proper shipping name Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable

IATA-DGR

Not applicable UN/ID No. Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable Packing instruction (cargo Not applicable

aircraft)

Packing instruction Not applicable

(passenger aircraft)

**IMDG-Code** 

Not applicable UN number Proper shipping name Not applicable



according to GB/T 16483 and GB/T 17519



#### **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

## GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

#### Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

#### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

# **Regulations on Safety Management of Hazardous Chemicals**

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under

SAWS

Not applicable

## Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

# Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

**International Regulations** 

Montreal Protocol : Not applicable

according to GB/T 16483 and GB/T 17519



#### **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

#### The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

#### 16. OTHER INFORMATION

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand

according to GB/T 16483 and GB/T 17519



#### **OKS 400**

Version Revision Date: Date of last issue: 2022-02-25

1.7 2023-02-10 Date of first issue: 2014-06-10 Print Date: 2023-02-10

Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.