according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Droduct identifier		
1.1 Product identifier Product name	:	OKS 402
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Grease
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
1.4 Emergency telephone numb Emergency telephone num- ber	er :	06 68593726 Roma - CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA 800183459 Foggia - Az. Osp. Univ. Foggia 081-5453333 Napoli - Az. Osp. "A. Cardarelli" 06-49978000 Roma - CAV Policlinico "Umberto I" 06-3054343 Roma - CAV Policlinico "A. Gemelli" 055-7947819 Firenze - Az. Osp. "Careggi" U.O. Tossicologia Medica 0382-24444 Pavia - CAV Centro Nazionale di Informazione Tossicologica 02-66101029 Milano - Osp. Niguarda Ca' Granda 800883300 Bergamo - Az. Osp. Papa Giovanni XXII 800011858 Verona - Az. Osp. Integrata Verona +49 8142 3051 517 (Service 24/7)



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

5

3.2 Mixtures

Chemical nature

Mineral oil. lithium soap

Components

Chemical name	CAS-No.	Classification	specific concen-	Concentration
	EC-No.		tration limit	(% w/w)
			M-Factor	
	Index-No.		Notes	
	Registration number		Acute toxicity	
			estimate	
Benzenesulfonic acid,		Skin Sens.1B;	> 10 - 100 %	>= 0,1 - < 1
di-C10-14-alkyl	939-603-7	H317	Skin Sens.1B,	
derivs., calcium salts			H317	
	01-2119978241-36-			



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version 1.5	Revision Da 04.11.2022	e: Date of last issue: 20.08.2021 Date of first issue: 04.07.2016		Print Date: 07.11.2022		
		XXXX				
distillates	(petroleum), ted heavy	cplace exposure limit : 64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 70 - < 90	
hydroxystearate 231-530 01-2119 XXXX 01-2119 XXXX 01-2119 XXXX 01-2119 XXXX		01-2119970893-23- XXXX 01-2119970893-23- XXXX 01-2119970893-23-	Not classified		>= 10 - < 20	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	: Remove contaminated clothing. If irritation develops, get med- ical attention. Wash off with soap and water.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	: Move the victim to fresh air. Do not induce vomiting without medical advice.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	No information available.
----------	---	---------------------------

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No

: No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	Carbon oxides
ucts		Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	

Environmental precautions : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up

Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product.
Hygiene measures	: Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage,	including any incompatibilities
Requirements for storage areas and containers	: Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.3 Specific end use(s)	
Specific use(s)	: Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
distillates (petroleum), hydrotreated heavy paraffinic	Workers	Inhalation	Long-term local ef- fects	5,6 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version 1.5	Revision Date: 04.11.2022	 issue: 20.08.2 issue: 04.07.2		Print Date: 07.11.2022	
1			I		

Workers	Dermal	Long-term systemic effects	25 mg/kg	
---------	--------	-------------------------------	----------	--

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), hy-	Oral	9,33 mg/kg
drotreated heavy paraffinic		
Benzenesulfonic acid, di-C10-14-	Fresh water	0,1 mg/l
alkyl derivs., calcium salts		
	Marine water	0,1 mg/l
	Fresh water sediment	45211 mg/kg
	Marine sediment	45211 mg/kg
	Microbiological Activity in Sewage Treat-	1000 mg/l
	ment Systems	
	Soil	36739 mg/kg

8.2 Exposure controls

Engineering measures none	
Personal protective equipmer	t
Eye protection	Safety glasses with side-shields
5	Nitrile rubber > 10 min Class 1
Remarks	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	Not required; except in case of aerosol formation.
Filter type	Filter type P
Protective measures	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	< 0,001 hPa (20 °C)
Relative density	:	0,88 (20 °C) Reference substance: Water



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version 1.5	Revision Date: 04.11.2022	Date of last issue: 20.08.2021Print Date:Date of first issue: 04.07.201607.11.2022	
		The value is calculated	
Dens	sity	: 0,88 g/cm3 (20 °C)	
Bulk	density	: No data available	
Rela	tive vapour density	: No data available	
9.2 Other	rinformation		
Expl	osives	: Not explosive	
Oxid	izing properties	: No data available	
Self-	ignition	: No data available	
Evap	poration rate	: No data available	
Subl	imation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity No hazards to be specially men	ioned.			
10.2 Chemical stability				
Stable under normal conditions.				
10.3 Possibility of hazardous reac	ions			
Hazardous reactions	: No dangerous reaction known under conditions of normal use.			
10.4 Conditions to avoid				
Conditions to avoid	: No conditions to be specially mentioned.			
10.5 Incompatible materials				
Materials to avoid	: No materials to be especially mentioned.			
10.6 Hazardous decomposition products				

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
Benzenesulfonic acid, di-C	:10-1	4-alkyl derivs., calcium salts:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
distillates (petroleum), hyd	Irotre	eated heavy paraffinic:
A		
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute oral toxicity Acute inhalation toxicity		Method: OECD Test Guideline 401
		Method: OECD Test Guideline 401 GLP: yes LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala-
Acute inhalation toxicity	:	Method: OECD Test Guideline 401 GLP: yes LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity LD50 (Rabbit): > 5.000 mg/kg
Acute inhalation toxicity	:	Method: OECD Test Guideline 401 GLP: yes LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity LD50 (Rabbit): > 5.000 mg/kg



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

Skin corrosion/irritation

Product:

Remarks

: This information is not available.

Components:

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

lithium 12-hydroxystearate:

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 439
Result	:	No skin irritation

Serious eye damage/eye irritation

Product:

Remarks

: This information is not available.

Components:

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No skin irritation

distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

lithium 12-hydroxystearate:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

sion	Revision Date: 04.11.2022		e of last issue: 20.08.2021 e of first issue: 04.07.2016	Print Date: 07.11.2022
Resul	lt	:	No eye irritation	
Resp	iratory or skin sens	sitisatio	on	
Produ	uct:			
Rema		:	This information is not available	
<u>Comp</u>	oonents:			
Benz	enesulfonic acid, d	i-C10-1	4-alkyl derivs., calcium salts:	
	ssment	:	Probability or evidence of low to rate in humans	moderate skin sensitisation
Resul	lt	:	Probability or evidence of low to rate in humans	moderate skin sensitisation
distill	lates (petroleum), h	ydrotro	eated heavy paraffinic:	
Speci		:	Guinea pig	
	ssment	:	Does not cause skin sensitisatio	n.
Metho		:	OECD Test Guideline 406	-
Resul GLP	it.	:	Does not cause skin sensitisatio yes	<i>л</i> т.
lithiu	m 12-hydroxystear	ate:		
	sure routes	:	Dermal	
Speci	es	:	Mouse	
Metho		:	OECD Test Guideline 429	
Resul	lt	:	negative	
Germ	cell mutagenicity			
Produ	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
Comp	oonents:			
Benz	enesulfonic acid. d	i-C10-1	4-alkyl derivs., calcium salts:	
	toxicity in vitro		Test Type: Microbial mutagenes	is assay (Ames test)
Cent		•	Test system: Salmonella typhim	
			Metabolic activation: with and w	
			Method: OECD Test Guideline 4 Result: negative	171
Carci	nogenicity			
Produ	uct:			
Rema		:	No data available	
			11 / 20	a brand of



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

Components:

distillates (petroleum), hydro Carcinogenicity - Assess- ment		eated heavy paraffinic: Not classifiable as a human carcinogen.
Reproductive toxicity		
Product:		
Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Remarks: No data available
Components:		
Benzenesulfonic acid, di-C1 Reproductive toxicity - As-		 4-alkyl derivs., calcium salts: Fertility -
sessment		No toxicity to reproduction - Teratogenicity -
		No toxicity to reproduction
distillates (petroleum), hydro Reproductive toxicity - As- sessment		
Repeated dose toxicity		
<u>Product:</u> Remarks	:	This information is not available.
Aspiration toxicity		
<u>Product:</u> This information is not availabl	le.	
Components:		
distillates (petroleum), hydro No aspiration toxicity classifica		
11.2 Information on other hazard	S	
Endocrine disrupting proper	rtie	S
Product:		



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version 1.5	Revision Date: 04.11.2022		te of last issue: 20.08.2021 te of first issue: 04.07.2016	Print Date: 07.11.2022
Asse	ssment	:	The substance/mixture does not of ered to have endocrine disrupting REACH Article 57(f) or Commission (EU) 2017/2100 or Commission R levels of 0.1% or higher.	properties according to on Delegated regulation
Furth	er information			
Prod	uct:			
Rema	arks	:	Information given is based on data the toxicology of similar products.	•

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOELR (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (activated sludge): > 10.000 mg/l Exposure time: 3 h



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402 Version Revision Date: Date of last issue: 20.08.2021 Print Date: 04.11.2022 Date of first issue: 04.07.2016 07.11.2022 1.5 Method: OECD Test Guideline 209 distillates (petroleum), hydrotreated heavy paraffinic: Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l : Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Toxicity to daphnia and other : Exposure time: 48 h aquatic invertebrates Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes Toxicity to daphnia and other : NOEC: 10 mg/l aquatic invertebrates (Chron-Exposure time: 21 d Species: Daphnia magna (Water flea) ic toxicity) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes lithium 12-hydroxystearate: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Toxicity to fish ÷ Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l aquatic invertebrates Exposure time: 48 h Toxicity to algae/aquatic EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 : plants mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 12.2 Persistence and degradability

Dueduet

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date: 04.11.2022	Date of last issue: 20.08.2021	Print Date:
1.5		Date of first issue: 04.07.2016	07.11.2022
Components:			

Benzenesulfonic acid, di-C10-	14-alkyl derivs., calcium salts:
Biodegradability :	Result: Not readily biodegradable. Biodegradation: 8 % Exposure time: 28 d Method: OECD Test Guideline 301D
distillates (petroleum), hydrot	reated heavy paraffinic:
Biodegradability :	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes
lithium 12-hydroxystearate:	

Biodegradability : Test Type: Primary biodegradation Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 74,7 % Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
		persistent and very bloaceundiating (vr vb).

Method: OECD Test Guideline 301C

Components:

Benzenesulfonic acid, di-C1	0-1	4-alkyl derivs., calcium salts:
Bioaccumulation	:	Bioconcentration factor (BCF): 70,8
Partition coefficient: n- octanol/water	:	log Pow: 26,22 (20 °C)
	- 4	

distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-	:	log Pow: > 2
octanol/water		

lithium 12-hydroxystearate:

Partition coefficient: n-	:	log Pow: 2,6
octanol/water		



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

distillates (petroleum), hydrotreated heavy paraffinic:			
Assessment	:	Non-classified vPvB substance. Non-classified PBT substance	

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

```
Additional ecological infor- : No information on ecology is available. mation
```

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	The product should not be allowed to enter drains, water courses or the soil.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version 1.5	Revision Date: 04.11.2022	Date of last issue: 20.08.2021 Date of first issue: 04.07.2016	Print Date: 07.11.2022
		local regulations. The following Waste Codes are or	nly suggestions:
Wast	e Code	: used product, unused product 12 01 12*, spent waxes and fats	
		uncleaned packagings 15 01 10*, packaging containing r by hazardous substances	esidues of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	3 Transport hazard class(es)		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022
	(Passenger) onmental hazards	: Not regulated as a dangerous good	

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals (EU PIC)	: Not applicable
Seveso III: Directive 2012/18/EU of the European : Parliament and of the Council on the control of major-accident hazards involving dangerous sub- stances.	Not applicable



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements	
---------------------------	--

H317	:	May cause an allergic skin reaction.
Full text of other abbreviation	ons	
Note L	:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determi- nation of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide

nation of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 402

Version	Revision Date:	Date of last issue: 20.08.2021	Print Date:
1.5	04.11.2022	Date of first issue: 04.07.2016	07.11.2022

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

