according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

Date of last issue: 14.03.2022 Version Revision Date: Print Date: 2.1 20.04.2022 Date of first issue: 04.07.2016 22.04.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 403

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Lubricant

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact EagleBurgmann Hungaria Kft.

Népfürdő utca 22 1138 Budapest

Hungary

Tel.: +36 1 814 8160 Fax: +36 1 319 8125

info.hu@eagleburgmann.com

1.4 Emergency telephone number

Emergency telephone num-

ber

0049 (0) 8142-3051-517

Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)

H-1096 Budapest, Nagyvárad tér 2. Tel: +36 1 476 6464, +36 80 201 199

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

**(!**)

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting ef-

fects.

Precautionary statements : Prevention:

P272 Contaminated work clothing should not be

allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

#### Hazardous components which must be listed on the label:

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts

(4-nonylphenoxy)acetic acid

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Chemical nature : Mineral oil. Calcium soap

Components

Chemical name	CAS-No.	Classification	specific concen-	Concentration
	EC-No.		tration limit	(% w/w)
	Index-No.		M-Factor Notes	
	Registration number		Acute toxicity	
			estimate	
Distillates (petroleum),	64742-53-6	Asp. Tox.1; H304		>= 1 - < 10
hydrotreated light naphthenic; Baseoil —	265-156-6		Note L	
unspecified	649-466-00-2		TVOIC E	
	01-2119480375-34-			
	XXXX			
Benzenesulfonic acid,		Skin Sens.1B;	> 10 - 100 %	>= 1 - < 10
di-C10-14-alkyl	939-603-7	H317	Skin Sens.1B,	
derivs., calcium salts			H317	
	01-2119978241-36-			
	XXXX			
(4-	3115-49-9 221-486-2	Acute Tox.4; H302		>= 0,25 - < 1
nonylphenoxy)acetic acid	221-400-2	Skin Corr.1B; H314		
		Eye Dam.1; H318		
		Skin Sens.1A;		
		H317 Aquatic Acute1;		
		H400		
		Aquatic Chronic1;		
		H410		

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic appearance

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides Sulphur oxides Metal oxides



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 403**

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Avoid breathing dust.

Refer to protective measures listed in sections 7 and 8.

## 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

Version Revision Date: Date of last issue: 14.03.2022 Print Date: 21.004.2022 Date of first issue: 04.07.2016 22.04.2022

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petrole- um), hydrotreated light naphthenic; Baseoil — un- specified	64742-53-6	TWA (Mist)	5 mg/m3	HU OEL (2020-02-06)
	Further information: SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week			

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petrole- um), hydrotreated light naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Long-term local ef- fects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
Benzenesulfonic acid,	Workers	Inhalation	Long-term systemic	35,26 mg/m3



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 403**

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

di-C10-14-alkyl derivs., calcium salts			effects	
	Workers	Dermal	Long-term systemic effects	25 mg/kg

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), hydrotreated light naphthenic;	Oral	9,33 mg/kg
Baseoil — unspecified		
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Fresh water	0,1 mg/l
	Marine water	0,1 mg/l
	Fresh water sediment	45211 mg/kg
	Marine sediment	45211 mg/kg
	Microbiological Activity in Sewage Treatment Systems	1000 mg/l
	Soil	36739 mg/kg

#### 8.2 Exposure controls

# **Engineering measures**

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

## Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : brown

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : > 200 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

Version Revision Date: Date of last issue: 14.03.2022 Print Date: 21.004.2022 Date of first issue: 04.07.2016 22.04.2022

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,94 (20 °C)

Reference substance: Water The value is calculated

Density : 0,94 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 403**

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

**Components:** 

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

(4-nonylphenoxy)acetic acid:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

GLP : yes

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 403**

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

#### Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : No skin irritation Result : No skin irritation

(4-nonylphenoxy)acetic acid:

Result : Causes burns.

#### Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

#### Components:

#### Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

# Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : No eye irritation Result : No eye irritation

(4-nonylphenoxy)acetic acid:

Remarks : Risk of serious damage to eyes.

#### Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

## **Components:**

## Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Test Type : Buehler Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

#### Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Species : Guinea pig

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

(4-nonylphenoxy)acetic acid:

Assessment : The product is a skin sensitiser, sub-category 1A.

Result : Probability or evidence of high skin sensitisation rate in hu-

mans

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Germ cell mutagenicity- Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available

**Components:** 

Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Reproductive toxicity - As-

- Fertility -

sessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 403**

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

#### STOT - single exposure

#### **Components:**

# Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### STOT - repeated exposure

#### **Components:**

#### Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

## Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

#### **Aspiration toxicity**

#### **Product:**

This information is not available.

#### **Components:**

# Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Further information**

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

## **Components:**

(4-nonylphenoxy)acetic acid:

Remarks : Ingestion causes burns of the upper digestive and respiratory

tracts.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

#### **Components:**

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

# (4-nonylphenoxy)acetic acid:

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

Physico-chemical removabil- : Remarks: No data available

ity

# **Components:**

## Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301D

## 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

#### 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

# **Components:**

# Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

# 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: Harmful to aquatic life with long lasting effects.

#### Components:

(4-nonylphenoxy)acetic acid:

Additional ecological infor-

mation

Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 403**

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

RID : Not regulated as a dangerous goodIMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

# 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP) Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

(EU PIC)

Not applicable

Seveso III: Directive 2012/18/EU of the European : Parliament and of the Council on the control of

major-accident hazards involving dangerous sub-

stances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

2000 XXV. Law on chemical safety

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

#### 15.2 Chemical safety assessment

This information is not available.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.
H314 : Causes severe skin burns and eye damage.
H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless

it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard

class.

HU OEL : Hungary. Occupational Exposure Limits - Annex 1: Permissi-

ble concentration values

HU OEL / TWA : Mean concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 403** 

VersionRevision Date:Date of last issue: 14.03.2022Print Date:2.120.04.2022Date of first issue: 04.07.201622.04.2022

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method Aquatic Chronic 3 H412 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

