according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1 1	Product identifier					
1.1	Product name	:	OKS 403			
1.2	Relevant identified uses of th	ie s	ubstance or mixture and uses advised against			
	Use of the Sub- stance/Mixture	:	Lubricant			
	Recommended restrictions on use	:	Restricted to professional users.			
1.3	Details of the supplier of the	saf	ety data sheet			
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com			
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management			
	National contact	:				
1.4	1.4 Emergency telephone number					
	Emergency telephone num- ber	:	+49 8142 3051 517 Warszawa: +48 22 619 66 54			

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.				

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Versio 2.1	n	Revision Date: 20.04.2022		te of last issue: 14. te of first issue: 04.		Print Date: 22.04.2022
Hazard pictograms		:	<b>(!)</b>			
Si	ignal	word	:	Warning		
Hazard statements		:	: H317 May cause an allergic skin reaction H412 Harmful to aquatic life with long las fects.			
Precautionary statements		:	Prevention: P272 P273 P280	Contaminated work clo allowed out of the work Avoid release to the er Wear protective gloves	kplace. ivironment.	
				<b>Response:</b> P302 + P352 P333 + P313 P362 + P364	IF ON SKIN: Wash wit If skin irritation or rash advice/ attention. Take off contaminated before reuse.	occurs: Get medical

#### Hazardous components which must be listed on the label:

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts

(4-nonylphenoxy)acetic acid

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Mineral oil. Calcium soap



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

#### Components

Distillates (petroleum), hydrotreated light naphthenic; Baseoil —	CAS-No. EC-No. Index-No. Registration number 64742-53-6 265-156-6	Classification Asp. Tox.1; H304	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w) >= 1 - < 10
unspecified	649-466-00-2 01-2119480375-34- XXXX			
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7 01-2119978241-36- XXXX	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	>= 1 - < 10
(4- nonylphenoxy)acetic acid	3115-49-9 221-486-2	Acute Tox.4; H302 Skin Corr.1B; H314 Eye Dam.1; H318 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410		>= 0,25 - < 1

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.
 Keep respiratory tract clear.
 If breathing is irregular or stopped, administer artificial respiration.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



In case of skin contact : Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : Rinse immediately with plenty of water, also under the eyelids for at least 10 minutes. If eye irritation persists, consult a specialist. If swallowed : Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Allergic appearance Risks : May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. 5.1 Extinguishing media Suitable extinguishing : High volume water jet media 5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- ucts : Carbon oxides Sulphur oxides 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters : In the event of fire, wear self-contained breathing apparatus. for firefighters : In the event of fire, wear self-contained breathing apparatus. for firefighters : Standard procedure for chemical fires.	ersion .1	Revision Date: 20.04.2022	Date of last issue: 14.03.2022 Date of first issue: 04.07.2016	Print Date: 22.04.2022
for at least 10 minutes.       If eye irritation persists, consult a specialist.         If swallowed       :       Move the victim to fresh air.         If unconscious, place in recovery position and seek medical advice.       Keep respiratory tract clear.         Do not induce vomiting without medical advice.       Never give anything by mouth to an unconscious person.         4.2 Most important symptoms and effects, both acute and delayed       Symptoms         Symptoms       :       Allergic appearance         Risks       :       May cause an allergic skin reaction.         4.3 Indication of any immediate medical attention and special treatment needed       Treatment         Treatment       :       The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.         SECTION 5: Firefighting measures       5.1 Extinguishing media       :         Suitable extinguishing media       :       Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.         Unsuitable extinguishing       :       High volume water jet         B:2 Special hazards arising from the substance or mixture       Hazardous combustion products       :         Carbon oxides       Sulphur oxides       Sulphur oxides         Subput roxides       Sulphur oxides       Sulphur oxides         Subput roxides       Sulphur oxides	In ca	se of skin contact	Wash off immediately with soa Get medical attention immedia persists. Wash clothing before reuse.	ap and plenty of water. ately if irritation develops and
If unconscious, place in recovery position and seek medical advice.       Keep respiratory tract clear.         Do not induce vomiting without medical advice.       Never give anything by mouth to an unconscious person.         4.2 Most important symptoms and effects, both acute and delayed       Symptoms         Symptoms       :       Allergic appearance         Risks       :       May cause an allergic skin reaction.         4.3 Indication of any immediate medical attention and special treatment needed       Treatment         Treatment       :       The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.         SECTION 5: Firefighting measures       S.1 Extinguishing media       :         Suitable extinguishing media       :       Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.         Unsuitable extinguishing media       :       High volume water jet         Stardous combustion products       :       Carbon oxides         Sulphur oxides       Sulphur oxides         Stardous combustion products       :       Carbon oxides         Sulphur oxides       Sulphur oxides         Sulphur oxides       Sulphur oxides         Sulphur oxides       Sulphur oxides         Special protective equipment.       :       In the event of fire, wear self-contained breathing appa	In cas	se of eye contact	for at least 10 minutes.	
Symptoms       : Allergic appearance         Risks       : May cause an allergic skin reaction.         4.3 Indication of any immediate medical attention and special treatment needed         Treatment       : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.         SECTION 5: Firefighting measures         5.1 Extinguishing media         Suitable extinguishing media         Suitable extinguishing         High volume water jet         Heardous combustion products         C.2 Special hazards arising from the substance or mixture         Hazardous combustion products         S.3 Advice for firefighters         Special protective equipment for firefighters         Special protective equipment for firefighters         Subscience for firefighters         Special protective equipment	lf swa	allowed	If unconscious, place in recov advice. Keep respiratory tract clear. Do not induce vomiting withou	It medical advice.
Risks       : May cause an allergic skin reaction.         4.3 Indication of any immediate medical attention and special treatment needed         Treatment       : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.         SECTION 5: Firefighting measures         5.1 Extinguishing media         Suitable extinguishing media         Suitable extinguishing media         : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.         Unsuitable extinguishing       : High volume water jet         6.2 Special hazards arising from the substance or mixture         Hazardous combustion products       : Carbon oxides         Sulphur oxides         Sulphur oxides         Special protective equipment for firefighters         Special protective equipment for fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.				ed
<ul> <li>4.3 Indication of any immediate medical attention and special treatment needed Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.</li> <li>SECTION 5: Firefighting measures</li> <li>5.1 Extinguishing media Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Unsuitable extinguishing : High volume water jet media</li> <li>5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- ucts : Carbon oxides Sulphur oxides Metal oxides</li> <li>5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.</li> </ul>				
5.1 Extinguishing media       Suitable extinguishing media       Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.         Unsuitable extinguishing media       High volume water jet         5.2 Special hazards arising from the substance or mixture       Carbon oxides         Hazardous combustion products       Carbon oxides         Sulphur oxides       Sulphur oxides         Support of firefighters       Special protective equipment for firefighters         Special protective equipment for firefighters       In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.	Risks	3		
Suitable extinguishing media       :       Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.         Unsuitable extinguishing media       :       High volume water jet         5.2 Special hazards arising from the substance or mixture       Hazardous combustion products       :         Hazardous combustion products       :       Carbon oxides         Sulphur oxides       Sulphur oxides         Metal oxides       Metal oxides         5.3 Advice for firefighters       :       In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.	Risks . <b>3 Indica</b> Treat	s ation of any immedia tment	te medical attention and special tre : The first aid procedure should with the doctor responsible for	atment needed
<ul> <li>media</li> <li>5.2 Special hazards arising from the substance or mixture Hazardous combustion prod- ucts</li> <li>Carbon oxides Sulphur oxides Metal oxides</li> <li>5.3 Advice for firefighters Special protective equipment for firefighters</li> <li>In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.</li> </ul>	Risks .3 Indica Treat	s ation of any immedia tment N 5: Firefighting me	te medical attention and special tre : The first aid procedure should with the doctor responsible for	atment needed be established in consultation
<ul> <li>Hazardous combustion products</li> <li>Carbon oxides Sulphur oxides Metal oxides</li> <li>5.3 Advice for firefighters</li> <li>Special protective equipment for firefighters</li> <li>In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.</li> </ul>	Risks .3 Indica Treat SECTION .1 Exting	ation of any immedia tment N 5: Firefighting me guishing media	<ul> <li>te medical attention and special tre</li> <li>The first aid procedure should with the doctor responsible for</li> <li>easures</li> <li>ia : Use water spray, alcohol-resis</li> </ul>	eatment needed be established in consultation r industrial medicine.
Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.	Risks .3 Indica Treat SECTION .1 Exting Suita Unsu	s ation of any immedia tment N 5: Firefighting me guishing media ble extinguishing med	<ul> <li>te medical attention and special tre</li> <li>The first aid procedure should with the doctor responsible for</li> <li>easures</li> <li>ia : Use water spray, alcohol-resis bon dioxide.</li> </ul>	eatment needed be established in consultation r industrial medicine.
Further information : Standard procedure for chemical fires.	Risks .3 Indica Treat SECTION .1 Exting Suita Unsu media .2 Specia Haza	s ation of any immedia tment N 5: Firefighting media ble extinguishing med itable extinguishing med a al hazards arising fro	<ul> <li>te medical attention and special tre <ul> <li>The first aid procedure should with the doctor responsible for</li> </ul> </li> <li>teasures <ul> <li>ia : Use water spray, alcohol-resis bon dioxide.</li> <li>: High volume water jet</li> </ul> </li> <li>om the substance or mixture d- : Carbon oxides Sulphur oxides</li> </ul>	eatment needed be established in consultation r industrial medicine.
	Risks .3 Indica Treat SECTION .1 Exting Suita Unsu media .2 Specia Haza ucts .3 Advic Spec	ation of any immedia tment N 5: Firefighting media ble extinguishing media ble extinguishing med a al hazards arising fro ardous combustion pro	<ul> <li>te medical attention and special tre <ul> <li>The first aid procedure should with the doctor responsible for</li> </ul> </li> <li>teasures</li> </ul> ia : Use water spray, alcohol-resis bon dioxide. <ul> <li>High volume water jet</li> </ul> om the substance or mixture d- : Carbon oxides Sulphur oxides Metal oxides int : In the event of fire, wear self-ouse personal protective equip	eatment needed be established in consultation r industrial medicine.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures						
Personal precautions :	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.					
6.2 Environmental precautions						
Environmental precautions :	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.					
6.3 Methods and material for containment and cleaning up						

#### up

Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
		Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	-	
Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
		·····



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version 2.1	Revision Date: 20.04.2022		e of last issue: 14.03.2022 e of first issue: 04.07.2016	Print Date: 22.04.2022
Hygie	ne measures	:	Wash face, hands and any exposed skin handling.	thoroughly after
7.2 Condit	ions for safe storage	e, incl	luding any incompatibilities	
Requirements for storage areas and containers		:	Store in original container. Keep container use. Keep in a dry, cool and well-ventilat which are opened must be carefully rese to prevent leakage. Store in accordance national regulations. Keep in properly lab	ed place. Containers aled and kept upright with the particular
-	<b>ic end use(s)</b> fic use(s)	:	Specific instructions for handling, not req	uired.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petrole- um), hydrotreated light naphthenic; Baseoil — un- specified	64742-53-6	NDS (inhalable fraction)	5 mg/m3	PL OEL (2021-02-19)

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Distillates (petrole- um), hydrotreated light naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Long-term local ef- fects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
	Workers	Dermal	Long-term systemic effects	25 mg/kg

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), hy- drotreated light naphthenic; Baseoil — unspecified	Oral	9,33 mg/kg
•		
Benzenesulfonic acid, di-C10-14-	Fresh water	0,1 mg/l



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

alkyl derivs., calcium salts		
	Marine water	0,1 mg/l
	Fresh water sediment	45211 mg/kg
	Marine sediment	45211 mg/kg
	Microbiological Activity in Sewage Treat-	1000 mg/l
	ment Systems	
	Soil	36739 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

### Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index		Nitrile rubber > 10 min Class 1
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	brown
Odour	:	characteristic



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



Versio 2.1	'n	Revision Date: 20.04.2022		of last issue: 14.03.2022 of first issue: 04.07.2016	Print Date: 22.04.2022
0	dour <sup>-</sup>	Threshold	:	No data available	
Μ	lelting	point/range	:	No data available	
В	oiling	point/boiling range	:	No data available	
F	lamma	ability (solid, gas)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
F	lash p	oint	:	> 200 °C	
А	uto-ig	nition temperature	:	No data available	
D	ecom	position temperature	:	No data available	
pl	Н		:	Not applicable substance/mixture is non-soluble (in wat	er)
V	iscosi Visc	ty sosity, dynamic	:	No data available	
	Visc	osity, kinematic	:	No data available	
S		ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	<b>3</b> :	No data available	
		n coefficient: n- /water	:	No data available	
V	apour	pressure	:	< 0,001 hPa (20 °C)	
R	elative	e density	:	0,94 (20 °C) Reference substance: Water The value is calculated	
D	ensity	,	:	0,94 g/cm3 (20 °C)	
В	ulk de	ensity	:	No data available	
R	elative	e vapour density	:	No data available	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



# **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

9.2 Other information				
Explosives	: Not explosive			
Oxidizing properties	: No data available			
Self-ignition	: No data available			
Evaporation rate	: No data available			
Sublimation point	: No data available			

# **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> No hazards to be specially mentioned.		
<b>10.2 Chemical stability</b> Stable under normal conditions.		
10.3 Possibility of hazardous reactions		
Hazardous reactions : No dangerous reaction known under conditions of normal use.		
10.4 Conditions to avoid		
Conditions to avoid : No conditions to be specially mentioned.		
10.5 Incompatible materials		
Materials to avoid : No materials to be especially mentioned.		
<b>10.6 Hazardous decomposition products</b> No decomposition if stored and applied as directed.		

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product: Acute oral toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

# Components:

Components:		
Distillates (petroleum), hydro	otr	eated light naphthenic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity
Benzenesulfonic acid, di-C1	0-1	4-alkyl derivs., calcium salts:
Acute oral toxicity		LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg
(4-nonylphenoxy)acetic acid	l:	
Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Components:		
Distillates (petroleum), hydro	otr	eated light naphthenic; Baseoil — unspecified:
Species	:	Rabbit
Assessment	:	No skin irritation
Result GLP	:	No skin irritation yes
Benzenesulfonic acid, di-C1	0-1	4-alkyl derivs., calcium salts:
Assessment	:	No skin irritation
Result	:	No skin irritation
(4-nonylphenoxy)acetic acid		
Result		Causes burns





according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



sion	Revision Date: 20.04.2022	Date of last issue: 14.03.2022 Date of first issue: 04.07.2016	
Serio	us eye damage/ey	irritation	
Produ	uct:		
Rema		: This information is not av	ailable.
<u>Comp</u>	oonents:		
Distil	lates (petroleum),	ydrotreated light naphthenic; B	Baseoil — unspecified:
Speci		: Rabbit	
	ssment	: No eye irritation	-
Metho		: OECD Test Guideline 40	5
Resul GLP	ll i	: No eye irritation	
ULF		: yes	
Benz	enesulfonic acid, d	-C10-14-alkyl derivs., calcium s	alts:
Asses	ssment	: No eye irritation	
Resul	lt	: No eye irritation	
(4			
(4-no	nylphenoxy)acetic		
<b>D</b>			
Rema		: Risk of serious damage to	o eyes.
	iratory or skin sen		
Resp <u>Produ</u>	iratory or skin sen	itisation	
<b>Resp</b> <u>Produ</u> Rema	iratory or skin sen	itisation	
Resp Produ Rema Comp	iratory or skin sen u <u>ct:</u> arks ponents:	itisation	ailable.
Resp Produ Rema Comp Distil	iratory or skin sen u <u>ct:</u> arks <u>ponents:</u> lates (petroleum), Γ Γype	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test	ailable.
Resp Produ Rema Comp Distil Test Speci	iratory or skin sen uct: arks <u>conents:</u> lates (petroleum), l Type es	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig	ailable. Baseoil — unspecified:
Resp Produ Rema Comp Distil Test	iratory or skin sen u <u>ct:</u> arks <u>conents:</u> lates (petroleum), l Type es ssment	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens	ailable. Baseoil — unspecified: sitisation.
Resp Produ Rema Comp Distil Test Speci Asses Metho	iratory or skin sen uct: arks <b>bonents:</b> lates (petroleum), l Type es ssment od	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400	ailable. Baseoil — unspecified: sitisation. 6
Resp Produ Rema Comp Distil Test Speci Asses Metho Resul	iratory or skin sen uct: arks <b>bonents:</b> lates (petroleum), l Type es ssment od	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens	railable. Baseoil — unspecified: sitisation. 6
Resp Produ Rema Comp Distil Test Speci Asses Metho	iratory or skin sen uct: arks <b>bonents:</b> lates (petroleum), l Type es ssment od	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400	ailable. Baseoil — unspecified: sitisation. 6
Resp Produ Rema Comp Distil Test Speci Asses Metho Resul GLP Benze	iratory or skin sen uct: arks ponents: lates (petroleum), l Type es ssment od It	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : yes -C10-14-alkyl derivs., calcium s	railable. Baseoil — unspecified: sitisation. 6 sitisation.
Resp Produ Rema Comp Distil Test Speci Asses Metho Resul GLP Benz Speci	iratory or skin sen uct: arks <u>conents:</u> lates (petroleum), l Type es ssment od it enesulfonic acid, d es	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : yes -C10-14-alkyl derivs., calcium s : Guinea pig	ailable. Baseoil — unspecified: sitisation. 6 sitisation.
Resp Produ Rema Comp Distil Test Speci Asses Metho Resul GLP Benz Speci Asses	iratory or skin sen uct: arks bonents: lates (petroleum), l Type es ssment od lt enesulfonic acid, d es ssment	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : yes -C10-14-alkyl derivs., calcium s : Guinea pig : The product is a skin sen	ailable. <b>Baseoil — unspecified:</b> sitisation. 6 sitisation. <b>salts:</b> sitiser, sub-category 1B.
Resp Produ Rema Comp Distil Test Speci Asses Metho Resul GLP Benz Speci	iratory or skin sen uct: arks bonents: lates (petroleum), l Type es ssment od lt enesulfonic acid, d es ssment	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : yes -C10-14-alkyl derivs., calcium s : Guinea pig	ailable. <b>Baseoil — unspecified:</b> sitisation. 6 sitisation. <b>salts:</b> sitiser, sub-category 1B.
Resp Produ Rema Comp Distil Test Speci Asses Metho GLP Benze Speci Asses Resul	iratory or skin sen uct: arks bonents: lates (petroleum), l Type es ssment od lt enesulfonic acid, d es ssment	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : yes -C10-14-alkyl derivs., calcium s : Guinea pig : The product is a skin sen : The product is a skin sen	ailable. <b>Baseoil — unspecified:</b> sitisation. 6 sitisation. <b>salts:</b> sitiser, sub-category 1B.
Resp Produ Rema Distil Test Speci Asses Metho Resul GLP Benz Speci Asses Resul (4-no	iratory or skin sen uct: arks conents: lates (petroleum), l Type es ssment od lt enesulfonic acid, d es ssment t nylphenoxy)acetic	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : yes -C10-14-alkyl derivs., calcium s : guinea pig : The product is a skin sen : The product is a skin sen : The product is a skin sen	ailable. Baseoil — unspecified: sitisation. 6 sitisation. Balts: sitiser, sub-category 1B. sitiser, sub-category 1B.
Resp Produ Rema Distil Test Speci Asses Metho Resul GLP Benz Speci Asses Resul (4-no	iratory or skin sen uct: arks bonents: lates (petroleum), l Type es ssment bd lt enesulfonic acid, d es ssment lt nylphenoxy)acetic ssment	itisation : This information is not av ydrotreated light naphthenic; B : Buehler Test : Guinea pig : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : OECD Test Guideline 400 : Does not cause skin sens : yes -C10-14-alkyl derivs., calcium s : guinea pig : The product is a skin sen : The product is a skin sen acid: : The product is a skin sen	ailable. Baseoil — unspecified: sitisation. 6 sitisation. Balts: sitiser, sub-category 1B. sitiser, sub-category 1B.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



13 403				
rsion	Revision Date: 20.04.2022		e of last issue: 14.03.2022 e of first issue: 04.07.2016	Print Date: 22.04.2022
Germ	cell mutagenicity			
Produ				
Genot	oxicity in vitro	:	Remarks: No data available	
Genot	oxicity in vivo	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Distill	ates (petroleum), hyd	lrotr	eated light naphthenic; Baseoil -	– unspecified:
Germ sessm	cell mutagenicity- As- nent	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Carci	nogenicity			
<u>Produ</u>	<u>ict:</u>			
Rema	rks	:	No data available	
<u>Comp</u>	oonents:			
Distill	ates (petroleum), hyd	lrotro	eated light naphthenic; Baseoil -	-
Carcir ment	nogenicity - Assess-	:	No evidence of carcinogenicity in	animal studies.
Repro	oductive toxicity			
<u>Produ</u>	<u>ict:</u>			
Effect	s on fertility	:	Remarks: No data available	
Effects ment	s on foetal develop-	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Distill	ates (petroleum), hyd	lrotro	eated light naphthenic; Baseoil -	– unspecified:
Repro sessm	ductive toxicity - As-	:	- Fertility -	
000011			No toxicity to reproduction - Teratogenicity -	
			No effects on or via lactation	
STOT	- single exposure			
<u>Comp</u>	oonents:			
Distill	ates (petroleum), hyd	lrotro	eated light naphthenic; Baseoil -	•
Asses	sment	:	The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target
				a brand of



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

#### STOT - repeated exposure

#### **Components:**

### Distillates (petroleum), hydrotreated light naphthenic; Baseoil - unspecified:

:

Assessment

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Repeated dose toxicity**

### Product:

Remarks

: This information is not available.

### Aspiration toxicity

## Product:

This information is not available.

### **Components:**

# Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information		

### Product:

Information given is based on data on the components and Remarks 2 the toxicology of similar products.

### Components:

#### (4-nonylphenoxy)acetic acid: 2

Remarks

Ingestion causes burns of the upper digestive and respiratory tracts.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
:	Remarks: No data available
:	Remarks: No data available
:	Remarks: No data available
0-1	4-alkyl derivs., calcium salts:
:	EC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
:	
:	Very toxic to aquatic life.
	: : : :

#### 12.2 Persistence and degradability

Chronic aquatic toxicity

Product:
----------

Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available

#### **Components:**

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:



: Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



UK5 40	3			
Version 2.1	Revision Date: 20.04.2022		of last issue: 14.03.2022 of first issue: 04.07.2016	Print Date: 22.04.2022
Biode	egradability		Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 8 % Exposure time: 28 d Method: OECD Test Guideline 30	1D
12.3 Bioa	ccumulative potentia	I		
Prod	luct:			
Bioa	ccumulation	 -	Remarks: This mixture contains n be persistent, bioaccumulating an This mixture contains no substand persistent and very bioaccumulati	d toxic (PBT). ce considered to be very
12.4 Mob	ility in soil			
Prod	luct:			
Mobi	lity	:	Remarks: No data available	
	ibution among environ- al compartments	:	Remarks: No data available	
12.5 Resi	ults of PBT and vPvB	assess	sment	
Prod	luct:			
Asse	essment	1	This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher.	llative and toxic (PBT), or
Com	ponents:			
Disti	llates (petroleum), hy	drotrea	ated light naphthenic; Baseoil –	– unspecified:
	essment		Non-classified vPvB substance. N	•
12.6 End	ocrine disrupting prop	perties		
Prod	luct:			
	essment		The substance/mixture does not c ered to have endocrine disrupting REACH Article 57(f) or Commissio (EU) 2017/2100 or Commission R evels of 0.1% or higher.	properties according to on Delegated regulation
12.7 Othe	er adverse effects			
	tional ecological infor-	:	Harmful to aquatic life with long la	sting effects.
matio	n			a brand of
			15 / 21	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

#### **Components:**

### (4-nonylphenoxy)acetic acid:

Additional ecological infor- mation	:	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--	---	--

## **SECTION 13:** Disposal considerations

#### 13.1 Waste treatment methods

Product	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code	used product, unused product 12 01 12*, spent waxes and fats
	uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



# **OKS 403**

Version 2.1	Revision Date: 20.04.2022		nt Date: 04.2022
ADR			
RID		: Not regulated as a dangerous good	
		: Not regulated as a dangerous good	
IMDO		: Not regulated as a dangerous good	
		: Not regulated as a dangerous good	
14.3 Iran	sport hazard class(e		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	6	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.4 Pack	ing group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	6	: Not regulated as a dangerous good	
-	<b>ial precautions for</b> of pplicable		
14.7 Marit	time transport in bu	according to IMO instruments	
Rema	arks	: Not applicable for product as supplied.	

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legisla ture	ation	specific for the substance or mix-
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product does not contain sub- stances of very high concern (Regu-



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Vers 2.1	sion	Revision Date: 20.04.2022		e of last issue: 14.03.20 e of first issue: 04.07.20			Print Date: 22.04.2022
	(EU S	VHC)				lation (EC) No Article 57).	1907/2006 (REACH),
	(Anne>	H - List of substances (XIV) REACH-Annex XIV)	subj	ect to authorisation	:	Not applicable	•
	plete th	ation (EC) No 1005/20 ne ozone layer 005/2009)	09 oi	n substances that de-	:	Not applicable	)
	Regula tants (i (EU P	recast)	on pe	ersistent organic pollu-	:	Not applicable	)
	ment a	gerous chemicals		the European Parlia- the export and import	:	Not applicable	•
	Parlian	o III: Directive 2012/18 nent and of the Counc accident hazards invo s.	il on	the control of		Not applicable	2
	Volatile	e organic compounds	:	Directive 2010/75/EU o emissions (integrated p Not applicable			

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Act of 25 February 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2019, No. 0, item 1225)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 con-



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

cerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173). Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 wraz z późn. zm.). Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended). Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

#### 15.2 Chemical safety assessment

This information is not available.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 :	Harmful if swallowed.
H304 :	May be fatal if swallowed and enters airways.
H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Note L

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022
		and asphaltene free petroleum fra extraction refractive index method don), in which case a classification of this Regulation shall be perform class.	"Institute of Petroleum, Lon- n in accordance with Title II
PL O	EL	: Poland. Occupational exposure lir stances	nits for airborne toxic sub-
PL O	EL / NDS	: Maximal Admissible Concentration	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixtur	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the In-



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



## **OKS 403**

Version	Revision Date:	Date of last issue: 14.03.2022	Print Date:
2.1	20.04.2022	Date of first issue: 04.07.2016	22.04.2022

ternet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

