according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

VersionRevision Date:Date of last issue: 2018-08-202.02022-08-18Date of first issue: 2014-07-15Print Date: 2022-08-18

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	OKS 4100
Chemical nature	:	Mineral oil. Molybdenum disulfide
Manufacturer or supplier's de	eta	ils
Company name of supplier	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
Emergency telephone number	:	+86 532 8388 9090 (NRCC, only for hazardous chemicals) +86 21 69225521
Recommended use of the ch	em	ical and restrictions on use
Recommended use	:	Lubricant
Restrictions on use	:	Restricted to professional users.

2. HAZARDS IDENTIFICATION

Appearance	: solid	
Colour	: grey	
Odour	: hydrocarbon-like	
May cause an allergic ski	n reaction.	

GHS label elements



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Haza	rd pictograms	
Signa	al word	: Warning
Haza	rd statements	: H317 May cause an allergic skin reaction.
Preca	autionary statemer	 Prevention: P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it befo reuse.
		Disposal: P501 Dispose of contents/containers according the local government requirements.
-	ical and chemica lassified based on	I hazards available information.
Healt	h hazards	
May o	cause an allergic s	kin reaction.
	onmental hazard lassified based on	s available information.
Othe	r hazards which o	to not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
molybdenum disulphide	1317-33-5	>= 1 -< 10
Polysulfides, di-tert-dodecyl	68425-15-0	>= 1 -< 10

4. FIRST AID MEASURES



according to GB/T 16483 and GB/T 17519 CN



OKS 4100

ersion 0		Date of last issue: 2018-08-20 Date of first issue: 2014-07-15 Print Date: 2022-08-18
lf inh	naled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In ca	ase of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In ca	ase of eye contact	 Rinse immediately with plenty of water, also under the eyelid for at least 10 minutes. If eye irritation persists, consult a specialist.
lf sw	allowed	 Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
	t important symptom effects, both acute a yed	
Note	es to physician	: The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon oxides Sulphur oxides Metal oxides
Specific extinguishing methods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Version	Revision Date:	Date of last issue: 2018-08-20	
2.0	2022-08-18	Date of first issue: 2014-07-15	Print Date: 2022-08-18

Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

nananng		
Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Avoidance of contact	:	No materials to be especially mentioned.
Storage		
Conditions for safe storage	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Version	Revision Date:	Date of last issue: 2018-08-20	
2.0	2022-08-18	Date of first issue: 2014-07-15	Print Date: 2022-08-18

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
molybdenum disulphide	1317-33-5	PC-TWA	6 mg/m3	CN OEL
			(Molybdenum)	(2019-08-27)
		TWA	10 mg/m3	ACGIH
		(Inhalable	(Molybdenum)	(2019-03-05)
		particulate		
		matter)		
		TWA	3 mg/m3	ACGIH
		(Respirable	(Molybdenum)	(2019-03-05)
		particulate		
		matter)		

Components with workplace control parameters

Engineering measures : It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Personal protective equipment

Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type P
Eye/face protection	:	Safety glasses with side-shields
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Version 2.0	Revision Date: 2022-08-18	Date of last issue: 2018-08-20 Date of first issue: 2014-07-15 Print Date: 2022-08-18
Prote	ective measures	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hygi	ene measures	: Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	grey
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 200 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Version	Revision Date:	Date of last issue: 2018-08-20	
2.0	2022-08-18	Date of first issue: 2014-07-15	Print Date: 2022-08-18

Relative density	:	0.92 (20 °C) Reference substance: Water The value is calculated
Density	:	0.92 g/cm3 (20 °C)
Bulk density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
		No doto ovollable
Oxidizing properties	:	No data available
Sublimation point	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

VersionRevision Date:Date of last issue: 2018-08-202.02022-08-18Date of first issue: 2014-07-15Print Date: 2022-08-18

11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
Components:		
molybdenum disulphide:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 16,000 mg/kg
Polysulfides, di-tert-dodecy	1:	
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Components:		
molybdenum disulphide:		
Assessment Result	:	No skin irritation No skin irritation



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Version 2.0	Revision Date: 2022-08-18	Date of last issue: 2018-08-20 Date of first issue: 2014-07-15	Print Date: 2022-08-18

	Rabbit Mild skin irritation
Serious eye damage/eye irritat	ion
Product: Remarks :	This information is not available.
Components:	
molybdenum disulphide: Result : Assessment :	No eye irritation No eye irritation
Respiratory or skin sensitisation	on
Product: Remarks :	This information is not available.
Components:	
molybdenum disulphide:	
	Does not cause skin sensitisation. Does not cause skin sensitisation.
Polysulfides, di-tert-dodecyl:	
Assessment : Result :	The product is a skin sensitiser, sub-category 1B. The product is a skin sensitiser, sub-category 1B.
Germ cell mutagenicity	
Product:	
Genotoxicity in vitro :	Remarks: No data available
Genotoxicity in vivo :	Remarks: No data available
Components:	

.

molybdenum disulphide:



according to GB/T 16483 and GB/T 17519 CN



OKS 4100

Version 2.0	Revision Date: 2022-08-18		ast issue: 2018-08-20 rst issue: 2014-07-15 Print Date: 2022-08-18
	n cell mutagenicity essment	·- :	Animal testing did not show any mutagenic effects.
Card	cinogenicity		
	<u>duct:</u> narks	:	No data available
<u>Com</u>	ponents:		
Carc	ybdenum disulph cinogenicity - essment	ide: :	No evidence of carcinogenicity in animal studies.
Rep	roductive toxicity	,	
	<u>duct:</u> cts on fertility	:	Remarks: No data available
	cts on foetal elopment	:	Remarks: No data available
STO	T - single exposu	ire	
<u>Con</u>	nponents:		
-	ybdenum disulph essment	ide: :	The substance or mixture is not classified as specific target organ toxicant, single exposure.
STO	T - repeated expo	osure	
Com	nponents:		
-	ybdenum disulph essment	ide: :	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Rep	eated dose toxici	ty	
	<mark>duct:</mark> narks	:	This information is not available.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Version	Revision Date:	Date of last issue: 2018-08-20	
2.0	2022-08-18	Date of first issue: 2014-07-15	Print Date: 2022-08-18

Aspiration toxicity

Product:

This information is not available.

Further information

Product:

Remarks	:	Information given is based on data on the components and
		the toxicology of similar products.

Components:

molybdenum disulphide:		
Remarks	:	Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION Ecotoxicity Product: Toxicity to fish 2 Remarks: No data available Toxicity to daphnia and other : aquatic invertebrates Remarks: No data available Toxicity to algae/aquatic 1 Remarks: No data available plants Remarks: No data available Toxicity to microorganisms : **Components:** molybdenum disulphide: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Toxicity to fish : Exposure time: 96 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l



according to GB/T 16483 and GB/T 17519 CN



OKS 4100

	of last issue: 2018-08-20 of first issue: 2014-07-15 Print Date: 2022-08-18
aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
Polysulfides, di-tert-dodecyl	:
Toxicity to fish	 LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	 NOEC (Daphnia magna (Water flea)): > 0.00079 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility
Persistence and degradabili	ty
Product:	
Biodegradability	: Remarks: No data available
Physico-chemical removability	: Remarks: No data available
Components:	
Polysulfides, di-tert-dodecyl	1:
Biodegradability	 Result: Not rapidly biodegradable Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F
Bioaccumulative potential	
Product:	
Bioaccumulation	 Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

Version	Revision Date:	Date of last issue: 2018-08-20	
2.0	2022-08-18	Date of first issue: 2014-07-15	Print Date: 2022-08-18

Mobility in soil

Product:

Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

Other adverse effects

Product:

Additional ecological information	:	No information on ecology is available.
-----------------------------------	---	---

13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	 Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Proper shipping name Class Subsidiary risk Packing group Labels	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 4100

VersionRevision Date:Date of last issue: 2018-08-202.02022-08-18Date of first issue: 2014-07-15Print Date: 2022-08-18

Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	:	Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Catalogue of Highly Toxic Chemicals

National regulatory information Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Regulations on Labour Protection in Workplaces w	here	e Toxic Substances are Used
Hazardous Chemicals for Priority Management under SAWS	:	Not applicable
Catalogue of Hazardous Chemicals	:	Not applicable



: Not applicable

according to GB/T 16483 and GB/T 17519 CN



OKS 4100

Version	Revision Date:	Date of last issue: 2018-08-20	
2.0	2022-08-18	Date of first issue: 2014-07-15	Print Date: 2022-08-18

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable and Export

International Regulations

Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable

The components of this product are reported in the following inventories:

IECSC	:	Not in compliance with the inventory
-------	---	--------------------------------------

16. OTHER INFORMATION

Date format

: yyyy/mm/dd

Full text of other abbreviations

ACGIH CN OEL		USA. ACGIH Threshold Limit Values (TLV) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
ACGIH / TWA	:	8-hour, time-weighted average

ACGIH / TWA: 8-nour, time-weighted averageCN OEL / PC-TWA: Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National



according to GB/T 16483 and GB/T 17519 CN



OKS 4100

VersionRevision Date:Date of last issue: 2018-08-202.02022-08-18Date of first issue: 2014-07-15Print Date: 2022-08-18

Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

