

Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product ide Product nar			OKS 416
Troduct har	ile ile	•	
1.2 Relevant ide	entified uses of the	e s	ubstance or mixture and uses advised against
Use of the Substance/	Mixture	:	Grease
Recommen on use	ded restrictions	:	Restricted to professional users.
1.3 Details of th	e supplier of the s	afe	ety data sheet
Company		:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	ess of person for the SDS	:	mcm@oks-germany.com Material Compliance Management
National co	ntact	:	EagleBurgmann Hungaria Kft. Népfürdő utca 22 1138 Budapest Hungary Tel.: +36 1 814 8160 Fax: +36 1 319 8125 info.hu@eagleburgmann.com

1.4 Emergency telephone number

Emergency telephone	: 0049 (0) 8142-3051-517
number	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)
	H-1096 Budapest, Nagyvárad tér 2.
	Tel: +36 1 476 6464, +36 80 201 199





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

ester oil Mineral oil. lithium soap

Components

Chemical name	CAS-No.	Classification	specific	Concentration
	EC-No.		concentration	(% w/w)
			limit	
	Index-No.		M-Factor	
	Registration number		Notes	
			Acute toxicity	
			estimate	
1,3,4-Thiadiazolidine-		Aquatic Chronic3;		>= 1 - < 2,5



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 416

Version 1.5	Revision Da 07.06.2023	te: Date of last issue: 02.03.2022 Date of first issue: 10.06.2016			Date: 5.2023
2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol		939-692-2 01-2119983498-16- XXXX	H412		
Substance	es with a work	place exposure limit :			1
White mineral oil (petroleum)		8042-47-5 232-455-8 01-2119487078-27- XXXX	Not classified		>= 10 - < 20
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified		64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Remove contaminated clothing. If irritation develops, get medical attention. Wash off with soap and water.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	: Move the victim to fresh air. Do not induce vomiting without medical advice. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No information available.

Risks : None known.





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture

Hazardous combustion
products:Carbon oxides
Nitrogen oxides (NOx)
Sulphur oxides
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
	Do not breathe vapours, aerosols.
	Refer to protective measures listed in sections 7 and 8.
	·

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up

Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product.
Hygiene measures	: Wash face, hands and any exposed skin thoroughly after handling.
Conditions for safe storage	ncluding any incompatibilities

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
White mineral oil (petroleum)	8042-47-5	CEILCeiling concentration (Mist)	5 mg/m3	HU OEL (2011-12-22)	
	Further information: Carcinogenic substance				
		TWAMean concentration (Mist)	5 mg/m3	HU OEL (2021-07-26)	
	Further information: Limit value recommended in SCOEL/SUM/163/2011,				





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023
		stances which have a health hazard after F	

	Corrected value = TWA x 40 / number of hours per week						
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWAMean concentration (Mist)	5 mg/m3	HU OEL (2021-07-26)			
	Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week						

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Skin contact	Long-term systemic effects	217,05 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
1,3,4-Thiadiazolidine- 2,5-dithione, reaction products with hydrogen peroxide and tert- dodecanethiol	Workers	Inhalation		4,408 mg/m3
	Workers	Dermal		6,25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(2-ethylhexyl) sebacate	Soil	0,865 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
1,3,4-Thiadiazolidine-2,5- dithione, reaction products with hydrogen peroxide and tert- dodecanethiol	Fresh water	0,041 mg/l
	Marine water	0,0041 mg/l
	Fresh water sediment	380,62 mg/kg
	Marine sediment	38,06 mg/kg
	Sewage treatment plant	8000 mg/l
	Soil	308,98 mg/kg





Version 1.5	Revision Date: 07.06.2023	Date of last issue: 02.03.2022 Date of first issue: 10.06.2016		Print Date: 07.06.2023
8.2 Exp	osure controls			
En g nor	gineering measures ne			
Pei	rsonal protective equip	ment		
Eye	e/face protection	:	Safety glasses with side-shields	
	nd protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1	
	Remarks	:	For prolonged or repeated contact use break through time depends amongst material, the thickness and the type of has to be measured for each case. The selected protective gloves have to specifications of Regulation (EU) 2016 EN 374 derived from it.	other things on the glove and therefore satisfy the
Ski	n and body protection	:	Choose body protection in relation to it concentration and amount of dangerou the specific work-place.	
Re	spiratory protection	:	Not required; except in case of aerosol	formation.
	Filter type	:	Filter type P	
Pro	otective measures	:	The type of protective equipment must to the concentration and amount of the at the specific workplace.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour		yellow
Odour		characteristic
Odour Threshold	:	No data available





SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



OKS 416

Version 1.5	Revision Date: 07.06.2023		of last issue: 02.03.2022 of first issue: 10.06.2016	Print Date: 07.06.2023
Boilin	g point/boiling range	:	No data available	
	mability (solid, gas)	:	Combustible Solids	
Uppe	r explosion limit / Upper nability limit	:	No data available	
	r explosion limit / Lower nability limit	:	No data available	
Flash	point	:	Not applicable	
Auto-	ignition temperature	:	No data available	
Deco	mposition temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-solub	le (in water)
Visco Vis	sity scosity, dynamic	:	No data available	
Vi	scosity, kinematic	:	Not applicable	
	ility(ies) ater solubility	:	insoluble	
Sc	olubility in other solvents	6 :	No data available	
	ion coefficient: n- ol/water	:	No data available	
Vapo	ur pressure	:	< 0,001 hPa (20 °C)	
Relat	ive density	:	0,88 (20 °C) Reference substance: Water The value is calculated	
Densi	ity	:	0,88 g/cm3 (20 °C)	
Bulk	density	:	No data available	
Relat	ive vapour density	:	No data available	
9.2 Other	information			
Explo	sives	:	Not explosive	





Version 1.5	Revision Date: 07.06.2023	Date of last issue: 02.03.2022 Date of first issue: 10.06.2016	Print Date: 07.06.2023
	zing properties gnition	No data availableNo data available	
Evaporation rate Sublimation point		No data availableNo data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity	:	Remarks: Harmful if swallowed.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.





OKS 41	6			
		D -1		Dái Data
Version 1.5	Revision Date: 07.06.2023		e of last issue: 02.03.2022 e of first issue: 10.06.2016	Print Date: 07.06.2023
Com	ponents:			
	-Thiadiazolidine-2,5- canethiol:	dithio	ne, reaction products with hydro	gen peroxide and tert-
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg	
Acute	e dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The substance or m toxicity	
White	e mineral oil (petrole	eum):		
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: yes	11
Acute	e inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40 GLP: yes Assessment: The substance or m inhalation toxicity	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 40 GLP: yes Assessment: The substance or m toxicity	
Distil	lates (petroleum), s	olvent	-dewaxed heavy paraffinic; Base	oil — unspecified:
			LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 40	12
Skin	corrosion/irritation			
Prod	uct:			
Rema	arks	:	This information is not available.	
Com	ponents:			
	-Thiadiazolidine-2,5- canethiol:	dithio	ne, reaction products with hydro	gen peroxide and tert-
Spec		:	Rabbit No skin irritation	





	6		
sion	Revision Date: 07.06.2023	Date of last issue: 02.03.2022 Date of first issue: 10.06.2016	Print Date: 07.06.2023
Resu	lt	: No skin irritation	
White	e mineral oil (petrol	eum):	
Speci	es	: Rabbit	
	ssment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Resu	It	: No skin irritation	
GLP		: yes	
Distil	lates (petroleum), s	solvent-dewaxed heavy paraffinic; Based	oil — unspecified:
Speci		: Rabbit	
	ssment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Resu	lt	: No skin irritation	
GLP		: yes	
<u>Prod</u> Rema		: This information is not available.	
<u>Com</u>	oonents:		
	Thiadiazolidine-2,5 canethiol:	dithione, reaction products with hydrog	gen peroxide and tert-
Speci	69	: Rabbit	
Opcor	00		
•	ssment	: No eye irritation	
•	ssment	: No eye irritation : No eye irritation	
Asses Resu	ssment It	: No eye irritation	
Asses Resu	ssment It e mineral oil (petrol	: No eye irritation eum):	
Asses Resul White Speci	ssment It e mineral oil (petrol	: No eye irritation	
Asses Resul White Speci	ssment It e mineral oil (petrol es ssment	: No eye irritation eum): : Rabbit	
Asses Result White Speci Asses Metho Result	ssment It e mineral oil (petrol es ssment od	 No eye irritation eum): Rabbit No eye irritation 	
Asses Result White Speci Asses Metho	ssment It e mineral oil (petrol es ssment od	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 	
Asses Resu White Speci Asses Metho Resu GLP	ssment It e mineral oil (petrol es ssment od It	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 No eye irritation 	bil — unspecified:
Asses Resu White Speci Asses Metho Resu GLP Distil	ssment It e mineral oil (petrol ies ssment od It lates (petroleum), s	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes solvent-dewaxed heavy paraffinic; Based 	bil — unspecified:
Asses Resu White Speci Asses Metho Resu GLP Distil Speci	ssment It e mineral oil (petrol ies ssment od It lates (petroleum), s	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes 	bil — unspecified:
Asses Resu White Speci Asses Metho Resu GLP Distil Speci	ssment It e mineral oil (petrol es ssment od It lates (petroleum), s es ssment	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes solvent-dewaxed heavy paraffinic; Based Rabbit 	oil — unspecified:
Asses Resu White Speci Asses Metho GLP Distil Speci Asses Metho Resu	ssment It e mineral oil (petrol es ssment od It lates (petroleum), s es ssment od	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes Solvent-dewaxed heavy paraffinic; Based Rabbit No eye irritation 	oil — unspecified:
Asses Resu White Speci Asses Metho GLP Distil Speci Asses Metho	ssment It e mineral oil (petrol es ssment od It lates (petroleum), s es ssment od	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes solvent-dewaxed heavy paraffinic; Based Rabbit No eye irritation OECD Test Guideline 405 	bil — unspecified:
Asses Resu White Speci Asses Metho Speci Asses Metho Resu	ssment It e mineral oil (petrol es ssment od It lates (petroleum), s es ssment od	 No eye irritation eum): Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes Solvent-dewaxed heavy paraffinic; Based Rabbit No eye irritation OECD Test Guideline 405 No eye irritation OECD Test Guideline 405 No eye irritation 	oil — unspecified:





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Result	:	Does not cause skin sensitisation.

White mineral oil (petroleum):

Test Type :	Maximisation Test
Species :	Guinea pig
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Does not cause skin sensitisation.
GLP :	yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

Components:

White mineral oil (petroleum):	
--------------------------------	--

Genotoxicity in vitro	:	Test Type: Ames test Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative GLP: yes
Germ cell mutagenicity- Assessment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.





OKS	6 416				
Versi 1.5	on	Revision Date: 07.06.2023		e of last issue: 02.03.2022 e of first issue: 10.06.2016	Print Date: 07.06.2023
ſ	Distilla	ates (petroleum), so	olvent	-dewaxed heavy paraffinic; Base	oil — unspecified:
(Genoto	oxicity in vitro	:	Test system: Salmonella typhimu Metabolic activation: with and with Method: OECD Test Guideline 47 Result: negative	hout metabolic activation
(Genoto	oxicity in vivo	:	Species: Mouse Application Route: Oral Method: OECD Test Guideline 47 Result: negative	74
(Carcin	ogenicity			
_	Produ Remar		:	No data available	
<u>(</u>	Compo	onents:			
۱	White	mineral oil (petrole	eum):		
	Carcino Assess	ogenicity - sment	:	No evidence of carcinogenicity in	animal studies.
ſ	Distilla	ates (petroleum), so	olvent	-dewaxed heavy paraffinic; Base	oil — unspecified:
	Specie		:	Mouse	
	Applica Method	ation Route	:	Dermal OECD Test Guideline 451	
	Result		:	negative	
F	Repro	ductive toxicity			
Ē	Produc	<u>ct:</u>			
E	Effects	on fertility	:	Remarks: No data available	
	Effects develo	on foetal pment	:	Remarks: No data available	
<u>(</u>	Compo	onents:			
١	White	mineral oil (petrole	eum):		
		ductive toxicity -	:	- Fertility -	
ļ	Assess	sment		No toxicity to reproduction - Teratogenicity -	
				No effects on or via lactation	

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:





OKS 416						
			e of last issue: 02.03.2022 e of first issue: 10.06.2016	Print Date: 07.06.2023		
	Effects develo	s on foetal pment	:	Species: Rat Application Route: Dermal General Toxicity Maternal: NOAEL: 30 n Developmental Toxicity: NOAEL: 30 mg/ Method: OECD Test Guideline 414		
	стот	- single exposure				
	<u>Produ</u> Remar		:	No data available		
	Comp	onents:				
	White mineral oil (petroleum): Assessment STOT - repeated exposure		m): :	The substance or mixture is not classifie organ toxicant, single exposure.	d as specific target	
	Produ Remar		:	No data available		
	Components: White mineral oil (petroleum): Assessment :					
			m): :	The substance or mixture is not classifie organ toxicant, repeated exposure.	d as specific target	
	Repea	ted dose toxicity				
	<u>Produ</u> Remar		:	This information is not available.		
	<u>Comp</u>	onents:				
	NOAE	mineral oil (petroleu L ure time	m): : :	1.800 mg/kg 90 d		
	Aspira	tion toxicity				
	Produ This in	ct: formation is not availa	able.			





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

Components:

White mineral oil (petroleum):

No aspiration toxicity classification

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tertdodecanethiol: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l





UN	5 410				
Versi 1.5	ion	Revision Date: 07.06.2023		e of last issue: 02.03.2022 e of first issue: 10.06.2016	Print Date: 07.06.2023
				Exposure time: 96 h	
		y to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 4 Exposure time: 48 h	1 mg/l
	Toxicity plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata mg/l Exposure time: 72 h	ı (microalgae)): > 100
	Toxicity	y to microorganisms	:	EC50 (Pseudomonas putida): > 8.000 Exposure time: 16 h	mg/l
	White	mineral oil (petroleur	n):		
	Toxicity	y to fish	:	LC50 (Oncorhynchus mykiss (rainbow Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	trout)): > 100 mg/l
		y to daphnia and other invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202	ı/l
	aquatic	y to daphnia and other invertebrates ic toxicity)	:	NOEC: >= 1.000 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)	
	Distilla	ates (petroleum), solv	/ent-	dewaxed heavy paraffinic; Baseoil —	- unspecified:
	Toxicity	y to fish	:	LC50 (Pimephales promelas (fathead r Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	ninnow)): > 100 mg/l
		y to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	10.000 mg/l
	Toxicity plants	y to algae/aquatic	:	NOEC (Pseudokirchneriella subcapitat mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	a (green algae)): > 100
	aquatic	y to daphnia and other invertebrates ic toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)	





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

Components:

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tertdodecanethiol:

Biodegradability	:	Result: Not rapidly biodegradable
		Biodegradation: 0 %
		Exposure time: 28 d

White mineral oil (petroleum):

Biodegradability	:	Test Type: Primary biodegradation
		Inoculum: activated sludge
		Result: Not rapidly biodegradable
		Biodegradation: 31 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Biodegradability	: Test Type: aerobic
	Inoculum: activated sludge
	Result: Not rapidly biodegradable
	Biodegradation: 31 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B
	GLP: yes

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
		This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert- dodecanethiol:					
Bioaccumulation	:	Bioconcentration factor (BCF): 3,16			
Partition coefficient: n-	:	log Pow: 8			





Version 1.5	Revision Date: 07.06.2023		e of last issue: 02.03.2022 e of first issue: 10.06.2016	Print Date: 07.06.2023
octan	ol/water			
White	e mineral oil (petroleu	m):		
	ion coefficient: n- ol/water	:	Pow: > 6	
12.4 Mobi	ility in soil			
Prod	<u>uct:</u>			
Mobil	lity	:	Remarks: No data available	
	Distribution among : Remarks: No data available environmental compartments			
12.5 Resu	Ilts of PBT and vPvB a	isse	ssment	
Prod	<u>uct:</u>			
Asse	ssment	:	 This substance/mixture contains no components consider to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels 0.1% or higher. 	
<u>Com</u>	ponents:			
White	e mineral oil (petroleu	m):		
Asse	Assessment :		Non-classified PBT substance. Non-c	lassified vPvB substance
12.6 Endo	ocrine disrupting prop	ertie	25	
Prod	<u>uct:</u>			
Asse	ssment	:	The substance/mixture does not conta considered to have endocrine disrupti to REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Regu levels of 0.1% or higher.	ng properties according n Delegated regulation
12.7 Othe	r adverse effects			
	<u>uct:</u> ional ecological nation	:	No information on ecology is available	9.

SECTION 13: Disposal considerations

13.1 Waste treatment methods





OKS	416
-----	-----

	<i>,</i>			
Version 1.5	Revision Date: 07.06.2023	Date of last issue: 02.03.2022Print Date:Date of first issue: 10.06.201607.06.2023		
Product		:	 The product should not be allowed to enter drains, wate courses or the soil. Waste codes should be assigned by the user based on application for which the product was used. 	
Contaminated packaging		:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.	
Moot	Code		The following Waste Codes are on	ly suggestions:
Waste Code			used product, unused product 12 01 12*, spent waxes and fats	
			uncleaned packagings 15 01 10*, packaging containing re by hazardous substances	sidues of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good





Version 1.5	Revision Date: 07.06.2023	Date of last issue: 02.03.2022 Date of first issue: 10.06.2016	Print Date: 07.06.2023
ΙΑΤΑ		: Not regulated as a dangerous good	
14.4 Pack	king group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
IATA (Cargo)		: Not regulated as a dangerous good	
IATA (Passenger)		: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG		: Not regulated as a dangerous good	
14.6 Spec	cial precautions for	ser	
Not a	pplicable		
14.7 Mari	time transport in bu	according to IMO instruments	
Rema	arks	: Not applicable for product as supplied.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	 This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable





OKS 416	5		
Version 1.5	Revision Date: 07.06.2023	Date of last issue: 02.03.2022 Date of first issue: 10.06.2016	
Parlia	t of dangerous chemi	l concerning the export and	Not applicable
	ation (EU) 2019/1148 sives precursors	3 on the marketing and use of :	Not applicable
Parlia major	so III: Directive 2012/ ment and of the Cour- accident hazards inv ances.		Not applicable
Volati	le organic compound		24 November 2010 on industrial llution prevention and control)
2000 44/20 certain 15.2 Chem		of health dangerous substances a angements for activities	and preparations dangerous for
	normation is not ava	ladie.	
SECTION	I 16: Other inform	ation	
Full to	ext of H-Statements		
H412 Full te	ext of other abbrevi	: Harmful to aquatic life wi ations	th long lasting effects.
Note I	L	it can be shown that the dimethyl sulphoxide extra ("Determination of polycy base oils and asphaltene sulphoxide extraction ref Petroleum, London), in w	ation as a carcinogen applies unless substance contains less than 3 % of act as measured by IP 346 volic aromatics in unused lubricating free petroleum fractions - Dimethyl ractive index method"Institute of which case a classification in of this Regulation shall be performed s.





Version 1.5	Revision Date: 07.06.2023		e of last issue: 02.03.2022 e of first issue: 10.06.2016	Print Date: 07.06.2023
HU OEL		:	Hungary. Occupational Exposure Permissible concentration values	
HU OEL / TWA HU OEL / CEIL		-	Mean concentration Ceiling concentration	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to





Version	Revision Date:	Date of last issue: 02.03.2022	Print Date:
1.5	07.06.2023	Date of first issue: 10.06.2016	07.06.2023

the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

