according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 427

Chemical nature : Mineral oil.

Synthetic hydrocarbon oil

polyurea

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

mcm@oks-germany.com

responsible for the SDS

Material Compliance Management

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : solid

Colour: yellow, brownOdour: characteristic

May cause an allergic skin reaction.

GHS Classification

Skin sensitisation : Category 1

GHS label elements

according to GB/T 16483 and GB/T 17519



OKS 427

Version **Revision Date:** Date of last issue: 2018-10-29

2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31 2.0

Hazard pictograms

Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

Precautionary statements Prevention:

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/containers according the local

government requirements.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May cause an allergic skin reaction.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Residual oils (petroleum), hydrotreated	64742-57-0	>= 30 -< 50
Polyurea	1266545-64-5	>= 2.5 -< 10
Molybdenum, bis[O,O-bis(2-ethylhexyl)	72030-25-2	>= 0.25 -< 1
phosphorodithioatokappa.S,.kappa.S']dioxodi-		
.muthioxodi-, (Mo-Mo)		

according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4- | 68140-98-7 | >= 0.1 -< 0.25

methanol

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Allergic appearance

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides



according to GB/T 16483 and GB/T 17519 CN



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Specific extinguishing

methods

Standard procedure for chemical fires.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Avoid breathing dust.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.



according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Avoidance of contact : No materials to be especially mentioned.

Storage

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Residual oils (petroleum), hydrotreated	64742-57-0	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)

Engineering measures : It is recommended that all dust control equipment such as

local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen

deficient environment.

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection

Material : butyl-rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore



according to GB/T 16483 and GB/T 17519 CN



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

has to be measured for each case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : yellow, brown

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

according to GB/T 16483 and GB/T 17519 CN



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Relative density : 0.88 (20 °C)

Reference substance: Water The value is calculated

Density : 0.88 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.



according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Symptoms: Redness, Local irritation

Components:

Residual oils (petroleum), hydrotreated:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Polyurea:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi.mu.-thioxodi-, (Mo-Mo):

Acute dermal toxicity : Symptoms: Redness, Local irritation

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:



according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral

toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Polyurea:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-

.mu.-thioxodi-, (Mo-Mo):

Assessment : Irritating to skin. Result : Irritating to skin.

Remarks : Irritating to skin.

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Species : human skin
Assessment : No skin irritation
Result : No skin irritation



according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

Polyurea:

Species : Rabbit

Result : No eye irritation Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Molybdenum, bis[0,0-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-

.mu.-thioxodi-, (Mo-Mo):

Result : No eye irritation
Assessment : No eye irritation

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Result : No eye irritation
Assessment : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

according to GB/T 16483 and GB/T 17519 **CN**



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Does not cause respiratory sensitisation.Does not cause respiratory sensitisation.

Polyurea:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Molybdenum, bis[0,0-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-

.mu.-thioxodi-, (Mo-Mo):

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Assessment : The product is a skin sensitiser, sub-category 1A. Result : The product is a skin sensitiser, sub-category 1A.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Polyurea:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Carcinogenicity

Product:

Remarks : No data available

according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Components:

Residual oils (petroleum), hydrotreated:

Carcinogenicity - : Not classifiable as a human carcinogen.

Assessment

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal : Remarks: No data available

development

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h Test Type: Immobilization

Polyurea:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (Bacteria): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: May cause long-term adverse effects in the aquatic

environment.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Toxicity to daphnia and other :

EC50 (Daphnia magna (Water flea)): 69.17 mg/l

aquatic invertebrates

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 65.6 mg/l

according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

plants Exposure time: 72 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

: Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

Polyurea:

Biodegradability : Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 10 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 11 % Exposure time: 28 d

Method: OECD Test Guideline 301B

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 34.73 %

Method: OECD Test Guideline 301B

according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Polyurea:

Partition coefficient: n-

octanol/water

log Pow: > 6

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Partition coefficient: n-

octanol/water

: $\log Pow: > 4$

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Partition coefficient: n-

octanol/water

: log Pow: 3.42 (20 °C)

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments

Remarks: No data available

Other adverse effects

Product:

Additional ecological

information

: No information on ecology is available.

Components:

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi-, (Mo-Mo):

Additional ecological

information

: May cause long lasting harmful effects to aquatic life.

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Results of PBT and vPvB : Non-classified vPvB substance Non-classified PBT substance

according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

assessment

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction : Not applicable

(passenger aircraft)

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable



according to GB/T 16483 and GB/T 17519



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under : Not applicable

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

according to GB/T 16483 and GB/T 17519 CN



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer



according to GB/T 16483 and GB/T 17519 CN



OKS 427

Version Revision Date: Date of last issue: 2018-10-29

2.0 2022-08-31 Date of first issue: 2014-03-20 Print Date: 2022-08-31

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.