According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Date of last issue: 01.07.2021 Version Revision Date: Print Date: Date of first issue: 03.07.2013 24.02.2022 2.7 24.02.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 472

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Grease

stance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person : mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact

1.4 Emergency telephone number

Emergency telephone num-: +49 8142 3051 517

ber

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-H412: Harmful to aquatic life with long lasting efegory 3 fects.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

Precautionary statements : **Prevention**:

P273 Avoid release to the environment.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

ester oil

aluminium complex soap

Mineral oil.

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox.1; H304		>= 1 - < 10
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	95-38-5 202-414-9	Acute Tox.4; H302 Skin Corr.1C; H314 Eye Dam.1; H318 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/1	>= 0.25 - < 1
N-methyl-N-[C18- (unsaturat- ed)alkanoyl]glycine	701-177-3	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic3; H412	M-Factor: 1/	>= 0.25 - < 1



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

2,6-di-tert-butyl-p-	128-37-0	Aquatic Acute1;		>= 0.25 - < 1
cresol	204-881-4	H400	M-Factor: 1/1	
		Aquatic Chronic1;		
		H410		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

Wash off with soap and water. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides

Oxides of phosphorus

Metal oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Version Revision Date: Date of last issue: 01.07.2021 Print Date: 24.02.2022 Date of first issue: 03.07.2013 24.02.2022

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product. Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-di-tert-butyl-p-	128-37-0	TWA	10 mg/m3	GB EH40
cresol				(2005-04-06)

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
·	Workers	Skin contact	Long-term systemic effects	220 mg/kg
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Workers	Dermal	Long-term systemic effects	220 mg/kg bw/day
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	1.76 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.5 mg/kg
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	Workers	Skin contact	Long-term systemic effects	0.06 mg/kg
	Workers	Inhalation	Long-term systemic effects	0.46 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	2 mg/kg
	Workers	Inhalation	Acute systemic ef- fects	14 mg/m3
N-methyl-N-[C18- (unsaturat- ed)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0.8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4.2 mg/kg bw/day

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

	. ,	
Substance name	Environmental Compartment	Value
isopropyl oleate	Fresh water sediment	2.978 mg/kg
	Marine sediment	2.978 mg/kg
2,6-di-tert-butyl-p-cresol	Fresh water	0.199 µg/l
	Marine water	0.02 μg/l
	Intermittent use/release	1.99 µg/l
	Microbiological Activity in Sewage Treat-	0.17 mg/l
	ment Systems	
	Fresh water sediment	0.0996 mg/kg
	Marine sediment	0.00996 mg/kg
	Soil	0.04769 mg/kg
	Oral	8.33 mg/kg
2-(2-heptadec-8-enyl-2-	Fresh water	0.00003 mg/l
imidazolin-1-yl)ethanol		
	Marine water	0.000003 mg/l
	Fresh water sediment	0.376 mg/kg
	Marine sediment	0.0376 mg/kg
	Soil	0.075 mg/kg
N-methyl-N-[C18-	Fresh water	0.00043 mg/l
(unsaturated)alkanoyl]glycine		
	Marine water	0.000043 mg/l

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

Microbiological Activity in Sewage Treat- ment Systems	1 mg/l
Fresh water sediment	0.057 mg/kg
Marine sediment	0.006 mg/kg
Soil	1.71 mg/kg

#### 8.2 Exposure controls

## **Engineering measures**

none

## Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : white

Odour : characteristic

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.9 (20 °C)

Reference substance: Water The value is calculated

Density : 0.90 g/cm3

(20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No hazards to be specially mentioned.

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

Acute dermal toxicity : Remarks: This information is not available.

**Components:** 

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Acute oral toxicity : LD50 (Rat): 1,265 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1.05 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

#### Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

## **Components:**

#### White mineral oil (petroleum):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

## 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive, category 1C - where responses occur after expo-

sures between 1 hour and 4 hours and observations up to 14

days.

GLP : yes

## N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit

Assessment : Irritating to skin. Result : Irritating to skin.

# 2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

## Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

# **Components:**

## White mineral oil (petroleum):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

## 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rabbit
Assessment : Corrosive

Method : OECD Test Guideline 405

Result : Corrosive

## N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit

Assessment : Risk of serious damage to eyes. Result : Risk of serious damage to eyes.

## 2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Assessment : No eye irritation
Method : Draize Test
Result : No eye irritation

## Respiratory or skin sensitisation

## **Product:**

Remarks : This information is not available.

## **Components:**

## White mineral oil (petroleum):

Test Type : Buehler Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

## 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

## N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

2,6-di-tert-butyl-p-cresol:

Species : Humans

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

White mineral oil (petroleum):

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

White mineral oil (petroleum):

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Version Revision Date: Date of last issue: 01.07.2021 Print Date: 24.02.2022 Date of first issue: 03.07.2013 24.02.2022

# Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

#### **Components:**

White mineral oil (petroleum):

Reproductive toxicity - As-

sessment

No toxicity to reproduction No effects on or via lactation

## 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

Did not show teratogenic effects in animal experiments.

2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

#### STOT - single exposure

#### Components:

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

## STOT - repeated exposure

#### Components:

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Exposure routes : Ingestion

Target Organs : Digestive organs, thymus gland

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

Assessment : May cause damage to organs through prolonged or repeated

exposure.

2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Components:** 

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species : Rat

100 mg/kg

NOAEL : 20 mg/kg
Application Route : Oral

**Aspiration toxicity** 

**Product:** 

This information is not available.

**Components:** 

White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

2,6-di-tert-butyl-p-cresol:

No aspiration toxicity classification

**Further information** 

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Version **Revision Date:** Date of last issue: 01.07.2021 Print Date: 2.7 24.02.2022 Date of first issue: 03.07.2013 24.02.2022

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

#### Components:

White mineral oil (petroleum):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

> Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms LC50 (Bacteria): > 1,000 mg/l

Exposure time: 40 h Test Type: Growth inhibition

Toxicity to fish (Chronic tox-

icity)

NOEC: > 100 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: >= 1,000 mg/lExposure time: 21 d

ic toxicity)

Species: Daphnia magna (Water flea)

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Version Revision Date: Date of last issue: 01.07.2021 Print Date: 2.7 24.02.2022 Date of first issue: 03.07.2013 24.02.2022

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.3 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.163 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 0.03 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 (activated sludge): 26 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.43 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.43 mg/l

Exposure time: 48 h
Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 6.3 mg/l

Exposure time: 72 h

Test Type: static test

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Version Revision Date: Date of last issue: 01.07.2021 Print Date: 2.7 24.02.2022 Date of first issue: 03.07.2013 24.02.2022

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.57 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.61 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l

Exposure time: 72 h

Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.316 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

...

Remarks: No data available

Components:

White mineral oil (petroleum):

Biodegradability : Biodegradation: 31 %

Exposure time: 28 d

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Version Revision Date: Date of last issue: 01.07.2021 Print Date: 24.02.2022 Date of first issue: 03.07.2013 24.02.2022

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Biodegradability : Test Type: Primary biodegradation

Result: Not rapidly biodegradable Method: OECD Test Guideline 301B

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 85.2 % Exposure time: 28 d

2,6-di-tert-butyl-p-cresol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 4.5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

White mineral oil (petroleum):

Partition coefficient: n-

octanol/water

log Pow: > 6

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 371.8

Remarks: Does not accumulate in organisms.

Partition coefficient: n-

octanol/water

log Pow: > 6

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-

octanol/water

: log Pow: 3.5 - 4.2



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): 598.4

Partition coefficient: n-

octanol/water

log Pow: 5.1

## 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher..

## **Components:**

White mineral oil (petroleum):

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT)..

2,6-di-tert-butyl-p-cresol:

Assessment : Non-classified PBT substance. Non-classified vPvB sub-

stance.

#### 12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

: Harmful to aquatic life with long lasting effects.



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

# **SECTION 14: Transport information**

## 14.1 UN number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code



According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

VersionRevision Date:Date of last issue: 01.07.2021Print Date:2.724.02.2022Date of first issue: 03.07.201324.02.2022

Remarks : Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern (Regu-

lation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous sub-

stances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0.01 %

## 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

**Full text of H-Statements** 

H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

a brand of

FREUDENBERG

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



OKS 472						
Version 2.7	Revision Date: 24.02.2022		e of last issue: 01.07.2021 e of first issue: 03.07.2013	Print Date: 24.02.2022		
H314		:	Causes severe skin burns and e	ye damage.		
H315		:	Causes skin irritation.			
H318		:	: Causes serious eye damage.			
H332		:	Harmful if inhaled.			
H373		:	May cause damage to organs th exposure if swallowed.	rough prolonged or repeated		
H400		:	Very toxic to aquatic life.			
H410		:	Very toxic to aquatic life with long	g lasting effects.		
H412		:	Harmful to aquatic life with long I	asting effects.		

#### Full text of other abbreviations

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 - GB



**OKS 472** 

Version Revision Date: Date of last issue: 01.07.2021 Print Date: 24.02.2022 Date of first issue: 03.07.2013 24.02.2022

Classification of the mixture:

Classification procedure:

Aguatic Chronic 3 H412 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a quarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.