

OKS 479	9			
Version 3.7	Revision Date: 14.02.2023		ssue: 14.11.2022 issue: 15.01.2014	Print Date: 14.02.2023
SECTION	1: Identification of	f the substa	nce/mixture and of the	e company/undertaking
	ct identifier			
Produ	uct name	: OKS 47	' 9	
			e or mixture and uses a	advised against
Use c Subst	of the tance/Mixture	: Grease		
Reco on us	mmended restrictions e	: Restrict	ed to professional users.	
1.3 Details	s of the supplier of th	e safety data	sheet	
Comp	bany	Gangho D-8221 Tel.: +4	bezialschmierstoffe Gmbł oferstr. 47 6 Maisach-Gernlinden 9 8142 3051 500	4
			49 8142 3051 599 ks-germany.com	
	il address of person onsible for the SDS		oks-germany.com I Compliance Manageme	nt
Natio	nal contact	:		
1.4 Emerg	gency telephone num	ber		
Emer numb	gency telephone per	: +49 814	42 3051 517 (24/7 service	e)
SECTION	V 2: Hazards identif	ication		
2.1 Classi	ification of the substa	ance or mixtu	re	
Class		ON (EC) No 1		by GB-CLP Regulation, UK
	-term (chronic) aquatic gory 3	hazard,	H412: Harmful to aqu effects.	atic life with long lasting
2.2 Label	elements			
	lling (REGULATION (/720, and UK SI 2020/		2008) as amended by G	B-CLP Regulation, UK SI
Haza	rd statements	: H412	Harmful to aqu	uatic life with long lasting
				a brand of



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 47	9			
Version 3.7	Revision Date: 14.02.2023	Date of last issue: 1 Date of first issue: 1	-	Print Date: 14.02.2023
			effects.	
Preca	autionary statements	Prevention:	Avoid release t	to the environment.

Additional Labelling

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Synthetic hydrocarbon oil aluminium complex soap Mineral oil.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
disodium sebacate	17265-14-4 241-300-3	Eye Irrit.2; H319		>= 1 - < 10
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1	Repr.2; H361f		>= 0.1 - < 1
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	95-38-5 202-414-9	Acute Tox.4; H302 Skin Corr.1C; H314 Eye Dam.1; H318 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1;	M-Factor: 10/1	>= 0.25 - < 1



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

N-methyl-N-[C18- (unsaturated)alkanoyl] glycine	701-177-3	H410 Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic3; H412	M-Factor: 1/	>= 0.25 - < 1
Substances with a work	place exposure limit :	11412		
calcium carbonate	471-34-1 207-439-9	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Obtain medical attention. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	 Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Obtain medical attention. Never give anything by mouth to an unconscious person.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	No information available.
----------	---	---------------------------

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

ricaunen

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
		High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	Carbon oxides Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols.
		Refer to protective measures listed in sections 7 and 8.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	
-------------------------	--

: Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	•	
Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m3	GB EH40GB EH40 (2011-12-01)
		TWA (Respirable dust)	4 mg/m3	GB EH40GB EH40 (2011-12-01)

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164.56 mg/m3
	Workers	Skin contact	Long-term systemic effects	217.05 mg/kg
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35.26 mg/m3
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Skin contact	Long-term systemic effects	0.44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0.31 mg/m3
2-(2-heptadec-8-enyl- 2-imidazolin-1- yl)ethanol	Workers	Skin contact	Long-term systemic effects	0.06 mg/kg
	Workers	Inhalation	Long-term systemic effects	0.46 mg/m3
	Workers	Skin contact	Acute systemic effects	2 mg/kg
	Workers	Inhalation	Acute systemic effects	14 mg/m3
N-methyl-N-[C18- (unsaturated)alkanoyl] glycine	Workers	Inhalation	Long-term systemic effects	0.8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4.2 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
disodium sebacate	Fresh water	0.018 mg/l
	Marine water	0.002 mg/l



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.548 mg/kg
	Marine sediment	0.055 mg/kg
	Soil	0.099 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene	Fresh water	0.034 mg/l
	Marine water	0.003 mg/l
	Fresh water sediment	0.446 mg/kg
	Marine sediment	0.045 mg/kg
	Soil	1.76 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0.51 mg/l
2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol	Fresh water	0.00003 mg/l
	Marine water	0.000003 mg/l
	Fresh water sediment	0.376 mg/kg
	Marine sediment	0.0376 mg/kg
	Soil	0.075 mg/kg
N-methyl-N-[C18- (unsaturated)alkanoyl]glycine	Fresh water	0.00043 mg/l
	Marine water	0.000043 mg/l
	Microbiological Activity in Sewage	1 mg/l
	Treatment Systems	
	Fresh water sediment	0.057 mg/kg
	Marine sediment	0.006 mg/kg
	Soil	1.71 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment				
Eye protection	:	Safety glasses with side-shields		
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1		
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.		
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.		
Respiratory protection	:	Not required; except in case of aerosol formation.		



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



UN3 4/9	OKS	479
---------	-----	-----

Version 3.7	Revision Date: 14.02.2023	Date of last issue: 14.11.2022 Date of first issue: 15.01.2014	Print Date: 14.02.2023
Fil	lter type	: Filter type P	
Protective measures		: The type of protective equipment to the concentration and amount of at the specific workplace.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	beige
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Molting point/rongo	:	No data available
Melting point/range	•	No data avallable
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.13 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	0.90 (20 °C) Reference substance: Water The value is calculated
Density	:	0.90 g/cm3 (20 °C)



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:	
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023	

Bulk density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
9.2 Other information		
Sublimation point	:	No data available
Self-ignition	:	No data available

SECTION 10: Stability and reactivity

10.1	Reactivity
	i touotivity

No hazards to be specially mentioned.

10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : No dangerous reaction known under conditions of normal use. 10.4 Conditions to avoid Conditions to avoid : No conditions to be specially mentioned. 10.5 Incompatible materials Materials to avoid : No materials to be especially mentioned.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

5		
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
disodium sebacate:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity
Benzenamine, N-phenyl-, rea	acti	ion products with 2,4,4-trimethylpentene:
Acute oral toxicity		LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
2-(2-heptadec-8-enyl-2-imida	zo	lin-1-vl)ethanol:
Acute oral toxicity	:	LD50 (Rat): 1,265 mg/kg Method: OECD Test Guideline 401 GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:





	-		
OKS 47	9		
Version 3.7	Revision Date: 14.02.2023	Date of last issue: 14.11.2022 Date of first issue: 15.01.2014	Print Date: 14.02.2023
Acute	e oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline	401
Acute	e inhalation toxicity	: LC50 (Rat, male): 1.05 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline	403
calci	um carbonate:		
Acute	e oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline GLP: yes Assessment: The substance or toxicity	
Acute	e inhalation toxicity	 LC50 (Rat): > 3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline GLP: yes Assessment: The substance or inhalation toxicity 	
Acute	e dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or toxicity	mixture has no acute dermal
Skin	corrosion/irritation		
Prod	uct:		
Rema	arks	: This information is not available	9.
Com	ponents:		
disod	dium sebacate:		
Spec Asse Meth Resu GLP	ssment od	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation no 	
Benz	enamine, N-phenyl-,	reaction products with 2,4,4-trimeth	ylpentene:
Spec	ies ssment	RabbitNo skin irritationNo skin irritation	
2-(2-l	heptadec-8-enyl-2-im	idazolin-1-yl)ethanol:	
Spec Metho		RabbitOECD Test Guideline 404	





KS 479			
ersion 7	Revision Date: 14.02.2023	Date of last issue: 14.11.2022 Date of first issue: 15.01.2014	Print Date: 14.02.2023
Resul GLP	t	 Corrosive, category 1C - where re exposures between 1 hour and 4 to 14 days. yes 	
		urated)alkanoyl]glycine:	
Speci Asses Resul	sment	: Rabbit : Irritating to skin. : Irritating to skin.	
calciu	ım carbonate:		
Speci	es	: Rabbit	
	sment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Resul GLP	t	: No skin irritation : yes	
0Li		. 905	
Serio	us eye damage/eye	irritation	
<u>Produ</u>	<u>ict:</u>		
Rema	irks	: This information is not available.	
Comp	oonents:		
disod	ium sebacate:		
Speci		: Rabbit	
	sment	: Irritating to eyes.	
Metho		: OECD Test Guideline 437	
Resul GLP	t	: Irritating to eyes. : yes	
Bonz	anamina N-nhanyl	•, reaction products with 2,4,4-trimethyl	aantono:
Speci		: Rabbit	sentene.
•	sment	: No eye irritation	
Resul		: No eye irritation	
2-(2- h	eptadec-8-enyl-2-ii	nidazolin-1-yl)ethanol:	
Speci		: Rabbit	
Asses	sment	: Corrosive	
Metho		: OECD Test Guideline 405	
Resul	τ	: Corrosive	
N-me	thyl-N-[C18-(unsatu	urated)alkanoyl]glycine:	
Speci	es	: Rabbit	
Asses Resul	sment t	Risk of serious damage to eyes.Risk of serious damage to eyes.	
		12 / 21	a brand of FREUDENBERG



sion	Revision Date: 14.02.2023	Date of last issue: 14.11.2022 Date of first issue: 15.01.2014	Print Date: 14.02.2023
	um carbonate:		
Spec		: Rabbit	
	ssment	: No eye irritation	
Meth		: OECD Test Guideline 405	
Resu	lt	: No eye irritation	
GLP		: yes	
Resp	iratory or skin sens	sitisation	
<u>Prod</u>			
Rema	arks	: This information is not available.	
Com	ponents:		
	dium sebacate:		
Spec		: Guinea pig	
	ssment	: Did not cause sensitisation on labo	
Resu	It	: Did not cause sensitisation on labo	ratory animals.
Benz	enamine, N-phenyl-	, reaction products with 2,4,4-trimethylp	entene:
Spec	ies	: Guinea pig	
Asse	ssment	: Does not cause skin sensitisation.	
Meth	od	: OECD Test Guideline 406	
Resu	lt	: Does not cause skin sensitisation.	
2-(2-l	heptadec-8-enyl-2-ir	nidazolin-1-yl)ethanol:	
Spec	ies	: Guinea pig	
Asse	ssment	: Does not cause skin sensitisation.	
Meth		: OECD Test Guideline 406	
Resu	lt	: Does not cause skin sensitisation.	
N-me	ethyl-N-[C18-(unsatu	urated)alkanoyl]glycine:	
Test	Туре	: Maximisation Test	
Spec		: Guinea pig	
	ssment	: Does not cause skin sensitisation.	
Meth		: OECD Test Guideline 406	
Resu	lt	: Does not cause skin sensitisation.	
	um carbonate:		
calci		: Mouse	
calci Spec	ies		
Spec	ies ssment	: Does not cause skin sensitisation.	
Spec	ssment od	 Does not cause skin sensitisation. Tested according to Annex V of Dir Does not cause skin sensitisation. 	ective 67/548/EEC.





rsion	Revision Date: 14.02.2023		e of last issue: 14.11.2022 e of first issue: 15.01.2014	Print Date: 14.02.2023
Germ	cell mutagenicity			
Prod	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
<u>Com</u>	oonents:			
disod	lium sebacate:			
	cell mutagenicity- ssment	:	Tests on bacterial or mammalian or mutagenic effects.	cell cultures did not sho
2-(2-ł	neptadec-8-enyl-2-ir	nidazo	lin-1-yl)ethanol:	
	cell mutagenicity- ssment	:	Tests on bacterial or mammalian of mutagenic effects.	cell cultures did not sho
Carci	nogenicity			
Prod	uct:			
Rema	arks	:	No data available	
Repr	oductive toxicity			
Prod	uct:			
Effect	ts on fertility	:	Remarks: No data available	
	ts on foetal opment	:	Remarks: No data available	
<u>Com</u>	ponents:			
disod	lium sebacate:			
-	oductive toxicity -	:	- Fertility -	
Asses	ssment		No toxicity to reproduction - Teratogenicity -	
			No effects on or via lactation	
Benz	enamine, N-phenyl-	, react	ion products with 2,4,4-trimethylp	pentene:
Reproductive toxicity -	:	- Fertility -		
Asses	ssment		Some evidence of adverse effects fertility, based on animal experime	
2-(2-k	neptadec-8-enyl-2-ir	nidazo	lin-1-vl)ethanol·	
•	oductive toxicity -	:	- Fertility -	





OKS 47	9			
Version 3.7	Revision Date: 14.02.2023		e of last issue: 14.11.2022 e of first issue: 15.01.2014	Print Date: 14.02.2023
			Animal testing did not show any ef - Teratogenicity -	
			Did not show teratogenic effects in	animal experiments.
STO	T - repeated exposu	re		
<u>Com</u>	ponents:			
2-(2-	heptadec-8-enyl-2-ir	nidazo	lin-1-yl)ethanol:	
Targ	sure routes et Organs ssment	:	Ingestion Digestive organs, thymus gland May cause damage to organs thro exposure.	ugh prolonged or repeated
Repe	eated dose toxicity			
Prod	luct:			
Rem	arks	:	This information is not available.	
2-(2-hepta Spec NOA		olin-1-y : : :	l)ethanol: Rat 100 mg/kg 20 mg/kg Oral	
Aspi	ration toxicity			
<u>Prod</u> This	l <u>uct:</u> information is not ava	ilable.		
<u>Com</u>	ponents:			
	dium sebacate: spiration toxicity class	sificatio	n	
Furti	ner information			
<u>Prod</u> Rem		:	Information given is based on data the toxicology of similar products.	on the components and
Com calcium ca Rem		:	Information given is based on data the toxicology of similar products.	on the components and



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

12.2 Persistence and degradability

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

12.3 Bioaccumulative potential

ict:	d	0	'n	Ρ
------	---	---	----	---

Bioaccumulation	: Remarks: This mixture contains no substance considered to
	be persistent, bioaccumulating and toxic (PBT).
	This mixture contains no substance considered to be very
	persistent and very bioaccumulating (vPvB).

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

i iouuoti	
Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 47	9				
Version 3.7	Revision Date: 14.02.2023	Date of last issue: 14.11.2022 Date of first issue: 15.01.2014	Print Date: 14.02.2023		
		0.1% or higher.			
12.6 Othe	r adverse effects				
Product: Endocrine disrupting : potential		considered to have endocrine di to REACH Article 57(f) or Comm	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at		
	ional ecological nation	: Harmful to aquatic life with long			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· · ·			
	Product :		The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
			Waste codes should be assigned by the user based on the application for which the product was used.
	Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
			The following Waste Codes are only suggestions:
	Waste Code	:	used product, unused product 12 01 12*, spent waxes and fats
			uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479						
Version 3.7	Revision Date: 14.02.2023	Date of last issue: 14.11.2022Print Date:Date of first issue: 15.01.201414.02.2023				
IMDG	i	: Not regulated as a dangerous good				
ΙΑΤΑ		: Not regulated as a dangerous good				
14.2 UN p	roper shipping name	•				
ADR		: Not regulated as a dangerous good				
RID		: Not regulated as a dangerous good				
IMDG	i	: Not regulated as a dangerous good				
ΙΑΤΑ		: Not regulated as a dangerous good				
14.3 Trans	sport hazard class(e	5)				
ADR		: Not regulated as a dangerous good				
RID		: Not regulated as a dangerous good				
IMDG	i	: Not regulated as a dangerous good				
ΙΑΤΑ		: Not regulated as a dangerous good				
14.4 Pack	ing group					
ADR		: Not regulated as a dangerous good				
RID		: Not regulated as a dangerous good				
IMDG	i	: Not regulated as a dangerous good				
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good				
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good				
14.5 Envir	onmental hazards					
ADR		: Not regulated as a dangerous good				
RID		: Not regulated as a dangerous good				
IMDG	i	: Not regulated as a dangerous good				
14.6 Special precautions for user Not applicable						
14.7 Maritime transport in bulk according to IMO instruments						
Rema	arks	: Not applicable for product as supplied.				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on	:	Not applicable
the market and use of certain dangerous substances,		
mixtures and articles (Annex XVII)		

REACH - Candidate List of Substances of Very High : This product does not contain



OKS 479

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



U 11					
Ver 3.7	sion	Revision Date: 14.02.2023	Date of last issue: 14.11.20 Date of first issue: 15.01.20		Print Date: 14.02.2023
	Concer (EU S	n for Authorisation (A VHC)		substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).	
	REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)				Not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)				Not applicable
	•	nts (recast)	on persistent organic	:	Not applicable
	Parlian	of dangerous chemica	concerning the export and	:	Not applicable
	(Annex		es subject to authorisation	:	Not applicable
		ed Consent (PIC) Reg	ardous chemicals - Prior Julation	:	Not applicable
	•	tion (EU) 2019/1148 (ves precursors	on the marketing and use of	:	Not applicable

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H361f :	Suspected of damaging fertility.
H373 :	May cause damage to organs through prolonged or repeated
	exposure if swallowed.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

Full text of other abbreviations

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

H412

Classification procedure:

Aquatic Chronic 3

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



OKS 479

Version	Revision Date:	Date of last issue: 14.11.2022	Print Date:
3.7	14.02.2023	Date of first issue: 15.01.2014	14.02.2023

particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

