according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 491
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone numbe	er	
		:	CIAV - Information Centre of Antipoison (+351) 800 250 250 (free 24/7 service)
•_	CTION 2: Hazards identific		

Classification (REGULATION (EC) No 12	72/2008)
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms :				
Signal word :	Danger			
Hazard statements :	H222 H229 H304 H335 H336 H412	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters air- ways. May cause respiratory irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting ef- fects.		
Supplemental Hazard : Statements	EUH066	Repeated exposure may cause skin dryness or cracking.		
Precautionary statements :	Prevention:			
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
	P211	Do not spray on an open flame or other ignition source.		
	P251	Do not pierce or burn, even after use.		
	Response:			
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.		
	P331	Do NOT induce vomiting.		
	Storage:			
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.		

Hazardous components which must be listed on the label:

Hydrocarbons, C9, aromatics

Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

1

3.2 Mixtures

Chemical nature

Active substance with propellant Mineral oil.

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C9, aromatics	918-668-5 01-2119455851-35- XXXX	Flam. Liq.3; H226 STOT SE3; H335 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066	Note P	>= 20 - < 25
Naphtha (petroleum), hydrotreated light; Low boiling point hy- drogen treated naph- tha	64742-49-0 927-241-2 649-328-00-1 01-2119471843-32- xxxx	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic3; H412; EUH066	Note P	>= 10 - < 20
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21-	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10

Components



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date: 10.11.2022	Date of last issue: 21.01.2021	Print Date:
3.2		Date of first issue: 09.07.2016	11.11.2022

	xxxx			
Substances with	a workplace exposure limit :			
Asphalt	8052-42-4 232-490-9 01-2119480172-44- XXXX	Not classified		>= 30 - < 50
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 10 - < 20
Graphite	7782-42-5 231-955-3	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

0110 45	•		
Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
		Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - ca damage.	an enter lungs and cause
4.2 Most	important symptom	s and effects, both acute and delayed	
Symptoms :		 Inhalation may provoke the followi Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema 	
Risks		Aspiration may cause pulmonary c : Central nervous system depressio	
IN BKS	,	Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed.	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022		
for firefighters			Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.		
Further information		: Standard procedure for chemic Collect contaminated fire exting must not be discharged into dra Cool containers/tanks with wate	uishing water separately. This iins.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
------------------------	--

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	sorbent material, (miculite) and place / national regulation	and then collect with non-combustible ab- (e.g. sand, earth, diatomaceous earth, ver- e in container for disposal according to local ons (see section 13). closed containers for disposal. s should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory
	equipment.
	Avoid contact with skin and eyes.
	For personal protection see section 8.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
		Keep away from fire, sparks and h Smoking, eating and drinking sho plication area. Wash hands and face before brea handling the product. Do not get in eyes or mouth or on Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also app may still contain product residues Pressurized container: protect from pose to temperatures exceeding 5 even after use.	uld be prohibited in the ap- aks and immediately after skin. bly to empty packaging which m sunlight and do not ex-
Hygi	ene measures	: Wash face, hands and any expos handling.	ed skin thoroughly after
7.2 Cond	litions for safe storag	ge, including any incompatibilities	
	uirements for storage s and containers	: BEWARE: Aerosol is pressurized exposure and temperatures over or throw into fire even after use. D red-hot objects. Store in accordan tional regulations.	50 °C. Do not open by force Do not spray on flames or
-	ific end use(s) cific use(s)	: Specific instructions for handling,	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Asphalt	8052-42-4	VLE-MP (Inhala-	0,5 mg/m3	PT OEL
		ble fume)		(2014-11-14)
	Further information: Substances that are not classified as carcinogenic fo			
	humans.			-
butane	106-97-8	VLE_CD	1.000 ppm	PT OEL
				(2014-11-14)
Graphite	7782-42-5	VLE-MP (Respir-	2 mg/m3	PT OEL
		able fraction)	-	(2014-11-14)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Hydrocarbons, C9, aromatics	Workers	Skin contact	Long-term systemic effects	25 mg/kg bw/day



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date: 10.11.2022	Date of last issue: 21.01.2021	Print Date:
3.2		Date of first issue: 09.07.2016	11.11.2022

	Workers	Inhalation	Long-term systemic effects	150 mg/m3
Graphite	Workers	Inhalation	Long-term local ef- fects	1,2 mg/m3

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment				
Eye protection :	Safety glasses with side-shields			
Hand protection Material : Break through time : Protective index :	Fluorinated rubber > 10 min Class 1			
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Respiratory protection :	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only			
Filter type :	Filter type A-P			
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: aerosol
Colour	: black
Odour	: characteristic



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Vers 3.2	sion	Revision Date: 10.11.2022		of last issue: 21.01.2021 of first issue: 09.07.2016	Print Date: 11.11.2022
	Odour ⁻	Threshold	:	No data available	
	Melting	point/range	:	No data available	
	Boiling	point/boiling range	:	< -20 °C (1.013 hPa)	
	Flamm	ability (solid, gas)	:	Extremely flammable aerosol.	
		explosion limit / Upper bility limit	:	12,5 %(V)	
		explosion limit / Lower bility limit	· :	0,6 %(V)	
	Flash p	point	:	< -20 °C Method: DIN 51755, closed cup	
	Auto-ig	nition temperature	:	> 235 °C	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-soluble (in wat	er)
	Viscosi Visc	ty :osity, dynamic	:	No data available	
	Visc	cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	Solubili Wat	ity(ies) er solubility	:	insoluble	
	Solu	ubility in other solvents	3 :	No data available	
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Vapour	pressure	:	3.700 hPa (20 °C)	
	Relativ	e density	:	0,756 (20 °C) Reference substance: Water The value is calculated	
	Density	/	:	0,76 g/cm3 (20 °C)	
	Bulk de	ensity	:	No data available	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
Rela	tive vapour density	: No data available	
	r information	: Not explosive	
Oxidizing properties		: No data available	
Self-ignition		: not auto-flammable	
Meta	I corrosion rate	: Not corrosive to metals	
Evap	poration rate	: No data available	
Subli	imation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: Effects due to ingestion may include:



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
			Symptoms: Central nervous syste	em depression
Acute	inhalation toxicity	:	Remarks: Respiration of solvent v Irritating to respiratory system.	/apour may cause dizziness.
			Symptoms: Inhalation may provol Respiratory disorder, Local irritati Dizziness, Drowsiness, Vomiting, nervous system depression	on, Respiratory disorders,
Acute	e dermal toxicity	:	Remarks: Prolonged or repeated cause defatting resulting in drying tering.	
			Symptoms: Skin disorders	
Com	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
Acute	oral toxicity	:	LD50 (Rat): 4.200 mg/kg Method: OECD Test Guideline 40)1
Acute	dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The component/mix single contact with skin.	
-	e oral toxicity		ited light; Low boiling point hydr LD50 Oral (Rat): > 5.000 mg/kg	rogen treated naphtha:
Asph	alt:			
•	oral toxicity	÷	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	01
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The substance or m toxicity	
butar	ne:			
Acute	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Grap	hite:			
-	oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The substance or m icity	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
Skin	corrosion/irritation		
• • • • • •			
Prod	uct:		
Rema	arks	: This information is not avai	ilable.
Com	ponents:		
Hydr	ocarbons, C9, arom	atics:	
Spec	ies	: Rabbit	
Meth		: OECD Test Guideline 404	
Resu	llt	: Mild skin irritation	
Resu	llt	: Repeated exposure may ca	ause skin dryness or cracking.

Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:

Result	:	Repeated exposure may cause skin dryness or cracking.

Asphalt:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Product:

Remarks

: Contact with eyes may cause irritation.

Components:

Hydrocarbons, C9, aromatics:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

Asphalt:

Species :	Rabbit
Assessment :	No eye irritation
Method :	OECD Test Guideline 405
Result :	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks :	This information is not available.
-----------	------------------------------------



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

Components:

Hydrocarbons, C9, aromatic	s:	
Test Type Species Assessment Method Result	:	Maximisation Test Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation.
Asphalt:		
Species Assessment Method Result	::	Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation.
Germ cell mutagenicity		
Product:		
Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available
Components:		
Hydrocarbons, C9, aromatic	s:	
Germ cell mutagenicity- As- sessment	:	Animal testing did not show any mutagenic effects.
Carcinogenicity		
Product:		
Remarks	:	No data available
Components:		
Hydrocarbons, C9, aromatic	s:	
Carcinogenicity - Assess- ment	:	Not classifiable as a human carcinogen.
Reproductive toxicity		
Product:		
Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



sion	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
<u>Com</u>	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
Repro	oductive toxicity - As-	:	- Fertility -	
sessn	nent		No toxicity to reproduction	
STOT	- single exposure			
<u>Com</u>	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
	sure routes	:	Inhalation	
	et Organs	:	Respiratory system	
Asses	ssment	•	May cause respiratory irritation.	
Expos	sure routes	:	Inhalation	
	et Organs	:	Central nervous system	
Asses	ssment	:	May cause drowsiness or dizzines	SS.
Naph	tha (petroleum), hydi	rotrea	ated light; Low boiling point hydr	ogen treated naphtha:
	sure routes	:	Inhalation	
Asses	ssment	:	May cause drowsiness or dizzines	SS.
Asph	alt:			
Asses	ssment	:	The substance or mixture is not cl organ toxicant, single exposure.	assified as specific target
STOT	- repeated exposure	•		
<u>Comp</u>	oonents:			
Hydro	ocarbons, C9, aroma	tics:		
Asses	ssment	:	The substance or mixture is not cl organ toxicant, repeated exposure	
Asph	alt:			
Asses	ssment	:	The substance or mixture is not cl organ toxicant, repeated exposure	
Repe	ated dose toxicity			
-	-			
Repe Produ Rema	uct:	:	This information is not available.	
<u>Produ</u> Rema	uct:	:	This information is not available.	
Produ Rema	uct: arks	: tics:	This information is not available.	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

Assessment

dermatitis, due to degreasing properties of the product.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C9, aromatics:

May be fatal if swallowed and enters airways.

Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:

May be fatal if swallowed and enters airways.

Asphalt:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Un	5 491				
Ver 3.2	sion	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
	plants				
	•	y to microorganisms			
	TUNICIL	y to microorganisms	•	Remarks: No data available	
	Comp	ononte:			
		onents:			
	-	carbons, C9, aromat y to fish	:	LC50 (Oncorhynchus mykiss (rainbow tr Exposure time: 96 h	out)): 9,22 mg/l
		y to daphnia and othe c invertebrates	r:	EC50 (Daphnia magna (Water flea)): 6,1 Exposure time: 48 h	4 mg/l
	Ecoto	xicology Assessmen	t		
	Acute	aquatic toxicity	:	Toxic to aquatic life.	
	Chroni	c aquatic toxicity	:	Toxic to aquatic life with long lasting effe	cts.
	Napht	ha (petroleum), hydr	otrea	ated light; Low boiling point hydrogen t	reated naphtha:
		xicology Assessmen	t		
	Chroni	c aquatic toxicity	:	Harmful to aquatic life with long lasting e	ffects.
12.2	2 Persis	stence and degradab	ility		
	Produ		_	Demostra: No data available	
	-	gradability	•	Remarks: No data available	
	Physic ity	o-chemical removabil-	. :	Remarks: No data available	
	<u>Comp</u>	onents:			
	Hydro	carbons, C9, aromat	ics:		
	Biodeg	gradability	:	Result: rapidly biodegradable	
	Napht	ha (petroleum), hydr	otrea	ated light; Low boiling point hydrogen t	reated naphtha:
	-	radability	:	Result: rapidly biodegradable	•
12.:	3 Bioac	cumulative potential			
	<u>Produ</u>				
	Bioaco	umulation	:	Remarks: This mixture contains no subs be persistent, bioaccumulating and toxic This mixture contains no substance cons persistent and very bioaccumulating (vP	(PBT). sidered to be very
				16 / 23	a brand of



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

OKS 4	91			
Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
<u>Cor</u>	nponents:			
Нус	Irocarbons, C9, aroma	atics:		
	tition coefficient: n- anol/water	:	log Pow: 3,7 - 4,5	
-	ohtha (petroleum), hyd accumulation	drotrea :	ted light; Low boiling point hydro Remarks: No data available	ogen treated naphtha:
	tition coefficient: n- anol/water	:	Remarks: No data available	
pro	pane:			
	tition coefficient: n- anol/water	:	log Pow: 2,36	
but	ane:			
	tition coefficient: n- anol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	,
Gra	phite:			
	tition coefficient: n- anol/water	:	Remarks: No data available	
2.4 Mo	bility in soil			
Pro	duct:			
Mot	bility	:	Remarks: No data available	
	ribution among environ ntal compartments	- :	Remarks: No data available	
2.5 Res	sults of PBT and vPvE	B asse	ssment	
Pro	duct:			
	essment	:	This substance/mixture contains no to be either persistent, bioaccumul very persistent and very bioaccumul 0.1% or higher.	ative and toxic (PBT), or
<u>Cor</u>	nponents:			
Asp	bhalt:			
Ass	essment	:	Non-classified vPvB substance. No	on-classified PBT substance

Product:



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022	Date of last issue: 21.01.2021 Date of first issue: 09.07.2016	Print Date: 11.11.2022
Assessment		: The substance/mixture does no ered to have endocrine disrupt REACH Article 57(f) or Commi (EU) 2017/2100 or Commission levels of 0.1% or higher.	ing properties according to sign Delegated regulation
12.7 Othe	er adverse effects		
	<u>luct:</u> tional ecological infor-	- · Harmful to aquatic life with long	a lasting effects

mation

Additional ecological infor- : Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

:	UN 1950
:	UN 1950
:	UN 1950
:	UN 1950
:	AEROSOLS
:	AEROSOLS
	::



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
IMDG	ì	:	AEROSOLS	
ΙΑΤΑ		:	Aerosols, flammable	
14.3 Trans	sport hazard class(es)			
ADR		:	2	
RID		:	2	
IMDG	ì	:	2.1	
ΙΑΤΑ		:	2.1	
14.4 Pack	ing group			
Class Label	ng group ification Code s el restriction code	::	Not assigned by regulation 5F 2.1 (D)	
Class	ng group ification Code rd Identification Number s	: : r : :	Not assigned by regulation 5F 23 2.1	
IMDG Packi Label EmS	ng group s	:	Not assigned by regulation 2.1 F-D, S-U	
Packi aircra Packi	ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
IATA Packi ger ai Packi	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envir	onmental hazards			
ADR Enviro	onmentally hazardous	:	no	
RID Enviro	onmentally hazardous	•	no	
IMDG	-	:	no	



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

the market	Restrictions on the manufacture, placing or and use of certain dangerous substances nd articles (Annex XVII)		Not applicable
	Candidate List of Substances of Very High or Authorisation (Article 59). C)	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
(Annex XI\	ist of substances subject to authorisation /) CH-Annex XIV)	:	Not applicable
Regulation plete the o (EC 1005/		9- :	Not applicable
Regulation tants (reca (EU POP)		lu- :	Not applicable
ment and t	(EC) No 649/2012 of the European Parlia he Council concerning the export and impo us chemicals		Not applicable
	:	P2	
Parliament	Directive 2012/18/EU of the European and of the Council on the control of dent hazards involving dangerous sub-	P3a	FLAMMABLE AEROSOLS
		34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home
			a brand of



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date: 10.11.2022	Date of last issue: 21.01.2021	Print Date:
3.2		Date of first issue: 09.07.2016	11.11.2022
			heating oils and gas oil blending

heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

18 Liquefied extremely flammable gases (including LPG) and natural gas

Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial
		emissions (integrated pollution prevention and control)
		Volatile organic compounds (VOC) content: 64,3 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.
H226	:	Flammable liquid and vapour.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note C

: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version 3.2	Revision Date: 10.11.2022		e of last issue: 21.01.2021 e of first issue: 09.07.2016	Print Date: 11.11.2022
Note P Note U (table 3.1)		:	 The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in wl case a classification in accordance with Title II of this Regution shall be performed also for those hazard classes. Whe the substance is not classified as a carcinogen or mutagen least the precautionary statements (P102-)P260-P262-P30 P310-P331 shall apply. When put on the market gases have to be classified as "Ge sunder pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. T group depends on the physical state in which the gas is pa aged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols sh not be classified as gases under pressure (See Annex I, P.) 	
PT OE	L	:	 2, Section 2.3.2.1, Note 2). Portugal. Security and Health at the Workplace - Occupation of chamical events. 	
	L / VLE-MP L / VLE_CD	exposure limits of chemical agentsTime Weighted AverageShort Term Exposure Limit		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 491

Version	Revision Date:	Date of last issue: 21.01.2021	Print Date:
3.2	10.11.2022	Date of first issue: 09.07.2016	11.11.2022

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mix	ture:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Calculation method
STOT SE 3	H335	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

