

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 495

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Grease

Recommended restrictions
on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: +49 8142 3051 500
Fax.: +49 8142 3051 599
info@oks-germany.com

E-mail address of person
responsible for the SDS : mcm@oks-germany.com
Material Compliance Management

National contact :

1.4 Emergency telephone number

Emergency telephone num-
ber : +49 8142 3051 517
Warszawa: +48 22 619 66 54

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue:	Print Date:
2.1	02.03.2023	08.11.2021 Date of first issue: 13.06.2016	02.03.2023

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction.
Precautionary statements	:	Prevention: P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

Polysulfides, di-tert-dodecyl

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Mineral oil. Synthetic hydrocarbon oil graphite aluminium complex soap
-----------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version
2.1

Revision Date:
02.03.2023

Date of last issue: 08.11.2021
Date of first issue: 13.06.2016

Print Date:
02.03.2023

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Polysulfides, di-tert-dodecyl	68425-15-0 270-335-7	Skin Sens.1B; H317		$\geq 1 - < 10$
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	701-177-3 01-2119488991-20-XXXX	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic3; H412	M-Factor: 1/	$\geq 0,25 - < 1$
Substances with a workplace exposure limit :				
residual oils (petroleum), hydrotreated	64742-57-0 265-160-8 649-470-00-4 01-2119489287-22-XXXX	Not classified	Note L	$\geq 50 - < 70$
Graphite	7782-42-5 231-955-3 01-2119486977-12-XXXX	Not classified		$\geq 20 - < 30$
residual oils (petroleum), solvent-dewaxed	64742-62-7 265-166-0 649-471-00-X 01-2119480472-38-xxxx	Not classified	Note L	$\geq 1 - < 10$
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27-XXXX	Not classified	Note L	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|-------------------------|---|--|
| If inhaled | : | Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration. |
| In case of skin contact | : | Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|----------|---|--------------------------------------|
| Symptoms | : | Allergic appearance |
| Risks | : | May cause an allergic skin reaction. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|--|
| Treatment | : | The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. |
|-----------|---|--|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : | High volume water jet |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version 2.1	Revision Date: 02.03.2023	Date of last issue: 08.11.2021 Date of first issue: 13.06.2016	Print Date: 02.03.2023
----------------	------------------------------	---	---------------------------

used.

Smoking, eating and drinking should be prohibited in the application area.

Wash hands and face before breaks and immediately after handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not repack.

These safety instructions also apply to empty packaging which may still contain product residues.

Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
residual oils (petroleum), hydrotreated	64742-57-0	NDS (inhalable fraction)	5 mg/m ³	PL OEL (2021-02-19)
Graphite	7782-42-5	NDS (inhalable fraction)	4 mg/m ³	PL OEL (2018-07-07)
		NDS (respirable fraction)	1 mg/m ³	PL OEL (2018-07-07)
residual oils (petroleum), solvent-dewaxed	64742-62-7	NDS (inhalable fraction)	5 mg/m ³	PL OEL (2021-02-19)
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	NDS (inhalable fraction)	5 mg/m ³	PL OEL (2021-02-19)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version
2.1

Revision Date:
02.03.2023

Date of last issue: 08.11.2021
Date of first issue: 13.06.2016

Print Date:
02.03.2023

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
residual oils (petroleum), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Acute systemic effects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
Graphite	Workers	Inhalation	Long-term systemic effects	1,2 mg/m3
residual oils (petroleum), solvent-dewaxed	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Dermal	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Polysulfides, di-tert-dodecyl	Fresh water sediment	3,85 mg/kg
	Marine sediment	0,385 mg/kg
residual oils (petroleum), solvent-dewaxed	Oral	9,33 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Fresh water	0,00043 mg/l
	Marine water	0,000043 mg/l
	Microbiological Activity in Sewage Treatment Systems	1 mg/l
	Fresh water sediment	0,057 mg/kg
	Marine sediment	0,006 mg/kg
	Soil	1,71 mg/kg

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version 2.1	Revision Date: 02.03.2023	Date of last issue: 08.11.2021 Date of first issue: 13.06.2016	Print Date: 02.03.2023
----------------	------------------------------	---	---------------------------

Eye protection	:	Safety glasses with side-shields
Hand protection	:	
Material	:	Nitrile rubber
Break through time	:	> 10 min
Protective index	:	Class 1
Remarks	:	<p>Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.</p> <p>The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.</p>
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version 2.1	Revision Date: 02.03.2023	Date of last issue: 08.11.2021 Date of first issue: 13.06.2016	Print Date: 02.03.2023
----------------	------------------------------	---	---------------------------

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	< 0,001 hPa (20 °C)
Relative density	:	1,07 (20 °C) Reference substance: Water The value is calculated
Density	:	1,07 g/cm ³ (20 °C)
Bulk density	:	Not applicable
Relative vapour density	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	No data available
Self-ignition	:	No data available
Evaporation rate	:	No data available
Sublimation point	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

Polysulfides, di-tert-dodecyl:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version 2.1	Revision Date: 02.03.2023	Date of last issue: 08.11.2021 Date of first issue: 13.06.2016	Print Date: 02.03.2023
----------------	------------------------------	---	---------------------------

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1,05 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

residual oils (petroleum), hydrotreated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

Graphite:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.000 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

residual oils (petroleum), solvent-dewaxed:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

Components:

Polysulfides, di-tert-dodecyl:

Species	: Rabbit
Result	: Mild skin irritation

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species	: Rabbit
Assessment	: Irritating to skin.
Result	: Irritating to skin.

residual oils (petroleum), hydrotreated:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

Graphite:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

residual oils (petroleum), solvent-dewaxed:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Serious eye damage/eye irritation

Product:

Remarks	: This information is not available.
---------	--------------------------------------

Components:

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species	: Rabbit
Assessment	: Risk of serious damage to eyes.
Result	: Risk of serious damage to eyes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

residual oils (petroleum), hydrotreated:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation

Graphite:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation

residual oils (petroleum), solvent-dewaxed:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Polysulfides, di-tert-dodecyl:

Assessment	: The product is a skin sensitiser, sub-category 1B.
Result	: The product is a skin sensitiser, sub-category 1B.

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

residual oils (petroleum), hydrotreated:

Species	: Guinea pig
---------	--------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.
Result : Does not cause respiratory sensitisation.

Graphite:

Species : Mouse
Method : OECD Test Guideline 429
Result : negative

residual oils (petroleum), solvent-dewaxed:

Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.
GLP : yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available
Genotoxicity in vivo : Remarks: No data available

Components:

Graphite:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

residual oils (petroleum), solvent-dewaxed:

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Genotoxicity in vitro : Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Product:

Remarks : No data available

Components:

residual oils (petroleum), hydrotreated:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

residual oils (petroleum), solvent-dewaxed:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species : Mouse
Application Route : Dermal
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Graphite:

Effects on fertility : Species: Rat

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

Application Route: Oral
General Toxicity F1: NOAEL: 813 mg/kg body weight
Method: OECD Test Guideline 422

residual oils (petroleum), solvent-dewaxed:

Reproductive toxicity - Assessment : - Fertility -
No toxicity to reproduction
- Teratogenicity -
No effects on or via lactation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Effects on foetal development : Species: Rat
Application Route: Dermal
General Toxicity Maternal: NOAEL: 30 mg/kg body weight
Developmental Toxicity: NOAEL: 30 mg/kg body weight
Method: OECD Test Guideline 414

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Graphite:

Species : Rat
NOAEL : 813 mg/kg
Application Route : Oral
Method : OECD Test Guideline 422

Species : Rat
NOAEL : > 2 mg/l
Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 412

Aspiration toxicity

Product:

This information is not available.

Components:

residual oils (petroleum), hydrotreated:

No aspiration toxicity classification

residual oils (petroleum), solvent-dewaxed:

No aspiration toxicity classification

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Polysulfides, di-tert-dodecyl:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,00079 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version 2.1	Revision Date: 02.03.2023	Date of last issue: 08.11.2021 Date of first issue: 13.06.2016	Print Date: 02.03.2023
----------------	------------------------------	---	---------------------------

Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,43 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,43 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: Immobilization

Graphite:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

Method: OECD Test Guideline 201

residual oils (petroleum), solvent-dewaxed:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

NOEC (Pimephales promelas (fathead minnow)): >= 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : LC50 : > 10.000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 202

NOEC : >= 10.000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Polysulfides, di-tert-dodecyl:

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 85,2 %
Exposure time: 28 d

residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

Graphite:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

residual oils (petroleum), solvent-dewaxed:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 3 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Polysulfides, di-tert-dodecyl:

Partition coefficient: n-octanol/water : log Pow: > 12

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-octanol/water : log Pow: 3,5 - 4,2

residual oils (petroleum), solvent-dewaxed:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Pow: > 3,5

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

residual oils (petroleum), solvent-dewaxed:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product
12 01 12*, spent waxes and fats

uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	: Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	: Not applicable
Volatile organic compounds	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 % Volatile CMR compounds: < 0,01 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Act of 25 February 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2019, No. 0, item 1225)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173).

Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 wraz z późn. zm.).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H332	: Harmful if inhaled.
H400	: Very toxic to aquatic life.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Note L	: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
PL OEL	: Poland. Occupational exposure limits for airborne toxic substances
PL OEL / NDS	: Maximal Admissible Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL
(Commission Regulation (EU) 2020/878)



OKS 495

Version	Revision Date:	Date of last issue: 08.11.2021	Print Date:
2.1	02.03.2023	Date of first issue: 13.06.2016	02.03.2023

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1 H317

Classification procedure:

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.