- RU



OKS 1112

Print Date: Version **Revision Date:** Date of last issue: 30.11.2021 28.02.2023 Date of first issue: 09.05.2014 28.02.2023 1.4

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

: OKS 1112 Product name

Manufacturer or supplier's details

Company name of supplier OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

: +7 495 628 1687

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

mcm@oks-germany.com

responsible for the SDS Material Compliance Management

Emergency telephone

number +49 8142 3051 517

Recommended use of the chemical and restrictions on use

Recommended use Lubricant

Restrictions on use Restricted to professional users.

2. HAZARDS IDENTIFICATION

GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)

Not a hazardous substance or mixture.

GHS-Labelling (According to GOST 31340)

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical nature silicone oil

Thickening agent

Components

Chemical name	Concentration	Occupational Exposure	CAS-No.	EC-No.
	(% w/w)	Limits		



- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

		MAC value mg/m3 / TSEL value	Hazard Class		
silicon dioxide	>= 1 - < 10	MPC-TWA: 1 mg/m3 Data Source: RU OEL	f, 3	7631-86-9	231-545-4
		MPC-STEL: 3 mg/m3 Data Source: RU OEL	f, 3		
		MPC-TWA: 2 mg/m3 Data Source: RU OEL	f, 3		
		MPC-STEL: 6 mg/m3 Data Source: RU OEL	f, 3		
Polyethylene glycol #1200	>= 1 - < 10	MPC-STEL: 10 mg/m3 Data Source: RU OEL	4	25322-68-3	500-038-2
octamethylcyclotetrasilo xane [D4]	>= 0,025 - < 0,1	No data available		556-67-2	209-136-7

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Do not induce vomiting without medical advice.

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Most important symptoms and effects, both acute and

delayed

No information available.

None known.

Notes to physician : No information available.

5. FIREFIGHTING MEASURES

Flammable properties

Flash point : $> 150 \, ^{\circ}\text{C}$

Ignition temperature : No data available

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flammability (solid, gas) : Combustible Solids

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Further information : Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
silicon dioxide	7631-86-9	MPC-TWA	1 mg/m3	RU OEL
		(Aerosol -		(2021-02-03)
		total mass)		
			f predominantly fibro	genic action,
	Class 3 - Mode	rately dangerou	S	
		MPC-STEL	3 mg/m3	RU OEL
		(Aerosol -		(2021-02-03)
		total mass)		
	Further information: aerosols of predominantly fibrogenic actio			genic action,
	Class 3 - Mode	rately dangerou	S	
		MPC-TWA	2 mg/m3	RU OEL
		(Aerosol -		(2021-02-03)
		total mass)		
	Further information: aerosols of predominantly fibrogenic action,			genic action,
	Class 3 - Moderately dangerous			
		MPC-STEL	6 mg/m3	RU OEL
		(Aerosol -		(2021-02-03)

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

		total mass)		
		ation: aerosols o	of predominantly fibrous	ogenic action,
Polyethylene glycol #1200	25322-68-3	MPC-STEL (aerosol)	10 mg/m3	RU OEL (2021-02-03)
	Further information: Class 4 - Low hazard			

Engineering measures : none

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : colourless

Odour : odourless

Odour Threshold : No data available

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

pH : Not applicable

substance/mixture is non-soluble (in water)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 150 °C

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 1.100 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1 (20 °C)

Reference substance: Water The value is calculated

Density : 1,00 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

>150 °C small quantities of formaldehyde may be formed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Components:

silicon dioxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Polyethylene glycol #1200:

Acute oral toxicity : LD50 (Rat): > 15.000 mg/kg

octamethylcyclotetrasiloxane [D4]:

Acute oral toxicity : LD50 (Rat): > 4.800 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2.400 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

silicon dioxide:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Polyethylene glycol #1200:

Assessment : No skin irritation Result : No skin irritation

octamethylcyclotetrasiloxane [D4]:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

silicon dioxide:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Polyethylene glycol #1200:

Result : No eye irritation
Assessment : No eye irritation

octamethylcyclotetrasiloxane [D4]:

Species : Rabbit

Result : No eye irritation Assessment : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

silicon dioxide:

Assessment : Does not cause skin sensitisation. Result : Does not cause skin sensitisation.

Polyethylene glycol #1200:

Assessment : Does not cause skin sensitisation. Result : Does not cause skin sensitisation.

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

octamethylcyclotetrasiloxane [D4]:

Test Type : Maximisation Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

silicon dioxide:

Germ cell mutagenicity - : Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

octamethylcyclotetrasiloxane [D4]:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Product:

Remarks : No data available

Components:

silicon dioxide:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal : Remarks: No data available

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

development

Components:

silicon dioxide:

Reproductive toxicity -

Assessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

octamethylcyclotetrasiloxane [D4]:

Reproductive toxicity -

: - Fertility -

Assessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

STOT - single exposure

Components:

silicon dioxide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Polyethylene glycol #1200:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

octamethylcyclotetrasiloxane [D4]:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

silicon dioxide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Polyethylene glycol #1200:

Assessment : The substance or mixture is not classified as specific target

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

organ toxicant, repeated exposure.

octamethylcyclotetrasiloxane [D4]:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

silicon dioxide:

No aspiration toxicity classification

Polyethylene glycol #1200:

No aspiration toxicity classification

octamethylcyclotetrasiloxane [D4]:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates Remarks: No data available

Toxicity to algae/aquatic

plants Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

silicon dioxide:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 10.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Polyethylene glycol #1200:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 96 h

octamethylcyclotetrasiloxane [D4]:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1.000 mg/l

Exposure time: 96 h Test Type: static test

Remarks: The product has low solubility in the test medium.

An aqueous dispersion was tested.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,015 mg/l

End point: Immobilization Exposure time: 48 h

Remarks: No toxicity at the limit of solubility

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

M-Factor (Chronic aquatic

toxicity)

: 10

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

Components:

Polyethylene glycol #1200:

Biodegradability : Result: rapidly biodegradable

octamethylcyclotetrasiloxane [D4]:

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 3,7 % Exposure time: 28 d

Method: OECD Test Guideline 310

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

octamethylcyclotetrasiloxane [D4]:

Bioaccumulation : Remarks: This substance is considered to be persistent,

bioaccumulating and toxic (PBT).

This substance is considered to be very persistent and very

bioaccumulating (vPvB).

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Partition coefficient: n-

octanol/water

log Pow: 6,488

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

Other adverse effects

Product:

Additional ecological

information

: No information on ecology is available.

Components:

silicon dioxide:

Results of PBT and vPvB

assessment

Non-classified vPvB substance Non-classified PBT substance

Polyethylene glycol #1200:

Results of PBT and vPvB

assessment

: Non-classified PBT substance Non-classified vPvB substance

octamethylcyclotetrasiloxane [D4]:

Results of PBT and vPvB

assessment

: PBT substance vPvB substance

Hygienic standards:

(Allowable concentration in air, water, including fishery waters, soil)

Components	Air	Water	Soil	Data Source
silicon dioxide	TSEL value: 0,02 mg/m3	Maximum Allowable Concentration: 20 mg/l (Silicon) Limiting health hazard indicator: sanitary- toxicological Hazard class: Class	No data available	List 2 List 4
		2 - highly dangerous Maximum		

- RU



OKS 1112

Version	Revision Date:	Date of last issue: 30.11.2021	Print Date:
1.4	28.02.2023	Date of first issue: 09.05.2014	28.02.2023

.4	28.02.2023	Date of first issue: 09.05.2014		28.02.2023	
			Allowable Concentration: 25 mg/l (Silicon) Limiting health hazard indicator: sanitary- toxicological Hazard class: Class 2 - highly dangerous		
	Polyethylene glycol #1200	TSEL value: 0,15 mg/m3	Maximum Permissible Concentration: 2,5 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self- purification of water bodies of water fishery: BOD5 (biochemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 3 Maximum Allowable Concentration: 0,3 mg/l Limiting health hazard indicator: organoleptic; causes the formation of foam Hazard class: Class 4 - low hazard TSEL value: 0,25 mg/l	No data available	List 2 List 3 List 4 List 5

- RU



OKS 1112						
Version 1.4	Revision Date: 28.02.2023	Date of last issue: 30.11.2021 Date of first issue: 09.05.2014	Print Date: 28.02.2023			
		Limiting health hazard indicator: organoleptic; causes the formation of foam Hazard class: Cla 3 - moderately dangerous Maximum Allowable Concentration: 0,1 mg/l Limiting health hazard indicator: general sanitary Hazard class: Cla 4 - low hazard Maximum Allowable Concentration: 0,02 mg/l	ass			

For explanation of abbreviations see section 16.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Limiting health hazard indicator: general sanitary Hazard class: Class 4 - low hazard

Waste Code : used product, unused product

12 01 12*, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances



- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection". Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements" TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

16. OTHER INFORMATION

List of data sources used in the preparation of the Safety Data Sheet

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements.

GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.

GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.

GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.

GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 19433-88 Dangerous goods. Classification and labeling.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.

GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.

GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.

GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.

GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.

GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.

GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.

GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

GOST R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.

SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".

SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.

SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".

SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.

Carriage of dangerous goods, International maritime dangerous goods (IMDG) code.

Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).

Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.



- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Agreement on International Goods Transport by Rail (SMGS).

UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second

revised edition. United Nations, New York and Geneva, 2021.

Montreal Protocol (Ozone Depleting Substances) Stockholm Convention (Persistent Organic Pollutants)

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Flam. Liq. : Flammable liquids Repr. : Reproductive toxicity

RU OEL : SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table

2.17 Maximum permissible concentrations (MPC) in the air of

the working area

RU OEL / MPC-STEL : Maximum Permissible Concentration - Short Term Exposure

RU OEL / MPC-TWA : Maximum Permissible Concentration - Time Weighted

Average

List 2 : SanPiN 1.2.3685-21 Table 1.2, Table 1.12 & Table 1.13

Tentative Safe Exposure Levels (TSEL) in the air of urban and

rural settlements

List 3 : SanPiN 1.2.3685-21 Table 3.14 & Table 3.18 Indicative

permissible levels (TAC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of ground and surface water bodies of drinking and cultural and domestic water use, water of

swimming pools, water parks

List 4 : SanPiN 1.2.3685-21 Table 3.13, Table 3.15, Table 3.16 &

Table 3.17 Maximum permissible concentrations (MPC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of underground and surface water bodies of domestic drinking and cultural and domestic water use, water of swimming

pools, water parks

List 5 : Order of the Russian Federal Fisheries Agency "Standards of

maximum permissible concentrations of harmful substances in

fishery water bodies"

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of

- RU



OKS 1112

VersionRevision Date:Date of last issue: 30.11.2021Print Date:1.428.02.2023Date of first issue: 09.05.201428.02.2023

Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions. please contact your responsible sales contact or authorized trading partner.