according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	: OKS 11	1
1 2 Relevant identified uses of t	he substand	e or mixture and uses advised against
Use of the Sub- stance/Mixture		nt spray
Recommended restrictions on use	: Restrict	ed to professional users.
1.3 Details of the supplier of the	safety data	sheet
Company	: OKS S Gangho D-8221 Tel.: +4 Fax.: +4	bezialschmierstoffe GmbH oferstr. 47 6 Maisach-Gernlinden 9 8142 3051 500 49 8142 3051 599 ks-germany.com
E-mail address of person responsible for the SDS		oks-germany.com I Compliance Management
National contact	:	
1.4 Emergency telephone numb	or	
••••	: +49 814	42 3051 517
SECTION 2: Hazards identific	cation	
2.1 Classification of the substar	aa ar mixtu	
Classification (REGULATIO	N (EC) No 1	-
Aerosols, Category 1		H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Specific target organ toxicity - posure, Category 3, Central r system		H336: May cause drowsiness or dizziness.

H304: May be fatal if swallowed and enters airways.



Aspiration hazard, Category 1

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms :	5) No 1272/2008)	
Signal word :	Danger	
Hazard statements :	H222 H229 H304 H336 H411	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters air- ways. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Supplemental Hazard : Statements	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements :	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251 P273	Do not pierce or burn, even after use. Avoid release to the environment.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	Storage:	
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Active agent with propellant and solvent. Wax

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	920-750-0 01-2119473851-33- xxxx	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066		>= 30 - < 50
Substances with a work	place exposure limit :			
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 20 - < 30
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
isobutane	75-28-5 200-857-2 601-004-00-0	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date: 02.12.2022
1.4	02.12.2022	Date of first issue: 10.06.2016	
	01-21 XXXX	19485395-27-	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	 Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the following symptoms:
	Skin contact may provoke the following symptoms: Erythema



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

OKS 11	1				
Version 1.4	Revision Date: 02.12.2022		e of last issue: 25.03.2021 e of first issue: 10.06.2016	Print Date: 02.12.2022	
			Aspiration may cause pulmonary of	bedema and pneumonitis.	
Risk	S	:	Central nervous system depressio Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed.		
4.3 Indic	ation of any immediate	med	dical attention and special treatme	ent needed	
Trea	atment	:	Treat symptomatically.		
SECTIO	N 5: Firefighting mea	asur	es		
	guishing media				
Suita	able extinguishing media	:	ABC powder		
Unsuitable extinguishing : media		:	High volume water jet		
5.2 Spec	ial hazards arising fron	n the	substance or mixture		
Spec fight	cific hazards during fire- ing	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may Beware of vapours accumulating t tions. Vapours can accumulate in t	o form explosive concentra-	
Haza ucts	ardous combustion prod-	• :	Carbon oxides Sulphur oxides Metal oxides		
5.3 Advid	ce for firefighters				
	cial protective equipment refighters	t:	In the event of fire, wear self-conta Use personal protective equipmen tion products may be a hazard to h	t. Exposure to decomposi-	
Furtl	her information	:	Standard procedure for chemical f Collect contaminated fire extinguis must not be discharged into drains Cool containers/tanks with water s	shing water separately. This s.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protecti	ve equipment and	l emergency procedures
------------------------------------	------------------	------------------------

Personal precautions	:	Evacuate personnel to safe areas.
		Ensure adequate ventilation.
		Remove all sources of ignition.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022	Date of last issue: 25.03.2021 Date of first issue: 10.06.2016	Print Date: 02.12.2022
		Do not breathe vapours or sp Do not breathe dust/ fume/ ga Refer to protective measures Only qualified personnel equi equipment may intervene.	as/ mist/ vapours/ spray. listed in sections 7 and 8.
6.2 Enviro	onmental precautions	i	
Envir	onmental precautions	: Do not allow contact with soil, Prevent further leakage or spi If the product contaminates riv respective authorities.	
6.3 Metho	ods and material for c	ontainment and cleaning up	
	ods for cleaning up	: Contain spillage, and then col sorbent material, (e.g. sand, e	earth, diatomaceous earth, ver- er for disposal according to local ction 13). ainers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	g
-----------------------------------	---

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not ex- pose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular na- tional regulations.
Storage class (TRGS 510)	:	2B, Aerosol cans and lighters
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis			
		of exposure)					
Hydrocarbons, C7-	Not As-	AGW	1.500 mg/m3	DE TRGS			
C9, n-alkanes,	signed		-	900			
isoalkanes, cyclics	5			(2009-02-16)			
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)				
	Further inform	nation: Group exposi	are limit for hydrocarbon solv	vent mixtures			
butane	106-97-8	AGW	1.000 ppm	DE TRGS			
			2.400 mg/m3	900			
			C C	(2006-01-01)			
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)				
propane	74-98-6	AGW	1.000 ppm	DE TRGS			
			1.800 mg/m3	900			
			C C	(2006-01-01)			
	Peak-limit: excursion factor (category): 4;(II)						
isobutane	75-28-5	AGW	1.000 ppm	DE TRGS			
			2.400 mg/m3	900			
			5	(2006-01-01)			
	Peak-limit: excursion factor (category): 4;(II)						

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection : Sa	afety glasses with side-shields
---------------------	---------------------------------

Hand protection		
Material	:	Nitrile rubber

7 / 20



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022		e of last issue: 25.03.2021 e of first issue: 10.06.2016	Print Date: 02.12.2022
	reak through time rotective index	:	> 10 min Class 1	
R	emarks	:	Wear protective gloves. The break throu amongst other things on the material, the type of glove and therefore has to be me case. The selected protective gloves have to s tions of Regulation (EU) 2016/425 and the derived from it.	e thickness and the easured for each atisfy the specifica-
Skin	and body protection	:	Choose body protection in relation to its tration and amount of dangerous substancific work-place.	
Resp	iratory protection	:	Use respiratory protection unless adequa tilation is provided or exposure assessm exposures are within recommended expo Short term only	ent demonstrates that
Fi	lter type	:	Filter type A-P	
Prote	ective measures	:	The type of protective equipment must b to the concentration and amount of the c at the specific workplace.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	-161 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	10,9 %(V)
Lower explosion limit / Lower	:	0,9 %(V)



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



Vers 1.4	ion	Revision Date: 02.12.2022		of last issue: 25.03.2021 of first issue: 10.06.2016	Print Date: 02.12.2022
	flamma	ability limit			
	Flash p	point	:	-60 °C Method: Abel-Pensky	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-soluble ((in water)
	Viscosi Visc	ity cosity, dynamic	:	No data available	
	Viso	cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	Solubil Wat	ity(ies) ter solubility	:	insoluble	
	Solu	ubility in other solvents	; :	No data available	
	Partitio octano	n coefficient: n- I/water	:	No data available	
	Vapou	r pressure	:	3.800 hPa (20 °C)	
	Relativ	e density	:	0,77 (20 °C) Reference substance: Water The value is calculated	
	Density	4	:	0,77 g/cm3 (20 °C)	
	Bulk de	ensity	:	No data available	
	Relativ	e vapour density	:	No data available	
9.2 0	Other ir	nformation			
	Explos	ives	:	Not explosive	
	Oxidizi	ng properties	:	No data available	
	Self-igr	nition	:	No data available	
	Metal o	corrosion rate	:	Not corrosive to metals	
	Evapor	ration rate	:	No data available	
	Sublim	ation point	:	No data available	
					a brand of



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of
1.4	02.12.2022	Date of

Date of last issue: 25.03.2021 Date of first issue: 10.06.2016

Print Date: 02.12.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid

Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

:

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product:	
Acute oral toxicity :	Remarks: Effects due to ingestion may include:
	Symptoms: Central nervous system depression
Acute inhalation toxicity :	Remarks: Respiration of solvent vapour may cause dizziness.
	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fa- tigue, Vertigo, Central nervous system depression
Acute dermal toxicity :	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blis-tering.
	Symptoms: Skin disorders



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



rsion	Revision Date: 02.12.2022	Date of last issue: 25.03.2 Date of first issue: 10.06.2	
Com	oonents:		
Hydro	ocarbons, C7-C9, n-a	kanes, isoalkanes, cyclics	s:
Acute	oral toxicity	: LD50 Oral (Rat): > 5.	000 mg/kg
butar	-		
Acute	inhalation toxicity	: LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
isobu	itane:		
Acute	inhalation toxicity	: LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Skin	corrosion/irritation		
Produ	uct:		
Rema	arks	: This information is no	ot available.
<u>Com</u>	oonents:		
	ocarbons, C7-C9, n-	kanes, isoalkanes, cyclics : Repeated exposure r	s: may cause skin dryness or cracking.
Hydro Resul	ocarbons, C7-C9, n-	: Repeated exposure r	
Hydro Resul	ocarbons, C7-C9, n- ^{It} us eye damage/eye	: Repeated exposure r	
Hydro Resul Serio	ocarbons, C7-C9, n-a It us eye damage/eye <u>uct:</u>	: Repeated exposure r	may cause skin dryness or cracking.
Hydro Resul Serio <u>Produ</u> Rema	ocarbons, C7-C9, n-a It us eye damage/eye <u>uct:</u>	: Repeated exposure r ritation : Contact with eyes ma	may cause skin dryness or cracking.
Hydro Resul Serio <u>Produ</u> Rema	ocarbons, C7-C9, n-a It us eye damage/eye u <u>ct:</u> arks iratory or skin sensi	: Repeated exposure r ritation : Contact with eyes ma	may cause skin dryness or cracking.
Hydro Resul Serio <u>Produ</u> Rema	ocarbons, C7-C9, n-a It us eye damage/eye <u>uct:</u> arks iratory or skin sensi <u>uct:</u>	: Repeated exposure r ritation : Contact with eyes ma	may cause skin dryness or cracking. ay cause irritation.
Hydro Resul Serio Produ Rema Resp Rema	ocarbons, C7-C9, n-a It us eye damage/eye <u>uct:</u> arks iratory or skin sensi <u>uct:</u>	: Repeated exposure r ritation : Contact with eyes ma	may cause skin dryness or cracking. ay cause irritation.
Hydro Resul Serio Produ Rema Resp Rema	ocarbons, C7-C9, n-a It us eye damage/eye <u>uct:</u> arks iratory or skin sensi <u>uct:</u> arks	: Repeated exposure r ritation : Contact with eyes ma	may cause skin dryness or cracking. ay cause irritation.
Hydro Resul Serio Produ Rema Resp Produ Rema Germ	ocarbons, C7-C9, n-a It us eye damage/eye <u>uct:</u> arks iratory or skin sensi <u>uct:</u> arks	: Repeated exposure r ritation : Contact with eyes ma	may cause skin dryness or cracking. ay cause irritation. ot available.
Hydro Resul Serio Produ Rema Resp Produ Rema Germ Geno	ocarbons, C7-C9, n-a It us eye damage/eye <u>uct:</u> arks iratory or skin sensi u <u>ct:</u> arks o cell mutagenicity u <u>ct:</u>	: Repeated exposure r ritation : Contact with eyes ma isation : This information is no	may cause skin dryness or cracking. ay cause irritation. ot available.
Hydro Resul Serio Produ Rema Resp Produ Rema Germ Geno	ocarbons, C7-C9, n-a it us eye damage/eye <u>uct:</u> arks iratory or skin sensi <u>uct:</u> arks cell mutagenicity <u>uct:</u> toxicity in vitro	 Repeated exposure r ritation Contact with eyes mainstation This information is not Remarks: No data av 	may cause skin dryness or cracking. ay cause irritation. ot available.
Hydro Resul Serio Produ Rema Resp Produ Rema Germ Geno	ocarbons, C7-C9, n-a t us eye damage/eye <u>uct:</u> arks iratory or skin sensi <u>uct:</u> arks cell mutagenicity <u>uct:</u> toxicity in vitro toxicity in vitro toxicity in vivo	 Repeated exposure r ritation Contact with eyes mainstation This information is not Remarks: No data av 	may cause skin dryness or cracking. ay cause irritation. ot available.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



UKS 11	1		
Version 1.4	Revision Date: 02.12.2022	Date of last issue: 25.03.2021 Date of first issue: 10.06.2016	Print Date: 02.12.2022
Repr	oductive toxicity		
Prod	uct:		
	ts on fertility	: Remarks: No data available	
Effec ment	ts on foetal develop-	: Remarks: No data available	
STO ⁻	T - single exposure		
<u>Com</u>	ponents:		
Hydr	ocarbons, C7-C9, n-a	lkanes, isoalkanes, cyclics:	
Asse	ssment	: May cause drowsiness or dizzine	SS.
Repe	eated dose toxicity		
Prod	uct:		
Rem	arks	: This information is not available.	
Aspi	ration toxicity		
<u>Prod</u> May	<u>uct:</u> be fatal if swallowed a	nd enters airways.	
May	be fatal if swallowed a	nd enters airways.	
<u>Com</u>	ponents:		
Hydr	ocarbons, C7-C9, n-a	Ikanes, isoalkanes, cyclics:	
May	be fatal if swallowed a	nd enters airways.	
1.2 Infor	mation on other haza	urds	
Endo	ocrine disrupting pro	perties	
Prod	uct:		
	ssment	: The substance/mixture does not ered to have endocrine disrupting REACH Article 57(f) or Commissi (EU) 2017/2100 or Commission F levels of 0.1% or higher.	properties according to ion Delegated regulation
Furth	ner information		
Prod	uct:		
Rem		: Information given is based on dat the toxicology of similar products.	



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

Ecotoxicology Assessment

Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
--------------------------	--

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available

Components:

Hydrocarbons, C7-C9, n-alka	ane	s, isoalkanes, cyclics:
Biodegradability	:	Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: This mixture contains no substance considered to
		be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Hydrocarbons, C7-C9, n-alka	ane	s, isoalkanes, cyclics:
Bioaccumulation	:	Remarks: Not applicable



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 11	1			
Version 1.4	Revision Date: 02.12.2022		e of last issue: 25.03.2021 e of first issue: 10.06.2016	Print Date: 02.12.2022
	tion coefficient: n- nol/water	:	Remarks: No data available	
	ne: tion coefficient: n- nol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
	ane: tion coefficient: n- nol/water	:	log Pow: 2,36	
Partit	utane: tion coefficient: n- nol/water	:	log Pow: 2,88 Method: OECD Test Guideline 107	
12.4 Mob	ility in soil			
<u>Prod</u> Mobi		:	Remarks: No data available	
	bution among environ- al compartments	:	Remarks: No data available	
12.5 Resi	ults of PBT and vPvB a	asse	ssment	
<u>Prod</u> Asse	l <u>uct:</u> ssment	:	This substance/mixture contains no to be either persistent, bioaccumula very persistent and very bioaccumul 0.1% or higher.	tive and toxic (PBT), or
12.6 Endo	ocrine disrupting prop	oertie	25	
<u>Prod</u> Asse	l <u>uct:</u> ssment	:	The substance/mixture does not cor ered to have endocrine disrupting pr REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Reg levels of 0.1% or higher.	operties according to Delegated regulation
12.7 Othe	er adverse effects			
<u>Prod</u> Addit matic	ional ecological infor-	:	Toxic to aquatic life with long lasting	effects.
			14 / 20	a brand of

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	UN 1950
	ADR	:	UN 1950
	RID	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	2 UN proper shipping name		
	ADN	:	AEROSOLS
	ADR	:	AEROSOLS
	RID	:	AEROSOLS
	IMDG	:	AEROSOLS (Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics)
	ΙΑΤΑ	:	Aerosols, flammable
14.3	B Transport hazard class(es)		
	ADN	:	2
	ADR	:	2
	RID	:	2



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



Version 1.4	Revision Date: 02.12.2022		e of last issue: 25.03.2021 e of first issue: 10.06.2016	Print Date: 02.12.2022
IMD(IATA		:		
14.4 Pack	king group			
Class Labe ADR Pack Class	ting group sification Code els ting group sification Code	:	Not assigned by regulation 5F 2.1 Not assigned by regulation 5F	
Labe Tunn	nel restriction code	:	2.1 (D)	
Class	ting group sification Code ard Identification Number Is	:	Not assigned by regulation 5F 23 2.1	
Labe	ting group	:	Not assigned by regulation 2.1 F-D, S-U	
Pack aircra Pack	ting instruction (LQ)	:	203 Y203 Not assigned by regulation Flammable Gas	
IATA Pack ger a Pack	(Passenger) ting instruction (passen- aircraft) ting instruction (LQ) ting group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envi	ironmental hazards			
ADN Envir	ronmentally hazardous	:	yes	
	ronmentally hazardous	:	yes	
	ronmentally hazardous	:	yes	
IMDO Marir	G ne pollutant	:	yes	



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de plete the ozone layer (EC 1005/2009))- :	Not applicable
Regulation (EU) 2019/1021 on persistent organic poll tants (recast) (EU POP)	u- :	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and impo of dangerous chemicals (EU PIC)		Not applicable
:	P2	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	P3a	FLAMMABLE AEROSOLS
	E2	ENVIRONMENTAL HAZARDS
	18	Liquefied extremely flammable
17 / 20		a brand of FREUDENBERG

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022		e of last issue: 25.03.2021 e of first issue: 10.06.2016		Print Date: 02.12.2022
				gases (includir ral gas	ng LPG) and natu-
Wa ny)	ter hazard class (Germa-	:	WGK 2 obviously hazardo Classification according to		l (5.2)
TA	Luft List (Germany)	:	Total dust: others: 18,88 %		
			Inorganic substances in po Not applicable Inorganic substances in va Not applicable Organic Substances: others: 36 %		s form:
			Carcinogenic substances: Not applicable Mutagenic: Not applicable Toxic to reproduction: Not applicable		
Vola	atile organic compounds	:	Directive 2010/75/EU of 2 emissions (integrated polle Volatile organic compound	ution prevention	and control)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.
H225	:	Highly flammable liquid and vapour.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022	Date of last issue: 25.03.2021 Date of first issue: 10.06.2016	
Note	€C	ic isomeric form or as a r case the supplier must s	es may be marketed either in a specif- mixture of several isomers. In this tate on the label whether the sub- er or a mixture of isomers.
Note U (table 3.1)		: When put on the market es under pressure", in or liquefied gas, refrigerated group depends on the ph aged and therefore has t following codes are assig (Liq.) Press. Gas (Ref. Li	gases have to be classified as "Gas- ne of the groups compressed gas, d liquefied gas or dissolved gas. The hysical state in which the gas is pack- to be assigned case by case. The gned: Press. Gas (Comp.) Press. Gas iq.) Press. Gas (Diss.) Aerosols shall as under pressure (See Annex I, Part
	TRGS 900 TRGS 900 / AGW		occupational exposure limit values.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date: 02.12.2022	Date of last issue: 25.03.2021	Print Date:
1.4		Date of first issue: 10.06.2016	02.12.2022
		(Jan 1997)	

Classification of the mi	xture:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

