



**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

Product name : OKS 1149

**Manufacturer or supplier's details**

Company name of supplier : OKS Spezialechmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

Emergency telephone number : +7 495 628 1687  
+49 8142 3051 517

**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

**2. HAZARDS IDENTIFICATION**

**GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)**

Skin irritation : Category 3

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

**GHS-Labeling (According to GOST 31340)**

Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P332 + P313 If skin irritation occurs: Get medical advice/  
attention.

**OKS 1149**

Version 1.3      Revision Date: 22.08.2022      Date of last issue: 13.09.2018      Print Date: 22.08.2022  
Date of first issue: 31.05.2016

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical nature : silicone oil  
Thickening agent

**Components**

Chemical name	Concentration (% w/w)	Occupational Exposure Limits		CAS-No.	EC-No.
		MAC value mg/m3 / TSEL value	Hazard Class		
dilithium azelate	>= 1 - < 10	No data available		38900-29-7	254-184-4
Ethylene, tetrafluoro-, polymer	>= 1 - < 10	MPC-TWA: 10 mg/m3 Data Source: RU OEL	f, 4	9002-84-0	618-337-2
dibutyl 1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate	>= 1 - < 2,5	No data available		1770-80-5	217-192-9

**4. FIRST AID MEASURES**

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No information available.  
None known.
- Notes to physician : No information available.

---

**5. FIREFIGHTING MEASURES**

**Flammable properties**

- Flash point : > 320 °C
- Ignition temperature : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flammability (solid, gas) : Combustible Solids
- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Halogenated compounds  
Metal oxides
- Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to



**OKS 1149**

Version 1.3	Revision Date: 22.08.2022	Date of last issue: 13.09.2018 Date of first issue: 31.05.2016	Print Date: 22.08.2022
----------------	------------------------------	---	---------------------------

health.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Avoid breathing dust.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

**7. HANDLING AND STORAGE**

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.
- Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type	Control	Data Source
------------	---------	------------	---------	-------------

**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

		(Form of exposure)	parameters / Permissible concentration	
Ethylene, tetrafluoro-, polymer	9002-84-0	MPC-TWA (aerosol)	10 mg/m <sup>3</sup>	RU OEL (2021-02-03)
Further information: aerosols of predominantly fibrogenic action, Class 4 - Low hazard				

**Engineering measures** : It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

**Personal protective equipment**

- Respiratory protection : Not required; except in case of aerosol formation.
- Filter type : Filter type A-P
- Hand protection
  - Material : Nitrile rubber
  - Break through time : > 10 min
  - Protective index : Class 1
- Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Eye protection : Safety glasses with side-shields
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : solid
- Colour : white

**OKS 1149**

Version 1.3	Revision Date: 22.08.2022	Date of last issue: 13.09.2018 Date of first issue: 31.05.2016	Print Date: 22.08.2022
----------------	------------------------------	---	---------------------------

Odour : slight

Odour Threshold : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 320 °C

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1

Density : 1,02 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

**OKS 1149**

Version 1.3	Revision Date: 22.08.2022	Date of last issue: 13.09.2018 Date of first issue: 31.05.2016	Print Date: 22.08.2022
----------------	------------------------------	---	---------------------------

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : Not applicable  
Explosive properties : Not explosive  
Oxidizing properties : No data available  
Sublimation point : No data available

**10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : No conditions to be specially mentioned.  
Incompatible materials : No materials to be especially mentioned.  
Hazardous decomposition products : >150 °C small quantities of formaldehyde may be formed.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method  
Acute inhalation toxicity : Remarks: This information is not available.  
Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**dilithium azelate:**

Acute oral toxicity : LD50 (Rat): > 300 mg/kg  
Method: OECD Test Guideline 420  
GLP: yes

**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Ethylene, tetrafluoro-, polymer:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

**dibutyl 1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**dilithium azelate:**

Assessment : No skin irritation  
Result : No skin irritation

**Ethylene, tetrafluoro-, polymer:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

**dibutyl 1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate:**

Result : Irritating to skin.

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**dilithium azelate:**





**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

**Ethylene, tetrafluoro-, polymer:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

**dibutyl 1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate:**

Result : Irritating to eyes.  
Remarks : Non persistent irritation

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**dilithium azelate:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**Ethylene, tetrafluoro-, polymer:**

Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity**

**Product:**

Remarks : No data available

**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

---

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**STOT - single exposure**

**Components:**

**dilithium azelate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Ethylene, tetrafluoro-, polymer:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**dibutyl 1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate:**

Exposure routes : Inhalation  
Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

**Components:**

**dilithium azelate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Ethylene, tetrafluoro-, polymer:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**dilithium azelate:**

No aspiration toxicity classification

**Ethylene, tetrafluoro-, polymer:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other :  
aquatic invertebrates       Remarks: No data available

Toxicity to algae/aquatic :  
plants                         Remarks: No data available

Toxicity to microorganisms :   Remarks: No data available

**OKS 1149**

Version 1.3	Revision Date: 22.08.2022	Date of last issue: 13.09.2018 Date of first issue: 31.05.2016	Print Date: 22.08.2022
----------------	------------------------------	---	---------------------------

**Components:**

**dilithium azelate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h

**dibutyl 1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylate:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical : Remarks: No data available  
removability

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**Components:**

**dilithium azelate:**

Bioaccumulation : Bioconcentration factor (BCF): 3,0

Partition coefficient: n- : log Pow: -3,56  
octanol/water

**OKS 1149**

Version 1.3	Revision Date: 22.08.2022	Date of last issue: 13.09.2018 Date of first issue: 31.05.2016	Print Date: 22.08.2022
----------------	------------------------------	---	---------------------------

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

---

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

---

**14. TRANSPORT INFORMATION**

**ADR**

Not regulated as a dangerous good

**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

**15. REGULATORY INFORMATION**

**National regulatory information**

Federal Law of 10.01.2002 No. 184-FZ "On Technical Regulation".  
Federal Law of 10.01.2002 No. 7-FZ "On Environmental Protection".  
Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".  
Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".  
Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection".  
Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).  
Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).  
Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).  
TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

Montreal Protocol : Not applicable  
Rotterdam Convention (Prior Informed Consent) : Not applicable  
Stockholm Convention (Persistent Organic Pollutants) : Not applicable

---

**16. OTHER INFORMATION**

**List of data sources used in the preparation of the Safety Data Sheet**

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.  
GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

GOST 12.1.044-89 Occupational safety standards system. Fire and explosion hazard of substances and materials. Nomenclature of indices and methods of their determination  
GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.  
GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.  
GOST 32419-2013 Classification of the hazard of chemical products. General requirements.  
GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.  
GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.  
GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.  
GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.  
GOST R 53264-2009 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.  
GOST R 53265-2009 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.  
GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.  
GOST R 53269-2009 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.  
SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.  
SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".  
European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). United Nations. New York and Geneva, 20.  
International Maritime Dangerous Goods Code (IMDG-Code).  
Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).  
Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.  
UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-first revised edition. United Nations, New York and Geneva, 2019.

**Full text of other abbreviations**

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
RU OEL	:	SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area
RU OEL / MPC-TWA	:	Maximum Permissible Concentration - Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the



**OKS 1149**

Version	Revision Date:	Date of last issue: 13.09.2018	Print Date:
1.3	22.08.2022	Date of first issue: 31.05.2016	22.08.2022

Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.