- RU



## **OKS 1155**

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : OKS 1155

Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS M

mcm@oks-germany.com

Material Compliance Management

Emergency telephone

number

: +7 495 628 1687 +49 8142 3051 517

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

#### 2. HAZARDS IDENTIFICATION

GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)

Skin sensitisation : Category 1

**GHS-Labelling (According to GOST 31340)** 

Hazard pictograms

**(!)** 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical

- RU



**OKS 1155** 

Date of last issue: 08.02.2021 Print Date: Version **Revision Date:** 01.12.2022 Date of first issue: 28.05.2014 01.12.2022 2.2

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

### Other hazards which do not result in classification

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical nature silicone oil

Solid

## Components

Chemical name	Concentration (% w/w)	Occupational Exposure Limits		CAS-No.	EC-No.
		MAC value mg/m3 / TSEL value	Hazard Class		
dihydro-3- (tetrapropenyl)furan-2,5- dione	>= 0,25 - < 1	No data available		26544-38-7	247-781-6

#### 4. FIRST AID MEASURES

If inhaled Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

- RU



**OKS 1155** 

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Allergic appearance

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

### 5. FIREFIGHTING MEASURES

Flammable properties

Flash point :  $> 101 \, ^{\circ}\text{C}$ 

Ignition temperature : No data available

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flammability (solid, gas) : Combustible Solids

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides

Metal oxides Formaldehyde

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational

- RU



**OKS 1155** 

Version **Revision Date:** Date of last issue: 08.02.2021 Print Date: 01.12.2022 Date of first issue: 28.05.2014 01.12.2022 2.2

exposure limit is exceeded and/or in case of product release emergency procedures

(dust).

Avoid breathing dust.

Refer to protective measures listed in sections 7 and 8.

Try to prevent the material from entering drains or water Environmental precautions

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin and eyes.

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Conditions for safe storage Store in original container.

Keep container closed when not in use.

Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** It is recommended that all dust control equipment such as

> local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief

- RU



**OKS 1155** 

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

vents or an explosion suppression system or an oxygen

deficient environment.

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

- RU



**OKS 1155** 

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point :  $> 101 \, ^{\circ}\text{C}$ 

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 1.100 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1,1 (20 °C)

Reference substance: Water The value is calculated

Density : 1,10 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

- RU



# **OKS 1155**

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

Sublimation point : No data available

## 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

## **Hazardous decomposition products**

Thermal decomposition : Benzene

Formaldehyde

# 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

# Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

# Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

- RU



# **OKS 1155**

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

# **Components:**

# dihydro-3-(tetrapropenyl)furan-2,5-dione:

Result : Eye irritation

# Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

## **Components:**

# dihydro-3-(tetrapropenyl)furan-2,5-dione:

Assessment : The product is a skin sensitiser, sub-category 1A.

Result : Probability or evidence of high skin sensitisation rate in

humans

# Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

# Carcinogenicity

**Product:** 

Remarks : No data available

# Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal development

: Remarks: No data available

# Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

- RU



# **OKS 1155**

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

# **Aspiration toxicity**

## **Product:**

This information is not available.

#### **Further information**

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

#### 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

**Product:** 

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

# **Components:**

# dihydro-3-(tetrapropenyl)furan-2,5-dione:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

# **Ecotoxicology Assessment**

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

# Persistence and degradability

# **Product:**

- RU



**OKS 1155** 

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

Biodegradability : Remarks: No data available

Physico-chemical removability

Remarks: No data available

#### Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

Other adverse effects

**Product:** 

Additional ecological

information

No information on ecology is available.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

- RU



# **OKS 1155**

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

uncleaned packagings

15 01 10\*, packaging containing residues of or contaminated

by hazardous substances

#### 14. TRANSPORT INFORMATION

#### **ADR**

Not regulated as a dangerous good

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

#### **National regulatory information**

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection". Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements" TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

#### International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

- RU



## **OKS 1155**

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

#### 16. OTHER INFORMATION

# List of data sources used in the preparation of the Safety Data Sheet

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements.

GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.

GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.

GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.

GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 19433-88 Dangerous goods. Classification and labeling.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.

GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.

GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.

GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.

GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.

GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.

GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.

GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

 ${\sf GOST}$  R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.

SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".

SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.

SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".

SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.

Carriage of dangerous goods, International maritime dangerous goods (IMDG) code.

- RU



# **OKS 1155**

Version Revision Date: Date of last issue: 08.02.2021 Print Date: 2.2 01.12.2022 Date of first issue: 28.05.2014 01.12.2022

Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).

Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.

Agreement on International Goods Transport by Rail (SMGS).

UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second revised edition. United Nations, New York and Geneva, 2021.

Montreal Protocol (Ozone Depleting Substances) Stockholm Convention (Persistent Organic Pollutants)

### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on

- RU



## **OKS 1155**

VersionRevision Date:Date of last issue: 08.02.2021Print Date:2.201.12.2022Date of first issue: 28.05.201401.12.2022

safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.