according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	Des dust identifier		
1.1	Product identifier Product name	:	OKS 1510
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Release agent
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone number	ər	
	Emergency telephone num- ber	:	+49 8142 3051 517 Warszawa: +48 22 619 66 54

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Flammable liquids, Category 2	272/2008) H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air-
	a brand of

according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

OKS 15	10				
Version 1.3	Revision Date: 31.10.2022			ue: 12.08.2020 sue: 22.06.2016	Print Date: 31.10.2022
				ways.	
Long egory	-term (chronic) aquati / 2	c haz	ard, Cat-	H411: Toxic to aquatic I	ife with long lasting effects.
2.2 Label	elements				
Labe	lling (REGULATION	(EC)	No 1272/20	08)	
	rd pictograms	:			¥2
Signa	al word	:	Danger		
Haza	rd statements	:	H225 H304		le liquid and vapour. wallowed and enters air-
			H315 H336 H411	Causes skin irrit May cause drow	ation. /siness or dizziness. life with long lasting effects.
Preca	autionary statements		Preventio	n:	
			P210		h heat, hot surfaces, sparks, d other ignition sources. No
			P273		the environment.
			Response	:	
			P301 + P3	POISON CENT	
			P331 P370 + P3		vomiting. Jse alcohol-resistant foam, or water mist to extinguish.
			P391	Collect spillage.	
			Storage:		
			P403 + P2	35 Store in a well-v	entilated place. Keep cool.

Hazardous components which must be listed on the label:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hydrocarbons, C6, isoalkanes, <5% n-hexane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Esters Solvent

:

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 30 - < 50
Hydrocarbons, C6, isoalkanes, <5% n- hexane	931-254-9 01-2119484651-34- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

 Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version 1.3	Revision Date: 31.10.2022	Date of last issue: 12.08.2020 Date of first issue: 22.06.2016	Print Date: 31.10.2022
		advice. Keep respiratory tract clear. If breathing is irregular or stopp tion.	oed, administer artificial respira-
In ca	se of skin contact	: Take off all contaminated cloth Wash off immediately with soa Get medical attention immedia persists. Wash clothing before reuse. Thoroughly clean shoes before	p and plenty of water. tely if irritation develops and
In ca	se of eye contact	: Rinse immediately with plenty for at least 10 minutes. If eye irritation persists, consul	of water, also under the eyelids, t a specialist.
If swa	allowed	: Move the victim to fresh air. If accidentally swallowed obtain If unconscious, place in recover advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth Aspiration hazard if swallowed damage.	ery position and seek medical to an unconscious person.
4.2 Most	important symptom	s and effects, both acute and delaye	d
	otoms	 Inhalation may provoke the foll Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the following the second sec	lowing symptoms:
		Aspiration may cause pulmona	ary oedema and pneumonitis.
Risks	5	: Central nervous system depres Can be absorbed through skin Risk of product entering the lur Health injuries may be delayed Causes skin irritation.	ngs on vomiting after ingestion.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Do not let product enter drains. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.
	Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab-
-------------------------	---	---



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version 1.3	Revision Date: 31.10.2022	Date of last issue: 12.08.2020 Date of first issue: 22.06.2016	Print Date: 31.10.2022

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Do not enter areas where used or stored until adequately ven- tilated. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
:	Keep away from heat and sources of ignition.
:	Wash face, hands and any exposed skin thoroughly after handling.
	:

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent
		opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regu- lations. Keep in properly labelled containers.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C6- C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Not As- signed	NDS	500 mg/m3	PL OEL (2018-07-07)
		NDSch	1.500 mg/m3	PL OEL (2018-07-07)
Hydrocarbons, C6, isoalkanes, <5% n- hexane	Not As- signed	NDS	500 mg/m3	PL OEL (2018-07-07)
		NDSch	1.500 mg/m3	PL OEL (2018-07-07)

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment						
Eye protection	:	Safety glasses with side-shields				
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1				
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.				
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.				



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)




OKS 1510

Version 1.3	Revision Date: 31.10.2022		e of last issue: 12.08.2020 e of first issue: 22.06.2016	Print Date: 31.10.2022
Resp	iratory protection	:	Use respiratory protection unless tilation is provided or exposure as exposures are within recommended	sessment demonstrates that
Fi	lter type	:	Recommended Filter type:	
			Organic gas and low boiling vapor	ur type (AX)
Prote	ective measures	:	The type of protective equipment to the concentration and amount of at the specific workplace.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	> 60,1 °C (1.013 hPa)
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	7,3 %(V)
Lower explosion limit / Lower flammability limit	:	1,0 %(V)
Flash point	:	< -18,00 °C Method: Abel-Pensky
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-polar/aprotic
Viscosity Viscosity, dynamic	:	No data available





according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version 1.3	Revision Date: 31.10.2022		e of last issue: 12.08.2020 e of first issue: 22.06.2016	Print Date: 31.10.2022
Vis	cosity, kinematic	:	< 7 mm2/s (40 °C)	
	lity(ies) iter solubility	:	immiscible	
Sol	ubility in other solvents	s :	No data available	
	on coefficient: n- bl/water	:	No data available	
Vapou	r pressure	:	< 1.100 hPa (20 °C)	
Relativ	ve density	:	0,795 (20 °C) Reference substance: Water The value is calculated	
Densit	У	:	0,80 g/cm3 (20 °C)	
Bulk d	ensity	:	No data available	
Relativ	ve vapour density	:	No data available	
	nformation			
Explos	sives	:	Not explosive	
Oxidiz	ing properties	:	No data available	
Self-ig	nition	:	No data available	
Metal	corrosion rate	:	Not corrosive to metals	
Evapo	ration rate	:	No data available	
Sublim	nation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version 1.3	Revision Date: 31.10.2022	Date of last issue: 12.08.2020 Date of first issue: 22.06.2016	Print Date: 31.10.2022
10.4 Conditions to avoid Conditions to avoid		: Heat, flames and sparks. Strong sunlight for prolonged periods.	
	mpatible materials rials to avoid	: Oxidizing agents	

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity					
Product:					
Acute oral toxicity	Remarks: Effects due to ingestion may include:				
	Symptoms: Central nervous system depression				
Acute inhalation toxicity	Remarks: Respiration of solvent vapour may cause dizziness.				
	Symptoms: Inhalation may provoke the following symptoms:, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression				
Acute dermal toxicity	Symptoms: Redness, Local irritation				
Components:					
Hydrocarbons, C6, isoalkanes	s, <5% n-hexane:				
Acute oral toxicity	LD50 Oral (Rat): > 5.000 mg/kg				
Skin corrosion/irritation					
Product:					
Remarks	Irritating to skin.				
Components:					
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:					
Species	Rabbit				
Result	Skin irritation				
Hydrocarbons, C6, isoalkanes	s, <5% n-hexane:				
Result	Skin irritation				



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

Serious eye damage/eye irritation				
<u>Product:</u> Remarks	:	Contact with eyes may cause irritation.		
Respiratory or skin sensiti	satio	on		
<u>Product:</u> Remarks	:	This information is not available.		
Germ cell mutagenicity				
Product:				
Genotoxicity in vitro	:	Remarks: No data available		
Genotoxicity in vivo	:	Remarks: No data available		
Carcinogenicity				
Product:				
Remarks	:	No data available		
Reproductive toxicity				
Product:				
Effects on fertility	:	Remarks: No data available		
Effects on foetal develop- ment	:	Remarks: No data available		
STOT - single exposure				
Components:				
Hydrocarbons, C6-C7, n-al	kane	es, isoalkanes, cyclics, <5% n-hexane:		
Assessment	:	May cause drowsiness or dizziness.		
Hydrocarbons, C6, isoalka	nes,	<5% n-hexane:		
Assessment	:	May cause drowsiness or dizziness.		
Repeated dose toxicity				
Product:				
Remarks	:	This information is not available.		



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane: May be fatal if swallowed and enters airways.

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks :	Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

Components:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
aquatic invertebrates		Exposure time: 48 h

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available

Components:

Hydrocarbons, C6, isoalkanes, <5% n-hexane:					
Biodegradability	:	Result: Not rapidly biodegradable			

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very
		persistent and very bioaccumulating (vPvB).

Components:

Hydrocarbons, C6, isoalkanes, <5% n-hexane:				
Bioaccumulation	:	Remarks: No data available		
Partition coefficient: n-	:	log Pow: 4		

12.4 Mobility in soil

octanol/water

Product:		
Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

	Ρ	rc	bd	u	С	t:	
--	---	----	----	---	---	----	--

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	Toxic to aquatic life with long lasting effects.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 14 06 03*, other solvents and solvent mixtures
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

SECTION 14: Transport information

14.1 UN number or ID number ADN : UN 3295 ADR UN 3295 2 RID : UN 3295 IMDG UN 3295 1 ΙΑΤΑ : UN 3295 14.2 UN proper shipping name ADN HYDROCARBONS, LIQUID, N.O.S. : ADR 2 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% nhexane, Hydrocarbons, C6, isoalkanes, <5% n-hexane) : HYDROCARBONS, LIQUID, N.O.S. RID IMDG HYDROCARBONS, LIQUID, N.O.S. 5 (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% nhexane, Hydrocarbons, C6, isoalkanes, <5% n-hexane) ΙΑΤΑ Hydrocarbons, liquid, n.o.s. ÷ (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% nhexane, Hydrocarbons, C6, isoalkanes, <5% n-hexane) 14.3 Transport hazard class(es) ADN 5 3 ADR 3 2 RID 3 2 IMDG 3 2 ΙΑΤΑ 3 2 14.4 Packing group ADN Packing group Ш Classification Code F1 Hazard Identification Number : 33 Labels 3 ADR Packing group Ш 2 Classification Code F1 2 Hazard Identification Number : 33 Labels 3 2 Tunnel restriction code : (D/E)



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version 1.3	Revision Date: 31.10.2022		e of last issue: 12.08.2020 e of first issue: 22.06.2016	Print Date: 31.10.2022
Class	ing group sification Code rd Identification Numbe Is	: : r : :	II F1 33 3	
Labe	ing group	:	ll 3 F-E, S-D	
Pack aircra Pack	ing instruction (LQ) ing group	:	364 Y341 II Flammable Liquids	
Pack ger a Pack	(Passenger) ing instruction (passen- ircraft) ing instruction (LQ) ing group Is	:	353 Y341 II Flammable Liquids	
14.5 Envi	ronmental hazards			
ADN Envir	onmentally hazardous	:	yes	
ADR Envir	onmentally hazardous	:	yes	
RID Envir	onmentally hazardous	:	yes	
IMDO	6			

14.6 Special precautions for user

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: yes

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version 1.3	Revision Date: 31.10.2022	Date of last issue: 12.08. Date of first issue: 22.06		Print Date: 31.10.2022
Con	ACH - Candidate List of Icern for Authorisation (J SVHC)	Substances of Very High Article 59).	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
(Anı	ACH - List of substance nex XIV) J. REACH-Annex XIV)	s subject to authorisation	:	Not applicable
plet	ulation (EC) No 1005/2 e the ozone layer C 1005/2009)	009 on substances that de-	:	Not applicable
tant	ulation (EU) 2019/102′ s (recast) J POP)	on persistent organic pollu	- :	Not applicable
mer of d		12 of the European Parlia- erning the export and impor	: t	Not applicable
Parl maj	eso III: Directive 2012/ iament and of the Cour or-accident hazards inv nces.	ncil on the control of	P5c	FLAMMABLE LIQUIDS
			E2	ENVIRONMENTAL HAZARDS
Vola	atile organic compound			4 November 2010 on industrial ution prevention and control)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Volatile organic compounds (VOC) content: 50 %

Act of 25 February 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2019, No. 0, item 1225)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173). Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 wraz z późn. zm.). Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended). Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H225	:	Highly flammable liquid and vapour.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

PL OEL

Poland. Occupational exposure limits for airborne toxic substances



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

	Version 1.3	Revision Date: 31.10.2022	Date of last issue: 12.08.2020 Date of first issue: 22.06.2016	Print Date: 31.10.2022
--	----------------	---------------------------	---	------------------------

PL OEL / NDS	:	Maximal Admissible Concentration
PL OEL / NDSch	:	Maximal Admissible Temporary Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Verv Bioaccumulative

Further information Classification of the mixture: Classification procedure: Flam. Liq. 2 H225 Based on product data or assessment Skin Irrit. 2 H315 Calculation method STOT SE 3 H336 Calculation method Asp. Tox. 1 H304 Based on product data or assessment Aquatic Chronic 2 H411 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 1510

Version	Revision Date:	Date of last issue: 12.08.2020	Print Date:
1.3	31.10.2022	Date of first issue: 22.06.2016	31.10.2022

safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

