

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 200

Chemical nature : Molybdenum disulfide
graphite
Synthetic hydrocarbon oil

Manufacturer or supplier's details

Company : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: +49 8142 3051 500
Fax.: +49 8142 3051 599

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)
+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : For professional users only

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: paste
Colour	: black
Odour	: hydrocarbon-like

Causes skin irritation. Causes serious eye damage.

GHS Classification

Skin irritation : Category 2

Serious eye damage : Category 1

GHS label elements


SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

Hazard pictograms : 

Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes skin irritation. Causes serious eye damage.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
calcium dihydroxide	1305-62-0	>= 10 -< 20
molybdenum disulphide	1317-33-5	>= 10 -< 20
Natural graphite	7782-42-5	>= 1 -< 10
1-Propene, homopolymer	9003-07-0	>= 1 -< 10
lithium 12-hydroxystearate	7620-77-1	>= 1 -< 10

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version 1.6	Revision Date: 2020-10-19	Date of last issue: 2020-01-17 Date of first issue: 2014-06-24	Print Date: 2020-10-19
----------------	------------------------------	---	---------------------------

N,N'-ethylenedi(stearamide)	110-30-5	>= 1 -< 10
-----------------------------	----------	------------

4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
Get medical attention immediately.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Skin contact may provoke the following symptoms:
Erythema
- Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Fire may cause evolution of:
Carbon oxides
Metal oxides

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

Nitrogen oxides (NO_x)
Oxides of phosphorus
Sulphur oxides

- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
- Avoidance of contact : No materials to be especially mentioned.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version
1.6

Revision Date:
2020-10-19

Date of last issue: 2020-01-17
Date of first issue: 2014-06-24

Print Date:
2020-10-19

Storage

Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium dihydroxide	1305-62-0	TWA	5 mg/m ³	ACGIH
molybdenum disulphide	1317-33-5	PC-TWA	6 mg/m ³ (Molybdenum)	GBZ 2.1-2007
		TWA (Inhalable particulate matter)	10 mg/m ³ (Molybdenum)	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³ (Molybdenum)	ACGIH
Natural graphite	7782-42-5	PC-TWA (Total dust)	4 mg/m ³	GBZ 2.1-2007
		PC-TWA (Respirable dust)	2 mg/m ³	GBZ 2.1-2007
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
1-Propene, homopolymer	9003-07-0	PC-TWA (Total dust)	5 mg/m ³	GBZ 2.1-2007
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
N,N'-ethylenedi(stearamide)	110-30-5	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version 1.6	Revision Date: 2020-10-19	Date of last issue: 2020-01-17 Date of first issue: 2014-06-24	Print Date: 2020-10-19
----------------	------------------------------	---	---------------------------

		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
--	--	-------------------------------------	---------	-------

Engineering measures : none

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : black

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1.25 (20 °C)
Reference substance: Water
The value is calculated

Density : 1.25 g/cm³ (20 °C)

Bulk density : No data available

Solubility(ies)
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

Sublimation point : No data available
Metal corrosion rate : Not corrosive to metals

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : No conditions to be specially mentioned.
Incompatible materials : No materials to be especially mentioned.
Hazardous decomposition products : No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.
Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

calcium dihydroxide:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity : LC50 (Rat, male and female): > 6.04 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
GLP: yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,500 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

molybdenum disulphide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16,000 mg/kg

Natural graphite:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50:

lithium 12-hydroxystearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks : Irritating to skin.

Components:

calcium dihydroxide:

Species : human skin
Assessment : Irritating to skin.
Method : OECD Test Guideline 431
Result : Irritating to skin.
GLP : yes

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404
Result : Irritating to skin.
GLP : yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

molybdenum disulphide:

Assessment : No skin irritation
Result : No skin irritation

lithium 12-hydroxystearate:

Assessment : No skin irritation
Method : OECD Test Guideline 439
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Risk of serious damage to eyes.

Components:

calcium dihydroxide:

Species : Rabbit
Result : Risk of serious damage to eyes.
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
GLP : yes

molybdenum disulphide:

Result : No eye irritation
Assessment : No eye irritation

lithium 12-hydroxystearate:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

calcium dihydroxide:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Assessment : Does not cause skin sensitisation.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.
GLP : yes

molybdenum disulphide:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

lithium 12-hydroxystearate:

Exposure routes : Dermal
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

calcium dihydroxide:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
GLP: yes

molybdenum disulphide:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Product:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version 1.6	Revision Date: 2020-10-19	Date of last issue: 2020-01-17 Date of first issue: 2014-06-24	Print Date: 2020-10-19
----------------	------------------------------	---	---------------------------

Remarks : No data available

Components:

calcium dihydroxide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

molybdenum disulphide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

calcium dihydroxide:

Reproductive toxicity - Assessment :

Fertility : No toxicity to reproduction

Teratogenicity : No effects on or via lactation

STOT - single exposure

Components:

calcium dihydroxide:

Assessment : May cause respiratory irritation.

molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version 1.6	Revision Date: 2020-10-19	Date of last issue: 2020-01-17 Date of first issue: 2014-06-24	Print Date: 2020-10-19
----------------	------------------------------	---	---------------------------

STOT - repeated exposure

Components:

molybdenum disulphide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Further information

Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

Components:

molybdenum disulphide:

Remarks : Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :
Remarks: No data available

Toxicity to algae :
Remarks: No data available

Toxicity to microorganisms :
Remarks: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

Components:

calcium dihydroxide:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50.6 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49.1 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 184.57 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crangon crangon (shrimp)): 32 mg/l
Exposure time: 14 d
Test Type: semi-static test

molybdenum disulphide:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h

lithium 12-hydroxystearate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 160

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 160
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

calcium dihydroxide:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

lithium 12-hydroxystearate:

Biodegradability : Primary biodegradation
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 74.7 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Natural graphite:

Partition coefficient: n-octanol/water : Remarks: No data available

lithium 12-hydroxystearate:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version 1.6	Revision Date: 2020-10-19	Date of last issue: 2020-01-17 Date of first issue: 2014-06-24	Print Date: 2020-10-19
----------------	------------------------------	---	---------------------------

Partition coefficient: n-octanol/water : log Pow: 2.6

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

GB 6944/12268

Not regulated as a dangerous good

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
GBZ 2.1-2007 : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

ACGIH / TWA : 8-hour, time-weighted average
GBZ 2.1-2007 / PC-TWA : Permissible concentration - time weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519
CN



OKS 200

Version	Revision Date:	Date of last issue: 2020-01-17	Print Date:
1.6	2020-10-19	Date of first issue: 2014-06-24	2020-10-19

product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.