according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

OKS 2100
substance or mixture and uses advised against
Lubricant
Restricted to professional users.
afety data sheet
OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
mcm@oks-germany.com Material Compliance Management
06 68593726 Roma - CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA 800183459 Foggia - Az. Osp. Univ. Foggia 081-5453333 Napoli - Az. Osp. "A. Cardarelli" 06-49978000 Roma - CAV Policlinico "Umberto I" 06-3054343 Roma - CAV Policlinico "A. Gemelli" 055-7947819 Firenze - Az. Osp. "Careggi" U.O. Tossicologia Medica 0382-24444 Pavia - CAV Centro Nazionale di Informazione Tossicologica 02-66101029 Milano - Osp. Niguarda Ca' Granda 800883300 Bergamo - Az. Osp. Papa Giovanni XXII 800011858 Verona - Az. Osp. Integrata Verona +49 8142 3051 517 (Service 24/7)



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Flammable liquids, Category 3	H226: Flammable liquid and vapour.		
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.		
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.		
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Danger 2 Hazard statements H226 Flammable liquid and vapour. t May be fatal if swallowed and enters air-H304 ways. H336 May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. H411 Supplemental Hazard Repeated exposure may cause skin EUH066 : Statements dryness or cracking. **Prevention:** Precautionary statements ÷ P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. **Response:** P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish. P391 Collect spillage. Storage: P403 + P235 Store in a well-ventilated place. Keep cool.

according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

Hazardous components which must be listed on the label:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Additional Labelling

EUH208 Contains calcium bis(dinonylnaphthalenesulphonate). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Solvent Wax

•

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C9- C11, n-alkanes, isoal- kanes, cyclics, <2% aromatics	265-150-3 01-2119463258-33	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066	Note P	>= 70 - < 90
calcium bis(dinonylnaphthalen esulphonate)	57855-77-3 260-991-2	Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1; H317		>= 0,1 - < 1



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version 1.2	Revision Da 25.08.2022		Date of last issue: 09.10.2018 Date of first issue: 22.06.2016		Print Date: 26.08.2022	
mono-C16	ulfonic acid, 5-24-alkyl alcium salts	70024-69-0 274-263-7 01-2119492616-28- XXXX	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 0,1 - < 1	

Substances with a wor	kplace exposure limit :	•	·	
Paraffin waxes and Hydrocarbon waxes	8002-74-2 232-315-6	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version 1.2	Revision Date: 25.08.2022	Date of last issue: 09.10.2018 Date of first issue: 22.06.2016	Print Date: 26.08.2022
		Rinse mouth with water. Never give anything by mouth to a Aspiration hazard if swallowed - c damage.	
4.2 Most i	important symptom	s and effects, both acute and delayed	
Symp	otoms	 Inhalation may provoke the follow Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema Allergic appearance 	
		Aspiration may cause pulmonary	oedema and pneumonitis.
Risks	3	: Central nervous system depression Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed. May cause an allergic skin reaction	on vomiting after ingestion.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: The first aid procedure should be established in consultation	
	with the doctor responsible for industrial medicine.	
	Treat symptomatically.	

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.2

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Special hazards arising from		e substance or mixture Do not let product enter drains.

Specific hazards during fire- fighting	:	Do not let product enter drains. Container may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.	
Hazardous combustion prod- ucts	:	Carbon oxides	



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version 1.2	Revision Date: 25.08.2022		e of last issue: 09.10.2018 e of first issue: 22.06.2016	Print Date: 26.08.2022
5.3 Advice	for firefighters			
	al protective equipmen fighters	nt :	In the event of fire, wear self-contained Use personal protective equipment. Ex tion products may be a hazard to healt	posure to decomposi-
Furthe	er information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing must not be discharged into drains. Cool containers/tanks with water spray	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.
		Refer to protective measures listed in sections 7 and 6.

6.2 Environmental precautions

· Prever	allow contact with soil, surface or ground water. It further leakage or spillage if safe to do so. Product contaminates rivers and lakes or drains inform tive authorities.
----------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.
-------------------------	---	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Use only in an area containing explosion proof equipment. Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory
	equipment.
	Avoid contact with skin and eyes.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

	3 2 10	0			
Vers 1.2	sion	Revision Date: 25.08.2022		e of last issue: 09.10.2018 e of first issue: 22.06.2016	Print Date: 26.08.2022
				For personal protection see section 8. Keep away from fire, sparks and heated Persons with a history of skin sensitisati ma, allergies, chronic or recurrent respir not be employed in any process in which used. Smoking, eating and drinking should be plication area. Wash hands and face before breaks and handling the product. Ensure all equipment is electrically grout transfer operations. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. Do not enter areas where used or stored tilated. Do not re-use empty containers. These safety instructions also apply to e may still contain product residues. Keep container closed when not in use.	on problems or asth- atory disease should h this mixture is being prohibited in the ap- d immediately after nded before beginning
		e on protection against d explosion	:	Keep away from heat and sources of igr	nition.
	Hygier	ne measures	:	Wash face, hands and any exposed skin handling.	n thoroughly after
7.2 (Condit	ions for safe storage,	, inc	luding any incompatibilities	
		rements for storage and containers	:	Store in original container. Keep contain use. Keep in a cool place away from oxi a dry, cool and well-ventilated place. Do with oxidizing and self-igniting products. opened must be carefully resealed and leakage. Store in accordance with the p- lations. Keep in properly labelled contain	dizing agents. Keep in not store together Containers which are kept upright to prevent articular national regu-
7.3 \$	Specifi	c end use(s)			
	Specif	ic use(s)	:	Specific instructions for handling, not re-	quired.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
----------------	---------	-----------------	-------------------------------	-------



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version 1.2	Revision Date: 25.08.2022		issue: 09.10.2018 issue: 22.06.2016	Print Da 26.08.2	
	cium (dinonylnaphthalen	Workers	Inhalation	Long-term systemic effects	2,23 mg/m3

esulphonate)				
	Workers	Skin contact	Long-term systemic effects	0,32 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium bis(dinonylnaphthalenesulphonat e)	Fresh water	0,27 mg/l
	Marine water	0,027 mg/l
	Intermittent use/release	2,7 mg/l
	Microbiological Activity in Sewage Treat- ment Systems	10 mg/l
	Fresh water sediment	4,69 mg/kg
	Marine sediment	0,469 mg/kg
	Soil	0,936 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Filter type A-P
Protective measures	:	The type of protective equipment must be selected according



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

1	Information on basic physical Physical state	an :	d chemical properties liquid
	Colour	:	yellow
	Odour	:	solvent-like
	Odour Threshold	:	No data available
	Melting point/range	:	No data available
	Boiling point/boiling range	:	145 °C
	Flammability (solid, gas)	:	Not applicable
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	39 °C
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-polar/aprotic
	Viscosity Viscosity, dynamic	:	No data available
	Viscosity, kinematic	:	4,3 mm2/s (40 °C)
	Solubility(ies) Water solubility	:	immiscible
	Solubility in other solvents	:	No data available
	Partition coefficient: n-	:	No data available

9.1 Information on basic physical and chemical properties



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version 1.2	Revision Date: 25.08.2022	Date of last issue: 09.10.2018 Date of first issue: 22.06.2016	Print Date: 26.08.2022
octar	nol/water		
Vapo	our pressure	: <= 1.100 hPa (20 °C)	
Relative density		: 0,78 (20 °C) Reference substance: Water The value is calculated	
Density		: 0,78 g/cm3 (20 °C)	
Bulk	density	: No data available	
Relat	tive vapour density	: No data available	
	information osives	: Not explosive	
-	izing properties	: No data available	
Self-i	ignition	: No data available	
Evap	oration rate	: No data available	
Subli	mation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity	
No hazards to be specially mention	ned.
10.2 Chemical stability	
Stable under normal conditions.	
10.3 Possibility of hazardous reactio	ns
Hazardous reactions :	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	
Conditions to avoid :	Heat, flames and sparks. Strong sunlight for prolonged periods.
10.5 Incompatible materials	
Materials to avoid :	Oxidizing agents
10.6 Hazardous decomposition prod	ucts
No decomposition if stored and ap	plied as directed.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product:	
Acute oral toxicity :	Remarks: Effects due to ingestion may include:
	Symptoms: Central nervous system depression
Acute inhalation toxicity :	Remarks: Respiration of solvent vapour may cause dizziness. Irritating to respiratory system.
	Symptoms: Inhalation may provoke the following symptoms:, Local irritation, Respiratory disorders, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depres- sion
Acute dermal toxicity :	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blis-tering.
	Symptoms: Redness, Local irritation, Skin disorders
Components:	
Hvdrocarbons, C9-C11, n-alka	nes, isoalkanes, cyclics, <2% aromatics:
Acute inhalation toxicity :	Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcot- ic effects.
coloium bio/dinonulnonbtholo	a coulmb cmoto).
calcium bis(dinonyInaphthale Acute oral toxicity :	LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity :	LD50 (Rabbit): > 20.000 mg/kg
Benzenesulfonic acid, mono-(C16-24-alkyl derivs., calcium salts:
Acute oral toxicity :	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity :	LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity :	(Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

Skin corrosion/irritation

Product:

Remarks

: This information is not available.

Components:

Hydrocarbons, C9-C11, n-all	kan	es, isoalkanes, cyclics, <2% aromatics:
Result	:	Repeated exposure may cause skin dryness or cracking.

calcium bis(dinonyInaphthalenesulphonate):

Species	:	Rabbit
Assessment	:	Irritating to skin.
Result	:	Irritating to skin.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species :	Rabbit
Assessment	No skin irritation
Method	OECD Test Guideline 404
Result	No skin irritation

Serious eye damage/eye irritation

Product:

Remarks

: Contact with eyes may cause irritation.

Components:

calcium bis(dinonyInaphthalenesulphonate):

Species	:	Rabbit
Assessment	:	Irritating to eyes.
Result	:	Irritating to eyes.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks :	: This information is not available.
-----------	--------------------------------------

Components:

calcium bis(dinonyInaphthalenesulphonate):



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Vers 1.2	sion	Revision Date: 25.08.2022		e of last issue: 09.10.2018 e of first issue: 22.06.2016	Print Date: 26.08.2022
	Specie Assess Result	sment	:	Guinea pig May cause sensitisation by skin contact. May cause sensitisation by skin contact.	
	Benze Test Ty Specie Assess Result	ype s sment	no-C1	16-24-alkyl derivs., calcium salts: Buehler Test Guinea pig The product is a skin sensitiser, sub-cate The product is a skin sensitiser, sub-cate	
	Germ	cell mutagenicity			
	<u>Produ</u> Genoto	<u>ct:</u> oxicity in vitro	:	Remarks: No data available	
	Genoto	oxicity in vivo	:	Remarks: No data available	
	Comp	onents:			
	Benze	nesulfonic acid. mor	10-C1	16-24-alkyl derivs., calcium salts:	
		oxicity in vitro	:	Test Type: In vitro mammalian cell gene i Method: OECD Test Guideline 476 Result: negative	nutation test
	Genoto	oxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative	
	Germ o sessm	cell mutagenicity- As- ent	:	Tests on bacterial or mammalian cell cult mutagenic effects.	ures did not show
	Carcin	ogenicity			
	Produ	ct:			
	Remar		:	No data available	
	Comp	onents:			
		nesulfonic acid, mor ogenicity - Assess-		16-24-alkyl derivs., calcium salts: Not classifiable as a human carcinogen.	
	Repro	ductive toxicity			
	Produce Effects	<u>ct:</u> on fertility	:	Remarks: No data available	



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

(5 21)	00			
rsion	Revision Date: 25.08.2022		e of last issue: 09.10.2018 e of first issue: 22.06.2016	Print Date: 26.08.2022
Effec ment		:	Remarks: No data available	
Com	ponents:			
calci	um bis(dinonylnaphtl	halen	esulphonate):	
Repr	oductive toxicity - As-	:	- Fertility -	
sessr	nent		No toxicity to reproduction	
Benz	enesulfonic acid, mo	no-C	16-24-alkyl derivs., calcium salts:	
Effec	ts on fertility	:	Test Type: reproductive and develo Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: : General Toxicity F1: NOAEL: > 500 Method: OECD Test Guideline 415	> 500 mg/kg body weight
Repr	oductive toxicity - As-	:	- Fertility -	
sessr	sessment		No toxicity to reproduction - Teratogenicity -	
			No toxicity to reproduction	
STO	Γ - single exposure			
Com	ponents:			
Hydr	ocarbons, C9-C11, n-	alkar	nes, isoalkanes, cyclics, <2% aroma	atics:
	sure routes ssment	:	Inhalation The substance or mixture is classifie toxicant, single exposure, category	
calci	um bis(dinonylnaphtl	halen	esulphonate):	
Asse	ssment	:	The substance or mixture is not clast organ toxicant, single exposure.	ssified as specific target
Benz	enesulfonic acid, mo	no-C	16-24-alkyl derivs., calcium salts:	
Asse	ssment	:	The substance or mixture is not clast organ toxicant, single exposure.	ssified as specific target
STO	Г - repeated exposure	•		
<u>Com</u>	ponents:			
calci	um bis(dinonylnaphtl	halen	esulphonate):	
Asse	ssment	:	The substance or mixture is not class organ toxicant, repeated exposure.	ssified as specific target



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

ersion 2	Revision Date: 25.08.2022	Date of last issue: 09.10.2018 Date of first issue: 22.06.2016	Print Date: 26.08.2022
Benze	enesulfonic acid, m	ono-C16-24-alkyl derivs., calcium salts:	
Asses	ssment	: The substance or mixture is not cla organ toxicant, repeated exposure	
Repe	ated dose toxicity		
Produ	uct:		
Rema	arks	: This information is not available.	
<u>Comp</u>	oonents:		
Benze	enesulfonic acid, m	ono-C16-24-alkyl derivs., calcium salts:	
Speci NOAE Applic Expos Metho Speci NOAE Applic Test a	es EL EL cation Route sure time od es EL EL cation Route atmosphere sure time	 Rat 500 mg/kg 500 mg/kg Oral 28 OECD Test Guideline 407 Rat 0,05 mg/l 0,05 mg/l Inhalation dust/mist 28 OECD Test Guideline 412 	
	EL EL cation Route sure time	: Rat : > 1000 mg/kg : > 1.000 mg/kg : Dermal : 28 : OECD Test Guideline 410	

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics: May be fatal if swallowed and enters airways.

calcium bis(dinonyInaphthalenesulphonate):

No aspiration toxicity classification



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

11.2 Information on other hazards

Endocrine disrupting properties			
Product:			
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.		
Further information			
Product:			
Remarks	 Information given is based on data on the components and the toxicology of similar products. 		
Components:			
Paraffin waxes and Hydrocarbon waxes:			
Remarks	 Information given is based on data on the components and the toxicology of similar products. 		

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		

Components:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Ecotoxicology Assessment		
Acute aquatic toxicity	:	Toxic to aquatic life.
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

	vision Date: 08.2022		e of last issue: 09.10.2018 e of first issue: 22.06.2016	Print Date: 26.08.2022
calcium bi	s(dinonylnaphtha	alen	esulphonate):	
Toxicity to f	fish	:	LC50 (Cyprinus carpio (Carp)): > 0,2 Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of s	
Toxicity to a aquatic inve	daphnia and other ertebrates	:	EC50 (Daphnia magna (Water flea)) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of s	-
Ecotoxicol	logy Assessment	t		
Chronic aq	uatic toxicity	:	This product has no known ecotoxic	ological effects.
Benzenesı	ulfonic acid, mon	o-C′	6-24-alkyl derivs., calcium salts:	
Toxicity to f		:	LC50 (Pimephales promelas (fathea Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of s	
Toxicity to o aquatic inve	daphnia and other ertebrates	:	EC50 (Daphnia magna (Water flea)) Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of s	
Toxicity to a plants	algae/aquatic	:	EC50 (Pseudokirchneriella subcapita 1.500 mg/l Exposure time: 72 h Test Type: Growth inhibition Remarks: No toxicity at the limit of s	
Toxicity to r	microorganisms	:	LC50 (activated sludge): > 10.000 m Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	ıg/l
Ecotoxicol	logy Assessment	t		
Chronic aq	uatic toxicity	:	This product has no known ecotoxic ty at the limit of solubility	ological effects., No toxici-
12.2 Persistend	e and degradabi	lity		
<u>Product:</u> Biodegrada	ability	:	Remarks: No data available	
Physico-ch	emical removabil-	:	Remarks: No data available	



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

ity

Components:

calcium bis(dinonylna	hthalenesulphonate):	
Biodegradability	: Result: Not readily biodegrad	lable.
Benzenesulfonic acid.	nono-C16-24-alkyl derivs., calcium s	salts:
Biodegradability	: Test Type: aerobic Inoculum: activated sludge	

Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

12.3 Bioaccumulative potential

Product: Bioaccumulation	: Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
Components:	
calcium bis(dinonylnapht	alenesulphonate):
Partition coefficient: n- octanol/water	: log Pow: 10,96
Benzenesulfonic acid, mo	o-C16-24-alkyl derivs., calcium salts:
Bioaccumulation	: Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.
Partition coefficient: n-	: log Pow: 16,09 (25 °C)

12.4 Mobility in soil

octanol/water

<u>Product:</u> Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Ρ	ro	dι	JC	t:

Assessment :	This substance/mixture contains no components considered
--------------	--



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

JU			
Revision Date: 25.08.2022			Print Date: 26.08.2022
		to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher.	
oonents:			
um bis(dinonylnaphtl	halen	esulphonate):	
ssment	:	Non-classified PBT substance. No	on-classified vPvB substance
	oertie	S	
	:	The substance/mixture does not c ered to have endocrine disrupting REACH Article 57(f) or Commissio (EU) 2017/2100 or Commission R levels of 0.1% or higher.	properties according to on Delegated regulation
r adverse effects			
	:	Toxic to aquatic life with long lastin	ng effects.
	25.08.2022 ponents: um bis(dinonyInaphtlessment porrine disrupting propuct: ssment r adverse effects uct: ional ecological infor-	25.08.2022 Date ponents: um bis(dinonyInaphthalen ssment : porrine disrupting propertie uct: ssment : r adverse effects uct: ional ecological infor- :	25.08.2022 Date of first issue: 22.06.2016 to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher. conents: um bis(dinonyInaphthalenesulphonate): ssment : Non-classified PBT substance. No crine disrupting properties uct: ssment : The substance/mixture does not c ered to have endocrine disrupting REACH Article 57(f) or Commission R levels of 0.1% or higher. r adverse effects uct: onal ecological infor- : Toxic to aquatic life with long lasting

13.1 waste treatment methods		
Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
		The following Waste Codes are only suggestions:
Waste Code	:	used product, unused product 14 06 05*, sludges or solid wastes containing other solvents
		uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

SECTION 14: Transport information

14.1	UN number or ID number		
	ADN	:	UN 1993
	ADR	:	UN 1993
	RID	:	UN 1993
	IMDG	:	UN 1993
	ΙΑΤΑ	:	UN 1993
14.2	UN proper shipping name		
	ADN	:	FLAMMABLE LIQUID, N.O.S. (Naphtha, petroleum, hydrotreated heavy)
	ADR	:	FLAMMABLE LIQUID, N.O.S. (Naphtha, petroleum, hydrotreated heavy)
	RID	:	FLAMMABLE LIQUID, N.O.S. (Naphtha, petroleum, hydrotreated heavy)
	IMDG	:	FLAMMABLE LIQUID, N.O.S. (Naphtha, petroleum, hydrotreated heavy)
	ΙΑΤΑ	:	Flammable liquid, n.o.s. (Naphtha, petroleum, hydrotreated heavy)
14.3	Transport hazard class(es)		
	ADN	:	3
	ADR	:	3
	RID	:	3
	IMDG	:	3
	ΙΑΤΑ	:	3
14.4	Packing group		
	ADN Packing group Classification Code Hazard Identification Number Labels	: : : : : : : : : : : : : : : : : : : :	III F1 30 3
	ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code RID	:	III F1 30 3 (D/E)



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version 1.2	Revision Date: 25.08.2022		e of last issue: 09.10.2018 e of first issue: 22.06.2016	Print Date: 26.08.2022
Class	ing group sification Code Ird Identification Number Is	: : r : :	III F1 30 3	
Labe	ing group	:	III 3 F-E, <u>S-E</u>	
Pack aircra Pack	ing instruction (LQ) ing group	::	366 Y344 III Flammable Liquids	
Pack ger a Pack	(Passenger) ing instruction (passen- ircraft) ing instruction (LQ) ing group Is	:	355 Y344 III Flammable Liquids	
14.5 Envi	ronmental hazards			
ADN Envir	onmentally hazardous	:	no	
ADR Envir	onmentally hazardous	:	yes	
RID Envir	onmentally hazardous	:	yes	
IMDO	3			

14.6 Special precautions for user

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: yes

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version 1.2	Revision Date: 25.08.2022	Date of last issue: 09.10 Date of first issue: 22.0		Print Date: 26.08.2022
Conc	CH - Candidate List of ern for Authorisation (/ SVHC)	Substances of Very High Article 59).	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
(Anne	CH - List of substances ex XIV) REACH-Annex XIV)	s subject to authorisation	:	Not applicable
plete	lation (EC) No 1005/20 the ozone layer 1005/2009)	009 on substances that de	ə- :	Not applicable
tants	lation (EU) 2019/1021 (recast) POP)	on persistent organic pol	lu- :	Not applicable
ment	and the Council conce ngerous chemicals	12 of the European Parlia erning the export and impo		Not applicable
Parlia	ament and of the Coun r-accident hazards invo	cil on the control of	P5c	FLAMMABLE LIQUIDS
			E2	ENVIRONMENTAL HAZARDS
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
Volat	ile organic compounds	emissions (integra	ted poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 84,7 %

Other regulations:

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amend-



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

ments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H226	:	Flammable liquid and vapour.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note P

: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL



according to Regulation (EC) No. 1907/2006 - IT (Commission Regulation (EU) 2020/878)



OKS 2100

Version	Revision Date:	Date of last issue: 09.10.2018	Print Date:
1.2	25.08.2022	Date of first issue: 22.06.2016	26.08.2022

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixt	ure:	Classification procedure:
Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

