

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 2101

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Anticorrosion additive

Recommended restrictions  
on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person  
responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact :

### 1.4 Emergency telephone number

Emergency telephone num-  
ber : CIAV - Information Centre of Antipoison  
(+351) 800 250 250 (free 24/7 service)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.  
H229: Pressurised container: May burst if heated.

Skin irritation, Category 2 H315: Causes skin irritation.

Specific target organ toxicity - single ex-  
posure, Category 3, Central nervous  
system H336: May cause drowsiness or dizziness.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101





Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

ways.

Long-term (chronic) aquatic hazard, Category 2      H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :    

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P273 Avoid release to the environment.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P331 Do NOT induce vomiting.  
P391 Collect spillage.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

### Hazardous components which must be listed on the label:

pentane

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

Hydrocarbons, C6, isoalkanes, <5% n-hexane

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

### Additional Labelling

EUH208 Contains calcium bis(dinonylnaphthalenesulphonate). May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Active substance with propellant  
Solvent

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
pentane	109-66-0 203-692-4  601-006-00-1 01-2119459286-30-XXXX	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 10 - < 20
propane	74-98-6 200-827-9  601-003-00-5 01-2119486944-21-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 10 - < 20
Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha	64742-48-9 265-150-3  649-327-00-6	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	Note P	>= 2,5 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version  
2.3

Revision Date:  
25.11.2021

Date of last issue: 14.09.2018  
Date of first issue: 22.06.2016

Print Date:  
29.11.2021

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	918-167-1  01-2119472146-39-XXXX	Flam. Liq.3; H226 Asp. Tox.1; H304	Note P	$\geq 1 - < 10$
Hydrocarbons, C6, isoalkanes, <5% n-hexane	931-254-9  01-2119484651-34-XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		$\geq 2,5 - < 10$
Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha	64742-49-0 926-605-8  649-328-00-1 01-2119486291-36-XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		$\geq 2,5 - < 10$
2-butoxyethanol	111-76-2 203-905-0  603-014-00-0 01-2119475108-36-XXXX	Acute Tox.4; H302 Acute Tox.4; H332 Acute Tox.4; H312 Skin Irrit.2; H315 Eye Irrit.2; H319		$\geq 1 - < 10$
calcium bis(dinonylnaphthalenesulphonate)	57855-77-3 260-991-2	Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1; H317		$\geq 0,1 - < 1$
Substances with a workplace exposure limit :				
butane	106-97-8 203-448-7  601-004-00-0	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	$\geq 30 - < 50$
isobutane	75-28-5 200-857-2  601-004-00-0 01-2119485395-27-XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	$\geq 1 - < 10$
Paraffin waxes and Hydrocarbon waxes	8002-74-2 232-315-6	Not classified		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Call a physician or poison control centre immediately.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Aspiration hazard if swallowed - can enter lungs and cause damage.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness  
Skin contact may provoke the following symptoms:  
Erythema  
Allergic appearance  
  
Aspiration may cause pulmonary oedema and pneumonitis.
- Risks : Central nervous system depression

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Risk of product entering the lungs on vomiting after ingestion.  
Health injuries may be delayed.  
Causes skin irritation.  
May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.  
Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : ABC powder  
Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire Hazard  
Do not let product enter drains.  
Contains gas under pressure; may explode if heated.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.  
Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Refer to protective measures listed in sections 7 and 8.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VLE_CD	1.000 ppm	PT OEL (2014-11-14)
pentane	109-66-0	TWA	1.000 ppm 3.000 mg/m3	2006/15/EC (2006-02-09)
Further information: Indicative				
		VLE-MP	1.000 ppm	PT OEL (2014-11-14)
		TWA	1.000 ppm 3.000 mg/m3	PT DL 305/2007 (2007-08-24)
isobutane	75-28-5	VLE_CD	1.000 ppm	PT OEL (2014-11-14)
Paraffin waxes and Hydrocarbon waxes	8002-74-2	VLE-MP (Fumes)	2 mg/m3	PT OEL (2007-03-26)
2-butoxyethanol	111-76-2	TWA	20 ppm 98 mg/m3	2000/39/EC (2000-06-16)
Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		STEL	50 ppm 246 mg/m3	2000/39/EC (2000-06-16)
Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		VLE-MP	20 ppm	PT OEL (2014-11-14)
Further information: Substances of which the carcinogenic effect has been confirmed in laboratory tests on animals with confirmed relevance for humans.				
		TWA	20 ppm	PT DL



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version  
2.3

Revision Date:  
25.11.2021

Date of last issue: 14.09.2018  
Date of first issue: 22.06.2016

Print Date:  
29.11.2021

			98 mg/m <sup>3</sup>	305/2007 (2007-08-24)
Further information: A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through the skin.				
		STEL	50 ppm 246 mg/m <sup>3</sup>	PT DL 305/2007 (2007-08-24)
Further information: A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through the skin.				

### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
2-butoxyethanol	111-76-2	Butoxyacetic acid: 200 mg/g Creatinine (Urine)	End of shift	PT NP1796 (2014-11-14)

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-butoxyethanol	Workers	Inhalation	Long-term systemic effects	98 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	1091 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	89 mg/kg bw/day
calcium bis(dinonylnaphthalenesulphonate)	Workers	Inhalation	Acute local effects	246 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	2,23 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,32 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-butoxyethanol	Fresh water	8,8 mg/l
	Marine water	0,88 mg/l
	Sewage treatment plant	463 mg/l
	Fresh water sediment	34,6 mg/kg
	Marine sediment	3,46 mg/kg
	Soil	2,33 mg/kg
	Oral	0,02 mg/kg
calcium bis(dinonylnaphthalenesulphonate)	Fresh water	0,27 mg/l
	Marine water	0,027 mg/l
	Intermittent use/release	2,7 mg/l
	Microbiological Activity in Sewage Treatment Systems	10 mg/l
	Fresh water sediment	4,69 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

	Marine sediment	0,469 mg/kg
	Soil	0,936 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.  
Short term only

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : aerosol  
Colour : yellow  
Odour : characteristic  
Odour Threshold : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Melting point/range : No data available

Boiling point/boiling range : -161 °C (1.013 hPa)

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : 9,4 %(V)

Lower explosion limit / Lower flammability limit : 0,6 %(V)

Flash point : 0 °C  
Method: Abel-Pensky

Auto-ignition temperature : No data available

Decomposition temperature  
Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : < 20,5 mm<sup>2</sup>/s (40 °C)

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : 8.327 hPa (20 °C)

Relative density : 0,638 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,64 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Remarks: Effects due to ingestion may include:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Symptoms: Central nervous system depression

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Remarks: Respiration of solvent vapour may cause dizziness.

Symptoms: Inhalation may provoke the following symptoms:,  
Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fa-  
tigue, Vertigo, Central nervous system depression

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Symptoms: Redness, Local irritation

### Components:

#### **Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:**

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific  
target organ toxicant, single exposure, category 3 with narcot-  
ic effects.

#### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

#### **Hydrocarbons, C6, isoalkanes, <5% n-hexane:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

#### **2-butoxyethanol:**

Acute oral toxicity : LD50 (Rat): 1.746 mg/kg

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after  
short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after  
single contact with skin.

#### **calcium bis(dinonylnaphthalenesulphonate):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 20.000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

### butane:

Acute inhalation toxicity : LC50 (Rat): 658 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### isobutane:

Acute inhalation toxicity : LC50 (Rat): 658 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### Skin corrosion/irritation

#### Product:

Remarks : Irritating to skin.

#### Components:

#### **Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:**

Result : Repeated exposure may cause skin dryness or cracking.

#### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Result : Repeated exposure may cause skin dryness or cracking.

#### **Hydrocarbons, C6, isoalkanes, <5% n-hexane:**

Result : Skin irritation

#### **Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:**

Species : Rabbit  
Result : Skin irritation

#### **2-butoxyethanol:**

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

#### **calcium bis(dinonylnaphthalenesulphonate):**

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

### Serious eye damage/eye irritation

#### Product:

Remarks : Contact with eyes may cause irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

### Components:

#### **2-butoxyethanol:**

Species : Rabbit  
Assessment : Irritating to eyes.  
Result : Irritating to eyes.

#### **calcium bis(dinonylnaphthalenesulphonate):**

Species : Rabbit  
Assessment : Irritating to eyes.  
Result : Irritating to eyes.

### **Respiratory or skin sensitisation**

#### Product:

Remarks : This information is not available.

### Components:

#### **2-butoxyethanol:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

#### **calcium bis(dinonylnaphthalenesulphonate):**

Species : Guinea pig  
Assessment : May cause sensitisation by skin contact.  
Result : May cause sensitisation by skin contact.

### **Germ cell mutagenicity**

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### Components:

#### **2-butoxyethanol:**

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

### **Carcinogenicity**

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version 2.3	Revision Date: 25.11.2021	Date of last issue: 14.09.2018 Date of first issue: 22.06.2016	Print Date: 29.11.2021
----------------	------------------------------	---	---------------------------

### Components:

#### **2-butoxyethanol:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **Reproductive toxicity**

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### **2-butoxyethanol:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
Animal testing did not show any effects on foetal development.

#### **calcium bis(dinonylnaphthalenesulphonate):**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

### **STOT - single exposure**

#### Components:

#### **pentane:**

Assessment : May cause drowsiness or dizziness.

#### **Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:**

Exposure routes : Inhalation  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

#### **Hydrocarbons, C6, isoalkanes, <5% n-hexane:**

Assessment : May cause drowsiness or dizziness.

#### **Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:**

Assessment : May cause drowsiness or dizziness.

#### **2-butoxyethanol:**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **calcium bis(dinonylnaphthalenesulphonate):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

#### **Components:**

#### **2-butoxyethanol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **calcium bis(dinonylnaphthalenesulphonate):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Product:**

Remarks : This information is not available.

### **Aspiration toxicity**

#### **Product:**

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

#### **Components:**

#### **pentane:**

May be fatal if swallowed and enters airways.

#### **Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:**

May be fatal if swallowed and enters airways.

#### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

May be fatal if swallowed and enters airways.

#### **Hydrocarbons, C6, isoalkanes, <5% n-hexane:**

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

### **Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:**

May be fatal if swallowed and enters airways.

### **2-butoxyethanol:**

No aspiration toxicity classification

### **calcium bis(dinonylnaphthalenesulphonate):**

No aspiration toxicity classification

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### **Product:**

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

#### **Components:**

### **Paraffin waxes and Hydrocarbon waxes:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Product:**

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms :

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Remarks: No data available

### Components:

#### pentane:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h

#### Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### 2-butoxyethanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.474 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.550 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.840 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: > 100 mg/l  
Exposure time: 21 d  
Species: Danio rerio (zebra fish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 100 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Reproduction Test  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

### calcium bis(dinonylnaphthalenesulphonate):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 0,28 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 0,27 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

### Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- : Remarks: No data available  
ity

### Components:

#### Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:

Biodegradability : Result: Not readily biodegradable.

#### Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Biodegradability : Result: Not rapidly biodegradable

#### 2-butoxyethanol:

Biodegradability : Test Type: aerobic  
Result: rapidly biodegradable  
Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### calcium bis(dinonylnaphthalenesulphonate):

Biodegradability : Result: Not readily biodegradable.

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### **propane:**

Partition coefficient: n-octanol/water : log Pow: 2,36

#### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

#### **Hydrocarbons, C6, isoalkanes, <5% n-hexane:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 4

#### **2-butoxyethanol:**

Bioaccumulation : Bioconcentration factor (BCF): 2,5

Partition coefficient: n-octanol/water : log Pow: 0,81 (25 °C)  
Method: OECD Test Guideline 107

#### **calcium bis(dinonylnaphthalenesulphonate):**

Partition coefficient: n-octanol/water : log Pow: 10,96

#### **butane:**

Partition coefficient: n-octanol/water : log Pow: 2,89  
Method: OECD Test Guideline 107

#### **isobutane:**

Partition coefficient: n-octanol/water : log Pow: 2,88  
Method: OECD Test Guideline 107

## 12.4 Mobility in soil

### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

---

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

##### **calcium bis(dinonylnaphthalenesulphonate):**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Offer empty spray cans to an established disposal company.  
Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version 2.3	Revision Date: 25.11.2021	Date of last issue: 14.09.2018 Date of first issue: 22.06.2016	Print Date: 29.11.2021
----------------	------------------------------	---	---------------------------

16 05 04\*, gases in pressure containers (including halons)  
containing hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
IATA	:	UN 1950

### 14.2 UN proper shipping name

ADR	:	AEROSOLS ( )
RID	:	AEROSOLS
IMDG	:	AEROSOLS (naphtha (petroleum), hydrotreated light, cyclohexane)
IATA	:	Aerosols, flammable (naphtha (petroleum), hydrotreated light)

### 14.3 Transport hazard class(es)

ADR	:	2
RID	:	2
IMDG	:	2.1
IATA	:	2.1

### 14.4 Packing group

<b>ADR</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Labels	:	2.1
Tunnel restriction code	:	(D)

<b>RID</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	5F
Hazard Identification Number	:	23
Labels	:	2.1

<b>IMDG</b>		
Packing group	:	Not assigned by regulation
Labels	:	2.1
EmS Code	:	F-D, S-U

<b>IATA (Cargo)</b>		
Packing instruction (cargo)	:	203

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

aircraft)  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

### IATA (Passenger)

Packing instruction (passenger aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

## 14.5 Environmental hazards

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament : Not applicable



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

ment and the Council concerning the export and import  
of dangerous chemicals

: P2

P5c

Seveso III: Directive 2012/18/EU of the European  
Parliament and of the Council on the control of  
major-accident hazards involving dangerous sub-  
stances.

P3a FLAMMABLE AEROSOLS

E2 ENVIRONMENTAL HAZARDS

18 Liquefied extremely flammable  
gases (including LPG) and natu-  
ral gas

34 Petroleum products: (a) gasolines  
and naphthas, (b) kerosenes  
(including jet fuels), (c) gas oils  
(including diesel fuels, home  
heating oils and gas oil blending  
streams),(d) heavy fuel oils (e)  
alternative fuels serving the same  
purposes and with similar proper-  
ties as regards flammability and  
environmental hazards as the  
products referred to in points (a)  
to (d)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial  
emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 93,32 %

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations,  
where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national  
regulations, where applicable.

## 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

### SECTION 16: Other information

#### Full text of H-Statements

H220 : Extremely flammable gas.  
H225 : Highly flammable liquid and vapour.  
H226 : Flammable liquid and vapour.  
H280 : Contains gas under pressure; may explode if heated.  
H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.  
H312 : Harmful in contact with skin.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H332 : Harmful if inhaled.  
H336 : May cause drowsiness or dizziness.  
H411 : Toxic to aquatic life with long lasting effects.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply. This note applies only to certain complex oil-derived substances in Part 3.

Note U (table 3.1) : When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

2006/15/EC	:	Europe. Indicative occupational exposure limit values
PT DL 305/2007	:	Portugal. Indicative Occupational Exposure Limits
PT NP1796	:	Portuguese Norm 1796 - Biological Exposure Indices
PT OEL	:	Portugal. Security and Health at the Workplace - Occupational exposure limits of chemical agents
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
2006/15/EC / TWA	:	Limit Value - eight hours
PT DL 305/2007 / TWA	:	8 Hour limit value
PT DL 305/2007 / STEL	:	Short term limit value
PT OEL / VLE-MP	:	Time Weighted Average
PT OEL / VLE_CD	:	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aerosol 1	H222, H229
Skin Irrit. 2	H315
STOT SE 3	H336
Asp. Tox. 1	H304

#### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Based on product data or assessment

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT  
(Commission Regulation (EU) 2020/878)



## OKS 2101

Version	Revision Date:	Date of last issue: 14.09.2018	Print Date:
2.3	25.11.2021	Date of first issue: 22.06.2016	29.11.2021

Aquatic Chronic 2

H411

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.