

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 217

Chemical nature : Mineral oil.  
graphite  
solid lubricant

#### Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Material Compliance Management

National contact :

Emergency telephone number : +86 532 8388 9090 (NRCC, only for hazardous chemicals)  
+86 21 69225521

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : paste  
Colour : black  
Odour : characteristic

Causes skin irritation. Causes serious eye damage.

#### GHS Classification

Skin irritation : Category 2

Serious eye damage : Category 1

#### GHS label elements


# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4    Revision Date: 2022-08-17    Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24    Print Date: 2022-08-18

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.
- Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.
- Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Causes skin irritation. Causes serious eye damage.

### Environmental hazards

Not classified based on available information.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 30 -< 50
Graphite	7782-42-5	>= 20 -< 30
calcium dihydroxide	1305-62-0	>= 10 -< 20
zirconium dioxide	1314-23-4	>= 10 -< 20

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

### 4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Get medical attention immediately.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Skin contact may provoke the following symptoms:  
Erythema
- Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Metal oxides
- Specific extinguishing methods : Standard procedure for chemical fires.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### Handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.

Avoidance of contact : No materials to be especially mentioned.

### Storage

Conditions for safe storage : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4    Revision Date: 2022-08-17    Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24    Print Date: 2022-08-18

Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH (2013-03-01)
Graphite	7782-42-5	PC-TWA (Total dust)	4 mg/m <sup>3</sup>	CN OEL (2019-08-27)
		PC-TWA (Respirable dust)	2 mg/m <sup>3</sup>	CN OEL (2019-08-27)
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH (2007-01-01)
calcium dihydroxide	1305-62-0	TWA	5 mg/m <sup>3</sup>	ACGIH (2013-03-01)
zirconium dioxide	1314-23-4	PC-TWA	5 mg/m <sup>3</sup> (Zirconium)	CN OEL (2019-08-27)
		PC-STEL	10 mg/m <sup>3</sup> (Zirconium)	CN OEL (2019-08-27)
		TWA	5 mg/m <sup>3</sup> (Zirconium)	ACGIH (2016-03-01)
		STEL	10 mg/m <sup>3</sup> (Zirconium)	ACGIH (2016-03-01)

**Engineering measures** : none

### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Eye/face protection : Tightly fitting safety goggles

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hand protection

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : black

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	1.27 (20 °C) Reference substance: Water The value is calculated
Density	:	1.27 g/cm <sup>3</sup> (20 °C)
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available
Metal corrosion rate	:	Not corrosive to metals

## 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Conditions to avoid : No conditions to be specially mentioned.  
Incompatible materials : No materials to be especially mentioned.  
Hazardous decomposition products : No decomposition if stored and applied as directed.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Symptoms: Redness, Local irritation

#### Components:

##### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Graphite:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Assessment: The substance or mixture has no acute oral toxicity

### calcium dihydroxide:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.04 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,500 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

#### Product:

Remarks : Irritating to skin.

#### Components:

##### White mineral oil (petroleum):

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

##### Graphite:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

---

### calcium dihydroxide:

Species : human skin  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 431  
Result : Irritating to skin.  
GLP : yes

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : yes

### Serious eye damage/eye irritation

#### Product:

Remarks : Risk of serious damage to eyes.

#### Components:

##### White mineral oil (petroleum):

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

##### Graphite:

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

### calcium dihydroxide:

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
GLP : yes

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **White mineral oil (petroleum):**

Test Type : Buehler Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

##### **Graphite:**

Species : Mouse  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.  
GLP : yes

##### **calcium dihydroxide:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.  
GLP : yes

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **White mineral oil (petroleum):**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4    Revision Date: 2022-08-17    Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24    Print Date: 2022-08-18

### calcium dihydroxide:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### White mineral oil (petroleum):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### calcium dihydroxide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### White mineral oil (petroleum):

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

### **calcium dihydroxide:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

### **STOT - single exposure**

#### **Components:**

#### **White mineral oil (petroleum):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Graphite:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **calcium dihydroxide:**

Assessment : May cause respiratory irritation.

### **STOT - repeated exposure**

#### **Components:**

#### **White mineral oil (petroleum):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Graphite:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

### Repeated dose toxicity

**Product:**

Remarks : This information is not available.

### Aspiration toxicity

**Product:**

This information is not available.

### Components:

**White mineral oil (petroleum):**

May be fatal if swallowed and enters airways.

**Graphite:**

No aspiration toxicity classification

### Further information

**Product:**

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :  
aquatic invertebrates      Remarks: No data available

Toxicity to algae/aquatic :  
plants      Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

### Components:

#### **White mineral oil (petroleum):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 28 d  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 1,000 mg/l  
Exposure time: 21 d  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.
- Toxicity to microorganisms : LC50 (Bacteria): > 1,000 mg/l  
Exposure time: 40 h  
Test Type: Growth inhibition

#### **Graphite:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

### calcium dihydroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50.6 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49.1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 184.57 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

### Components:

#### **White mineral oil (petroleum):**

Biodegradability : Biodegradation: 31 %  
Exposure time: 28 d

#### **calcium dihydroxide:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

### **Bioaccumulative potential**

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### **White mineral oil (petroleum):**

Partition coefficient: n-octanol/water : log Pow: > 6

### **Mobility in soil**

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### **Other adverse effects**

#### Product:

Additional ecological information : No information on ecology is available.

### Components:

#### **White mineral oil (petroleum):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

### Graphite:

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

### International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

### The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

## 16. OTHER INFORMATION

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
CN OEL / PC-TWA : Permissible concentration - time weighted average  
CN OEL / PC-STEEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 217

Version 2.4      Revision Date: 2022-08-17      Date of last issue: 2020-07-29  
Date of first issue: 2014-06-24      Print Date: 2022-08-18

---

Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods;  
vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials  
Information System

### Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.