according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



## **OKS 220**

VersionRevision Date:Date of last issue: 2021-06-281.62022-08-01Date of first issue: 2014-03-20Print Date: 2022-08-01

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	OKS 220		
Chemical nature	:	Synthetic hydrocarbon oil Molybdenum disulfide solid lubricant		
Manufacturer or supplier's d	leta	ils		
Company name of supplier	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com		
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management		
National contact	:			
Emergency telephone number	· :	+86 532 8388 9090 (NRCC, only for hazardous chemicals) +86 21 69225521		
Recommended use of the ch	Recommended use of the chemical and restrictions on use			

Recommended use	:	Lubricant	

### 2. HAZARDS IDENTIFICATION

Emergency Overview	
Appearance Colour Odour	: paste : black : characteristic
Causes skin irritation. Cau GHS Classification	ses serious eye damage. May cause respiratory irritation.
Skin irritation	: Category 2
Serious eye damage	: Category 1



according to GB/T 16483 and GB/T 17519 CN

Revision Date: Date of last issue: 2021-06-28



## **OKS 220**

Version

Specific target organ toxicity single exposure	Category 3 (respiratory tract irritation)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H335 May cause respiratory irritation.</li> </ul>
Precautionary statements	Prevention:
	P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protectior
	<ul> <li>Response:</li> <li>P302 + P352 IF ON SKIN: Wash with plenty of water.</li> <li>P304 + P340 + P312 IF INHALED: Remove person to fresh and keep comfortable for breathing. Call a POISON CENTE doctor if you feel unwell.</li> <li>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing. Immediately call a POISOI CENTER/ doctor.</li> <li>P332 + P313 If skin irritation occurs: Get medical advice/ att tion.</li> <li>P362 + P364 Take off contaminated clothing and wash it be reuse.</li> </ul>
	<b>Storage:</b> P403 + P233 Store in a well-ventilated place. Keep containe tightly closed. P405 Store locked up.
	<b>Disposal:</b> P501 Dispose of contents/containers according the local government requirements.

#### Health hazards

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



## **OKS 220**

VersionRevision Date:Date of last issue: 2021-06-281.62022-08-01Date of first issue: 2014-03-20Print Date: 2022-08-01

#### **Environmental hazards**

Not classified based on available information.

Other hazards which do not result in classification None known.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
molybdenum disulphide	1317-33-5	>= 20 -< 30
calcium dihydroxide	1305-62-0	>= 20 -< 30
Natural graphite	7782-42-5	>= 1 -< 10

#### **4. FIRST AID MEASURES**

If inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Keep patient warm and at rest.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> </ul>
In case of skin contact	<ul> <li>Take off all contaminated clothing immediately.</li> <li>Wash off immediately with soap and plenty of water.</li> <li>Get medical attention immediately if irritation develops and persists.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.</li> <li>Get medical attention immediately.</li> </ul>
If swallowed	<ul> <li>Move the victim to fresh air.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>Do not induce vomiting without medical advice.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



## **OKS 220**

Version	Revision Date:	Date of last issue: 2021-06-28	
1.6	2022-08-01	Date of first issue: 2014-03-20	Print Date: 2022-08-01

Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. Skin contact may provoke the following symptoms: Erythema
Notes to physician	:	Treat symptomatically.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion prod- ucts	:	Carbon oxides Sulphur oxides Metal oxides
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



## **OKS 220**

VersionRevision Date:Date of last issue: 2021-06-281.62022-08-01Date of first issue: 2014-03-20Print Date: 2022-08-01

#### 7. HANDLING AND STORAGE

#### Handling

nananng		
Advice on safe handling	:	Do not use in areas without adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Avoidance of contact	:	No materials to be especially mentioned.
Storage		
Conditions for safe storage	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
molybdenum disulphide	1317-33-5	PC-TWA	6 mg/m3 (Molybdenum)	CN OEL (2019-08-27)
		TWA (Inhal- able particu- late matter)	10 mg/m3 (Molybdenum)	ACGIH (2019-03-05)
		TWA (Res- pirable par- ticulate mat-	3 mg/m3 (Molybdenum)	ACGIH (2019-03-05)



according to GB/T 16483 and GB/T 17519 CN



## **OKS 220**

Version Revision Date: Date of last issue: 2021-06-28 2022-08-01 Date of first issue: 2014-03-20 Print Date: 2022-08-01 1.6

		ter)		
calcium dihydroxide	1305-62-0	TWA	5 mg/m3	ACGIH (2013-03-01)
Natural graphite	7782-42-5	PC-TWA (Total dust)	4 mg/m3	CN OEL (2019-08-27)
		PC-TWA (Respirable dust)	2 mg/m3	CN OEL (2019-08-27)
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH (2007-01-01)

Engineering measures : Effective exhaust ventilation system

Personal protective equipment					
Respiratory protection	:	Not required; except in case of aerosol formation.			
Filter type	:	Filter type A-P			
Eye/face protection	:	Tightly fitting safety goggles			
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1			
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.			
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.			

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: paste



according to GB/T 16483 and GB/T 17519 CN



## **OKS 220**

Version 1.6	Revision Date: 2022-08-01	Date of last issue: 2021-06-28 Date of first issue: 2014-03-20	Print Date: 2022-08-01
Colo	ur	: black	

Coloui	•	DIACK
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	1.4 (20 °C) Reference substance: Water The value is calculated
Density	:	1.40 g/cm3 (20 °C)
Bulk density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



## **OKS 220**

VersionRevision Date:Date of last issue: 2021-06-281.62022-08-01Date of first issue: 2014-03-20Print Date: 2022-08-01

Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: No data available
Sublimation point	: No data available
Metal corrosion rate	: Not corrosive to metals

#### **10. STABILITY AND REACTIVITY**

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

#### **11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

#### Product:

Acute oral toxicity	:	Remarks: This information is not available	
Acute inhalation toxicity	:	Remarks: Irritating to respiratory system.	a brand of



according to GB/T 16483 and GB/T 17519 CN



Version 1.6	Revision Date: 2022-08-01		ast issue: 2021-06-28 rst issue: 2014-03-20 Print Date: 2022-08-01
			Symptoms: Inhalation may provoke the following symptoms:, Local irritation, Respiratory disorders
			Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute	e dermal toxicity	:	Symptoms: Redness, Local irritation
<u>Com</u>	ponents:		
moly	/bdenum disulph	ide:	
Acute	e oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute	e dermal toxicity	:	LD50 (Rat): > 16,000 mg/kg
calci	ium dihydroxide:		
Acute	e oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral tox- icity
Acute	e inhalation toxicit	y :	LC50 (Rat, male and female): > 6.04 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes
Acute	e dermal toxicity	:	LD50 (Rabbit, male and female): > 2,500 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Natu	ral graphite:		
Acute	e oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



sion	Revision Date: 2022-08-01	Date of last issue: 2021-06-28 Date of first issue: 2014-03-20 Print Date: 2022-08-01
		Assessment: The substance or mixture has no acute oral to icity
Skin	corrosion/irritat	ion
<u>Prod</u>	luct:	
Rem	arks	: Irritating to skin.
<u>Com</u>	ponents:	
moly	/bdenum disulph	ide:
Asse	ssment	: No skin irritation
Resu	ılt	: No skin irritation
calci	um dihydroxide:	
Spec		: human skin
	ssment	: Irritating to skin.
Meth Resu		: OECD Test Guideline 431 : Irritating to skin.
GLP	iit.	: yes
Spec	ies	: Rabbit
	ssment	: Irritating to skin.
Meth		: OECD Test Guideline 404
Resu GLP	111	: Irritating to skin. : yes
Serio	ous eye damage/	eye irritation
Prod	luct:	
Rem	arks	: Risk of serious damage to eyes.
<u>Com</u>	ponents:	
	/bdenum disulph	ide:
Resu	-	: No eye irritation
	essment	: No eye irritation
calci	um dihydroxide:	



according to GB/T 16483 and GB/T 17519 CN



Version 1.6	Revision Date: 2022-08-01	Date of last issue Date of first issue		Print Date: 2022-08-01
Spec Resu Asse Meth GLP	ult essment nod	: Risk o	f serious dama f serious dama Test Guidelin	age to eyes.
Res	piratory or skin s	nsitisation		
	<mark>luct:</mark> larks	: This in	formation is n	ot available.
<u>Com</u>	ponents:			
moly	ybdenum disulph	de:		
Asse Resi	essment ult			sensitisation. sensitisation.
calc	ium dihydroxide:			
Spec	essment nod ult	: Mouse : Does r : OECD	not cause skin Test Guidelin	sensitisation.
Gerr	n cell mutagenic	У		
Proc	<u>luct:</u>			
Gen	otoxicity in vitro	: Remai	ks: No data a	vailable
Gen	otoxicity in vivo	: Remai	ks: No data a	vailable
<u>Com</u>	ponents:			
Gerr	ybdenum disulph n cell mutagenicity essment		I testing did no	ot show any mutagenic effec
	ium dihydroxide:			
Gen	otoxicity in vitro	: Test T	ype: Ames tes	St
			11 / 19	a brand o

according to GB/T 16483 and GB/T 17519 CN



<b>OKS 22</b>	0	
Version 1.6	Revision Date: 2022-08-01	Date of last issue: 2021-06-28 Date of first issue: 2014-03-20 Print Date: 2022-08-01
		Method: OECD Test Guideline 471 Result: negative GLP: yes
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative GLP: yes
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative GLP: yes
Carc	inogenicity	
Prod	luct:	
Rem	arks	: No data available
<u>Com</u>	ponents:	
moly	/bdenum disulph	ide:
-	inogenicity - Asse	
calci	um dihydroxide:	
	inogenicity - Asse	ss- : No evidence of carcinogenicity in animal studies.
Repr	oductive toxicity	
<u>Prod</u> Effec	l <b>uct:</b> cts on fertility	: Remarks: No data available
Effec ment		pp- : Remarks: No data available
Com	ponents:	
Repr	um dihydroxide: oductive toxicity - ment	As- : - Fertility -



according to GB/T 16483 and GB/T 17519 CN



rsion	Revision Date: 2022-08-01	Date of last issue: 2021-06-28 Date of first issue: 2014-03-20 Print Date: 2022-08-01
		No toxicity to reproduction - Teratogenicity -
		No effects on or via lactation
STO <sup>-</sup>	T - single exposu	ire
	ponents:	
	vbdenum disulph	ide:
-	ssment	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
	um dihydroxide:	
Asse	ssment	: May cause respiratory irritation.
STO	T - repeated expo	osure
<u>Com</u>	ponents:	
-	vbdenum disulph	
Asse	ssment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Repe	eated dose toxici	ty
<u>Prod</u>	luct:	
Rem	arks	: This information is not available.
Aspi	ration toxicity	
<u>Prod</u> This	l <u>uct:</u> information is not	available.
Furth	ner information	
Prod	luct:	
Rem		: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



## **OKS 220**

Version	Revision Date:	Date of last issue: 2021-06-28	
1.6	2022-08-01	Date of first issue: 2014-03-20	Print Date: 2022-08-01

#### **Components:**

molybdenum disulphide:		
Remarks	:	Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION	N	
Ecotoxicity		
<u>Product:</u> Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
molybdenum disulphide:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
calcium dihydroxide:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 50.6 mg/l Exposure time: 96 h



according to GB/T 16483 and GB/T 17519 CN



ersion 6			ast issue: 2021-06-28 rst issue: 2014-03-20	Print Date: 2022-08-01
			Test Type: static tes Method: OECD Test GLP: yes	
	city to daphnia and d tic invertebrates	other :	EC50 (Daphnia mag Exposure time: 48 h Test Type: static tes Method: OECD Test GLP: yes	t
Toxic plant	city to algae/aquatic s	:	EC50 (Pseudokirchr mg/l Exposure time: 72 h Test Type: static tes Method: OECD Test GLP: yes	
	oxicology Assess	ment :	This product has no	known ecotoxicological effects.
Chro	nic aquatic toxicity	:	This product has no	known ecotoxicological effects.
Pers	istence and degra	dability		
<u>Prod</u> Biode	l <mark>uct:</mark> egradability	:	Remarks: No data a	vailable
ity		abil- :	Remarks: No data a	vailable
calci	ponents: um dihydroxide: egradability	:		ods for determining the biological degra- cable to inorganic substances.
Bioa	ccumulative poter	ntial		
<b>Prod</b> Bioad	l <u>uct:</u> ccumulation	:		rre contains no substance considered to cumulating and toxic (PBT).
				a brand of



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



very

## **OKS 220**

Version 1.6	Revision Date: 2022-08-01	Date of last issue: 2021-06-28 Date of first issue: 2014-03-20 Print Date: 2022-08-01
		This mixture contains no substance considered to be persistent and very bioaccumulating (vPvB).
Com	ponents:	

### Natural graphite:

Partition coefficient: n- octanol/water	:	Remarks: No data available
Mobility in soil		
Product:		
Mobility	:	Remarks: No data available

Distribution among environ-	:	Remarks: No data available
mental compartments		
<b>•</b> • • • •		

#### Other adverse effects

### Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

#### **13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

#### 14. TRANSPORT INFORMATION

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good



according to GB/T 16483 and GB/T 17519 CN



## **OKS 220**

Version Revision Date: Date of last issue: 2021-06-28 2022-08-01 Date of first issue: 2014-03-20 Print Date: 2022-08-01 1.6

#### **IATA-DGR**

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

#### **National Regulations**

#### GB 6944/12268

Not regulated as a dangerous good

## Special precautions for user

Not applicable

#### **15. REGULATORY INFORMATION**

#### National regulatory information Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous C	her	nicals
Hazardous Chemicals for Priority Management under SAWS	:	Not applicable
China Severely Restricted Toxic Chemicals for Import and Export	:	Not applicable
Catalogue of Hazardous Chemicals	:	Not applicable

#### The components of this product are reported in the following inventories: IECSC : On the inventory, or in compliance with the inventory

# **16. OTHER INFORMATION**

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CN OEL	:	Occupational exposure limits for hazardous agents in the
		workplace - Chemical hazardous agents.



according to GB/T 16483 and GB/T 17519 CN



#### **OKS 220**

Version	Revision Date:	Date of last issue: 2021-06-28	
1.6	2022-08-01	Date of first issue: 2014-03-20	Print Date: 2022-08-01

ACGIH / TWA	:	8-hour, time-weighted average
CN OEL / PC-TWA	:	Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relation-



according to GB/T 16483 and GB/T 17519  $\ensuremath{\text{CN}}$ 



## **OKS 220**

VersionRevision Date:Date of last issue: 2021-06-281.62022-08-01Date of first issue: 2014-03-20Print Date: 2022-08-01

ship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

