according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 2300

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person : mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact : EagleBurgmann Hungaria Kft.

Népfürdő utca 22 1138 Budapest

Hungary

Tel.: +36 1 814 8160 Fax: +36 1 319 8125

info.hu@eagleburgmann.com

1.4 Emergency telephone number

Emergency telephone num- : 0049 (0) 8142-3051-517

ber

Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)

H-1096 Budapest, Nagyvárad tér 2. Tel: +36 1 476 6464, +36 80 201 199

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 22.07.2022 Date of first issue: 22.06.2016 29.07.2022

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters air-

ways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH066

Repeated exposure may cause skin

dryness or cracking.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P273 Avoid release to the environment.

Response:

P301 + P310 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use alcohol-resistant foam,

carbon dioxide or water mist to extinguish.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

## Hazardous components which must be listed on the label:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 22.07.2022 Date of first issue: 22.06.2016 29.07.2022

# **Additional Labelling**

EUH208 Contains calcium bis(dinonylnaphthalenesulphonate). May produce an allergic

reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Chemical nature : Solvent Wax

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C9-C11, n-alkanes, isoal-kanes, cyclics, <2% aromatics	265-150-3 01-2119463258-33	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066	Note P	>= 70 - < 90
calcium bis(dinonylnaphthalen esulphonate)	57855-77-3 260-991-2	Skin Irrit.2; H315 Eye Irrit.2; H319 Skin Sens.1; H317		>= 0,1 - < 1
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0 274-263-7 01-2119492616-28-	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 0,1 - < 1

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

XXXX		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Call a physician or poison control centre immediately.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause

damage.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:

Unconsciousness

Dizziness Drowsiness



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 22.07.2022 Date of first issue: 22.06.2016 29.07.2022

Headache Nausea Tiredness

Skin contact may provoke the following symptoms:

Erythema

Allergic appearance

Aspiration may cause pulmonary oedema and pneumonitis.

Risks : Central nervous system depression

Can be absorbed through skin.

Risk of product entering the lungs on vomiting after ingestion.

Health injuries may be delayed. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not let product enter drains. Container may explode if heated.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Hazardous combustion prod: :

ucts

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Do not breathe vapours or spray mist.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Non-sparking tools should be used.

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : Use only in an area containing explosion proof equipment.

Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Smoking, eating and drinking should be prohibited in the application area.

Wash hands and face before breaks and immediately after

handling the product.

Ensure all equipment is electrically grounded before beginning

transfer operations.



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 22.07.2022 Date of first issue: 22.06.2016 29.07.2022

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not use sparking tools.

Do not enter areas where used or stored until adequately ven-

tilated.

Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. Do not store together with oxidizing and self-igniting products. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium bis(dinonylnaphthalen esulphonate)	Workers	Inhalation	Long-term systemic effects	2,23 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,32 mg/kg

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium	Fresh water	0,27 mg/l
bis(dinonylnaphthalenesulphonat		
e)		



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 2.2 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

Marine water	0,027 mg/l
Intermittent use/release	2,7 mg/l
Microbiological Activity in Sewage Treatment Systems	10 mg/l
Fresh water sediment	4,69 mg/kg
Marine sediment	0,469 mg/kg
Soil	0,936 mg/kg

## 8.2 Exposure controls

# **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

## Personal protective equipment

Eye protection Safety glasses with side-shields

Hand protection

Material Nitrile rubber Break through time > 10 min Protective index Class 1

Wear protective gloves. The break through time depends Remarks

> amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Skin and body protection Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Use respiratory protection unless adequate local exhaust ven-Respiratory protection

> tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type Filter type A-P

Protective measures The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour green



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

Odour : hydrocarbon-like

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : 193 °C

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

6,0 %(V)

Lower explosion limit / Lower

flammability limit

0,7 %(V)

Flash point : 45 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-polar/aprotic

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 17,1 mm2/s (40 °C)

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : <= 1.100 hPa (20 °C)

Relative density : 0,8 (20 °C)

Reference substance: Water The value is calculated

Density : 0,80 g/cm3

(20 °C)

Bulk density : No data available

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

# 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Effects due to ingestion may include:

Symptoms: Central nervous system depression

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 22. 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.

Irritating to respiratory system.

Symptoms: Inhalation may provoke the following symptoms:, Local irritation, Respiratory disorders, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depres-

sion

Acute dermal toxicity : Remarks: Prolonged or repeated skin contact with liquid may

cause defatting resulting in drying, redness and possible blis-

tering.

Symptoms: Redness, Local irritation, Skin disorders

## **Components:**

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific

target organ toxicant, single exposure, category 3 with narcot-

ic effects.

calcium bis(dinonylnaphthalenesulphonate):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 20.000 mg/kg

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

## Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

## **Components:**

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

# calcium bis(dinonylnaphthalenesulphonate):

Species : Rabbit

Assessment : Irritating to skin. Result : Irritating to skin.

# Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

**Product:** 

Remarks : Contact with eyes may cause irritation.

#### **Components:**

# calcium bis(dinonylnaphthalenesulphonate):

Species : Rabbit

Assessment : Irritating to eyes. Result : Irritating to eyes.

# Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

## Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

### **Components:**

## calcium bis(dinonylnaphthalenesulphonate):

Species : Guinea pig

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

## Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Test Type : Buehler Test Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B. Result : The product is a skin sensitiser, sub-category 1B.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

## Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

**Components:** 

calcium bis(dinonylnaphthalenesulphonate):

Reproductive toxicity - As- : - Fertility -

sessment No toxicity to reproduction

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: > 500 mg/kg body weight General Toxicity F1: NOAEL: > 500 mg/kg body weight

Method: OECD Test Guideline 415

Reproductive toxicity - As-

sessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

## STOT - single exposure

## **Components:**

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Exposure routes : Inhalation

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with narcotic effects.

## calcium bis(dinonylnaphthalenesulphonate):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

## Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

## STOT - repeated exposure

# **Components:**

## calcium bis(dinonylnaphthalenesulphonate):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

# Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

#### Repeated dose toxicity

Product:

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 2.2 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

### **Components:**

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

28

**Species** Rat **NOAEL** 500 mg/kg **NOAEL** 500 mg/kg Application Route Oral Exposure time

**OECD Test Guideline 407** Method

Species Rat NOAEL 0,05 mg/l **NOAEL** 0,05 mg/l Application Route Inhalation dust/mist Test atmosphere Exposure time 28

**OECD Test Guideline 412** Method

**Species** Rat

NOAEL > 1000 mg/kg NOAEL > 1.000 mg/kg

Application Route Dermal Exposure time

Method **OECD Test Guideline 410** 

## **Aspiration toxicity**

May be fatal if swallowed and enters airways.

# **Components:**

## Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics:

May be fatal if swallowed and enters airways.

## calcium bis(dinonylnaphthalenesulphonate):

No aspiration toxicity classification

#### 11.2 Information on other hazards

# **Endocrine disrupting properties**

## **Product:**

Assessment The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 2.2 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

#### **Further information**

**Product:** 

Remarks Information given is based on data on the components and

the toxicology of similar products.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish Remarks: Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

## **Components:**

#### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics:

**Ecotoxicology Assessment** 

Acute aquatic toxicity Toxic to aquatic life.

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

calcium bis(dinonylnaphthalenesulphonate):

Toxicity to fish LC50 (Cyprinus carpio (Carp)): > 0,28 mg/l

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,27 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

**Ecotoxicology Assessment** 

Chronic aquatic toxicity This product has no known ecotoxicological effects.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 22.07.2022 Date of first issue: 22.06.2016 29.07.2022

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 10.000 mg/l

Exposure time: 96 h
Test Type: static test

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

1.500 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : LC50 (activated sludge): > 10.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : This product has no known ecotoxicological effects., No toxici-

ty at the limit of solubility

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

Remarks: No data available

ity

**Components:** 

calcium bis(dinonylnaphthalenesulphonate):

Biodegradability : Result: Not readily biodegradable.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

#### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

calcium bis(dinonylnaphthalenesulphonate):

Partition coefficient: n-

octanol/water

: log Pow: 10,96

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n-

octanol/water

log Pow: 16,09 (25 °C)

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

**Components:** 

calcium bis(dinonylnaphthalenesulphonate):

Assessment : Non-classified PBT substance. Non-classified vPvB substance

12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 2.2 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

mation

Additional ecological infor- : Toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Packaging that is not properly emptied must be disposed of as Contaminated packaging

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code used product, unused product

14 06 05\*, sludges or solid wastes containing other solvents

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

**ADN** : UN 1993 ADR UN 1993 RID : UN 1993 **IMDG** : UN 1993 IATA UN 1993

# 14.2 UN proper shipping name



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

ADN : FLAMMABLE LIQUID, N.O.S.
ADR : FLAMMABLE LIQUID, N.O.S.

(Naphtha, petroleum, hydrotreated heavy)

RID : FLAMMABLE LIQUID, N.O.S. IMDG : FLAMMABLE LIQUID, N.O.S.

(Naphtha, petroleum, hydrotreated heavy)

IATA : Flammable liquid, n.o.s.

(Naphtha, petroleum, hydrotreated heavy)

# 14.3 Transport hazard class(es)

ADN : 3
ADR : 3
RID : 3
IMDG : 3
IATA : 3

## 14.4 Packing group

#### ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

## **ADR**

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

# **RID**

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

#### **IMDG**

Packing group : III
Labels : 3
EmS Code : F-E, <u>S-E</u>

## IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen: 355



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 2.2 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

ger aircraft)

Packing instruction (LQ) Y344 Packing group Ш

Labels Flammable Liquids

14.5 Environmental hazards

Environmentally hazardous yes

Environmentally hazardous yes

Environmentally hazardous yes

**IMDG** 

Marine pollutant yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import Conditions of restriction for the following entries should be considered:

Number on list 3

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57). Not applicable

Not applicable

Not applicable

Not applicable



according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



# **OKS 2300**

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

of dangerous chemicals (EU PIC)

Seveso III: Directive 2012/18/EU of the European : P5c Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

c FLAMMABLE LIQUIDS

E2 ENVIRONMENTAL HAZARDS

Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a)

to (d)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 83,47 %

34

## Other regulations:

2000 XXV. Law on chemical safety

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

EUH066 : Repeated exposure may cause skin dryness or cracking.

H226 : Flammable liquid and vapour.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.

H336 : May cause drowsiness or dizziness.
H411 : Toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

Version Revision Date: Date of last issue: 11.02.2022 Print Date: 29.07.2022 Date of first issue: 22.06.2016 29.07.2022

## Full text of other abbreviations

Note P

The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

## Classification of the mixture: Classification procedure:

Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment

according to Regulation (EC) No. 1907/2006 - HU (Commission Regulation (EU) 2020/878)



**OKS 2300** 

VersionRevision Date:Date of last issue: 11.02.2022Print Date:2.229.07.2022Date of first issue: 22.06.201629.07.2022

Aquatic Chronic 2 H411 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.