

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 230  
Chemical nature : polyalkylene glycol oil  
Molybdenum disulfide

#### Manufacturer or supplier's details

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
National contact :  
Emergency telephone number : +86 512 8090 3042 (NCEC, 24 hrs)  
+86 532 8388 9090 (NRCC)

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant  
Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: paste
<b>Colour</b>	: black
<b>Odour</b>	: slight

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Not classified based on available information.

### Environmental hazards

Not classified based on available information.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
molybdenum disulphide	1317-33-5	$\geq 30$ -< 50
Kaolin	1332-58-7	$\geq 10$ -< 20
lithium 12-hydroxystearate	7620-77-1	$\geq 1$ -< 10

## 4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : No information available.  
None known.
- Notes to physician : No information available.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Oxides of phosphorus  
Sulphur oxides
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

- Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

Wash hands and face before breaks and immediately after handling the product.

Avoidance of contact : No materials to be especially mentioned.

### Storage

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
molybdenum disulphide	1317-33-5	PC-TWA	6 mg/m <sup>3</sup> (Molybdenum)	GBZ 2.1-2007
		TWA (Inhalable fraction)	10 mg/m <sup>3</sup> (Molybdenum)	ACGIH
		TWA (Respirable fraction)	3 mg/m <sup>3</sup> (Molybdenum)	ACGIH
Kaolin	1332-58-7	TWA (Respirable fraction)	2 mg/m <sup>3</sup>	ACGIH
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable fraction)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable fraction)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Eye/face protection : Tightly fitting safety goggles

Hand protection

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

Material : butyl-rubber  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste  
Colour : black  
Odour : slight  
Odour Threshold : No data available  
pH : No data available  
Melting point/range : No data available  
Boiling point/boiling range : No data available  
Flash point : 270 °C  
Evaporation rate : No data available  
Flammability (solid, gas) : No data available  
Self-ignition : No data available  
Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Density : 1.75 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)

    Water solubility : immiscible

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

## 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition : No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

products

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

#### Components:

##### **molybdenum disulphide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16,000 mg/kg

##### **Kaolin:**

Acute oral toxicity : LD50 Oral: > 2,000 mg/kg

##### **lithium 12-hydroxystearate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **molybdenum disulphide:**

Assessment : No skin irritation

Result : No skin irritation

##### **lithium 12-hydroxystearate:**

Assessment : No skin irritation

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

Method : OECD Test Guideline 439  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **molybdenum disulphide:**

Result : No eye irritation  
Assessment : No eye irritation

##### **lithium 12-hydroxystearate:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **molybdenum disulphide:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

##### **lithium 12-hydroxystearate:**

Exposure routes : Dermal  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### Components:

#### **molybdenum disulphide:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### Product:

Remarks : No data available

### Components:

#### **molybdenum disulphide:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### **STOT - single exposure**

#### Components:

#### **molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

#### Components:

#### **molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### Product:

Remarks : This information is not available.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### Aspiration toxicity

#### Product:

This information is not available.

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

#### Components:

##### **molybdenum disulphide:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish :  
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :  
Remarks: No data available

Toxicity to algae :  
Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

#### Components:

##### **molybdenum disulphide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### **lithium 12-hydroxystearate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **Persistence and degradability**

#### **Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### **Components:**

### **lithium 12-hydroxystearate:**

Biodegradability : Primary biodegradation  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 74.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **Bioaccumulative potential**

#### **Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### Components:

#### **lithium 12-hydroxystearate:**

Partition coefficient: n- : log Pow: 2.6  
octanol/water

### **Mobility in soil**

#### Product:

Mobility : Remarks: No data available

Distribution among environ- : Remarks: No data available  
mental compartments

### **Other adverse effects**

#### Product:

Additional ecological informa- : No information on ecology is available.  
tion

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water  
courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as  
the unused product.  
Dispose of waste product or used containers according to  
local regulations.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

### National Regulations

#### GB 6944/12268

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Identification of Major Hazard Installations for Dangerous Chemicals (GB 18218) : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

## 16. OTHER INFORMATION

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
GBZ 2.1-2007 : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

GBZ 2.1-2007 / PC-TWA : Permissible concentration - time weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

This safety datasheet applies only to products originally packaged and labelled by OKS Spezial-schmierstoffe. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of OKS Spezialschmierstoffe. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. OKS Spezialschmierstoffe provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 230

Version	Revision Date:	Date of last issue: 2016-06-22	Print Date:
1.2	2018-10-22	Date of first issue: 2014-07-21	2018-10-22

---

safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.