

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OKS 245  
Chemical nature : Mineral oil.  
Thickening agent

#### Manufacturer or supplier's details

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
National contact :  
Emergency telephone number : +86 512 8090 3042 (NCEC, 24 hrs)  
+86 532 8388 9090 (NRCC)

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant  
Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: paste
<b>Colour</b>	: red brown
<b>Odour</b>	: characteristic

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

#### GHS Classification

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 3

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24



### GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H401 Toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Not classified based on available information.

### Environmental hazards

Toxic to aquatic life. **Harmful to aquatic life with long lasting effects.**

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>= 30 -< 50
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	>= 30 -< 50
Kaolin, calcined	92704-41-1	>= 1 -< 10
copper	7440-50-8	>= 1 -< 2.5

## 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

- If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No information available.  
None known.
- Notes to physician : No information available.

## 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Nitrogen oxides (NOx)
- Specific extinguishing methods : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

- Avoidance of contact : No materials to be especially mentioned.

#### Storage

- Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version 2.0      Revision Date: 2019-06-24      Date of last issue: 2018-12-11      Print Date: 2019-06-24  
Date of first issue: 2016-05-30

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : none

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Filter type A-P

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : red brown

Odour : characteristic

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available  
: Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Density : 0.93 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

Oxidizing properties : No data available  
Sublimation point : No data available  
Metal corrosion rate : Not corrosive to metals

### 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : No conditions to be specially mentioned.  
Incompatible materials : No materials to be especially mentioned.  
Hazardous decomposition products : No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method  
Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method  
Acute dermal toxicity : Remarks: This information is not available.

##### Components:

#### Distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

### **Kaolin, calcined:**

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### **copper:**

Acute oral toxicity : LD50 (Rat, male and female): 300 - 500 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male): 0.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

#### **Product:**

Remarks : This information is not available.

#### **Components:**

### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

GLP : yes

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Kaolin, calcined:

Result : Repeated exposure may cause skin dryness or cracking.

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

### Distillates (petroleum), hydrotreated heavy paraffinic:

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

### Kaolin, calcined:

Result : Irritating to eyes.

### copper:

Result : Eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### **Germ cell mutagenicity**

#### Product:

Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available

### Components:

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Genotoxicity in vitro : Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### **Carcinogenicity**

#### Product:

Remarks : No data available

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Mouse  
Application Route : Dermal  
Method : OECD Test Guideline 451  
Result : negative

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available  
Effects on foetal development : Remarks: No data available

#### Components:

### Distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - Assessment : No toxicity to reproduction

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 414

### STOT - single exposure

#### Components:

#### **Kaolin, calcined:**

Exposure routes : Inhalation  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

No aspiration toxicity classification

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

No aspiration toxicity classification

### **Further information**

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d

### copper:

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- : Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

ity

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

#### **copper:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### **Bioaccumulative potential**

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Partition coefficient: n-octanol/water : log Pow: > 2

### **Mobility in soil**

#### Product:

Mobility : Remarks: No data available

Distribution among environ- : Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

mental compartments

### Other adverse effects

#### Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

#### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### National Regulations

#### **GB 6944/12268**

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

**Law on the Prevention and Control of Occupational Diseases**

### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

### The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

## 16. OTHER INFORMATION

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

This safety data sheet applies only to products originally packed and labelled by OKS Spezialschmierstoffe. The information contained therein may not be reproduced or modified without the express written permission of OKS Spezialschmierstoffe. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of OKS Spezialschmierstoffe. OKS Spezialschmierstoffe provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of OKS Spezialschmierstoffe.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519  
CN



## OKS 245

Version	Revision Date:	Date of last issue: 2018-12-11	Print Date:
2.0	2019-06-24	Date of first issue: 2016-05-30	2019-06-24

---