

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 2.4 | Revision Date: 14.08.2018 | Date of last issue: 11.12.2017 Date of first issue: 23.06.2016 | Print Date: 16.08.2018 |
|----------------|------------------------------|---|---------------------------|

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 250

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Lubricant

Recommended restrictions
on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: +49 8142 3051 500
Fax.: +49 8142 3051 599

E-mail address of person
responsible for the SDS : mcm@oks-germany.com
National contact :

1.4 Emergency telephone number

Emergency telephone
number : +33 1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

| | |
|--------------------------------------|--|
| Skin irritation, Category 2 | H315: Causes skin irritation. |
| Serious eye damage, Category 1 | H318: Causes serious eye damage. |
| Acute aquatic toxicity, Category 1 | H400: Very toxic to aquatic life. |
| Chronic aquatic toxicity, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

Version 2.4 Revision Date: 14.08.2018 Date of last issue: 11.12.2017 Print Date: 16.08.2018
Date of first issue: 23.06.2016

Hazard pictograms :  

Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Hazardous components which must be listed on the label:
calcium dihydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil
solid lubricant
polyurea

Hazardous components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration limits M-Factor Notes | Concentration (% w/w) |
|---------------------|---|--------------------|---|--------------------------|
| calcium dihydroxide | 1305-62-0 | Skin Irrit.2; H315 | | >= 10 - < 20 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

Version 2.4 Revision Date: 14.08.2018 Date of last issue: 11.12.2017 Print Date: 16.08.2018
Date of first issue: 23.06.2016

| | | | | |
|--|-------------------------|---|----------------|-------------------|
| | 215-137-3 | Eye Dam.1; H318 STOT SE3; H335 | | |
| | 01-2119475151-45-XXXX | | | |
| Amines, N-tallow alkyltrimethylenedi-, oleates | 61791-53-5 263-186-4 | Skin Irrit.2; H315 Eye Irrit.2; H319 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410 | M-Factor: 10/1 | $\geq 2,5 - < 10$ |
| Substances with a workplace exposure limit : | | | | |
| titanium dioxide | 13463-67-7 236-675-5 | | | $\geq 20 - < 30$ |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
Get medical attention immediately.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:
Erythema

Risks : Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of:
Carbon oxides
Metal oxides
Nitrogen oxides (NO_x)
Oxides of phosphorus
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Avoid breathing dust.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---------------------|---|-------------------------------|------------------------------------|-----------------------------|
| titanium dioxide | 13463-67-7 | VME | 10 mg/m ³ (Titanium) | FR VLE (2016-10-01) |
| Further information | Indicative exposure limits | | | |
| calcium dihydroxide | 1305-62-0 | TWA | 5 mg/m ³ | 91/322/EEC (1991-07-05) |
| Further information | Indicative, Existing scientific data on health effects appear to be particularly limited, In the Annex to Directive 91/322/EEC, the references to acetic acid, calcium dihydroxide, lithium hydride and nitrogen monoxide are deleted with effect from 21 August 2018 | | | |
| | | VME | 5 mg/m ³ | FR VLE (2007-12-01) |
| Further information | Indicative exposure limits | | | |
| | | TWA (Respirable fraction) | 1 mg/m ³ | 2017/164/EU (2017-02-01) |
| Further information | Indicative | | | |
| | | STEL (Respirable fraction) | 4 mg/m ³ | 2017/164/EU (2017-02-01) |
| Further information | Indicative | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|--|---------|-----------------|----------------------------|------------------------|
| Benzene, mono-C10-13-alkyl derivs., distn. residues | Workers | Inhalation | Long-term systemic effects | 3,2 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 4,3 mg/kg bw/day |
| calcium dihydroxide | Workers | Inhalation | Long-term local effects | 1 mg/m ³ |
| | Workers | Inhalation | Acute local effects | 4 mg/m ³ |
| Hydroxylapatite (Ca ₅ (OH)(PO ₄) ₃) | Workers | Inhalation | | 4,07 mg/m ³ |
| Amines, N-tallow alkyltrimethylenedi-, | Workers | Skin contact | Long-term systemic effects | 0,04 mg/kg |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

Version
2.4

Revision Date:
14.08.2018

Date of last issue: 11.12.2017
Date of first issue: 23.06.2016

Print Date:
16.08.2018

| | | | | |
|---------|---------|------------|----------------------------|------------------------|
| oleates | | | | |
| | Workers | Inhalation | Long-term systemic effects | 0,29 mg/m ³ |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|--|--|---------------|
| Benzene, mono-C10-13-alkyl derivs., distn. residues | Fresh water | 0,001 mg/l |
| | Intermittent use/release | 0,001 mg/l |
| | Marine water | 0 mg/l |
| | Microbiological Activity in Sewage Treatment Systems | 2 mg/l |
| | Fresh water sediment | 1,65 mg/kg |
| calcium dihydroxide | Marine sediment | 0,165 mg/kg |
| | Soil | 0,329 mg/kg |
| | Fresh water | 0,49 mg/l |
| Hydroxylapatite (Ca ₅ (OH)(PO ₄) ₃) | Marine water | 0,32 mg/l |
| | Intermittent use/release | 0,49 mg/l |
| | Microbiological Activity in Sewage Treatment Systems | 3 mg/l |
| | Soil | 1080 mg/kg |
| | Microbiological Activity in Sewage Treatment Systems | 50 mg/l |
| Amines, N-tallow alkyltrimethylenedi-, oleates | Fresh water | 0,00638 mg/l |
| | Marine water | 0,000638 mg/l |
| | Intermittent use/release | 0,00509 mg/l |
| | Microbiological Activity in Sewage Treatment Systems | 98,6 mg/l |
| | Fresh water sediment | 204 mg/kg |
| | Marine sediment | 20,4 mg/kg |
| Soil | 9,93 mg/kg | |

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : butyl-rubber
Protective index : Class 1

Remarks : Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 2.4 | Revision Date: 14.08.2018 | Date of last issue: 11.12.2017 Date of first issue: 23.06.2016 | Print Date: 16.08.2018 |
|----------------|------------------------------|---|---------------------------|

depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

- Respiratory protection : Not required; except in case of aerosol formation.
- Filter type : Filter type A-P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : paste
- Colour : beige
- Odour : characteristic
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/range : Not applicable
- Boiling point/boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : Combustible Solids
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : < 0,001 hPa (20 °C)
- Relative vapour density : No data available
- Density : 1,25 g/cm³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 2.4 | Revision Date: 14.08.2018 | Date of last issue: 11.12.2017 Date of first issue: 23.06.2016 | Print Date: 16.08.2018 |
|----------------|------------------------------|---|---------------------------|

(20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

calcium dihydroxide:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.500 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Amines, N-tallow alkyltrimethylenedi-, oleates:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Components:

calcium dihydroxide:

Species: Rabbit
Assessment: Irritating to skin.
Method: OECD Test Guideline 404
Result: Irritating to skin.

Amines, N-tallow alkyltrimethylenedi-, oleates:

Species: Rabbit
Assessment: Irritating to skin.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 2.4 | Revision Date: 14.08.2018 | Date of last issue: 11.12.2017 Date of first issue: 23.06.2016 | Print Date: 16.08.2018 |
|----------------|------------------------------|---|---------------------------|

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Risk of serious damage to eyes.

Components:

calcium dihydroxide:

Species: Rabbit

Assessment: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

Result: Risk of serious damage to eyes.

Amines, N-tallow alkyltrimethylenedi-, oleates:

Species: Rabbit

Assessment: Irritating to eyes.

Method: OECD Test Guideline 405

Result: Irritating to eyes.

Respiratory or skin sensitisation

Product:

Remarks: This information is not available.

Components:

calcium dihydroxide:

Assessment: Does not cause skin sensitisation.

Result: Does not cause skin sensitisation.

Amines, N-tallow alkyltrimethylenedi-, oleates:

Assessment: Does not cause skin sensitisation.

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

calcium dihydroxide:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 2.4 | Revision Date: 14.08.2018 | Date of last issue: 11.12.2017 Date of first issue: 23.06.2016 | Print Date: 16.08.2018 |
|----------------|------------------------------|---|---------------------------|

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

: Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Amines, N-tallow alkyltrimethylenedi-, oleates:

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Product:

Remarks: No data available

Components:

Amines, N-tallow alkyltrimethylenedi-, oleates:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Amines, N-tallow alkyltrimethylenedi-, oleates:

Reproductive toxicity - Assessment : No toxicity to reproduction
No toxicity to reproduction

STOT - single exposure

Components:

calcium dihydroxide:

Assessment: May cause respiratory irritation.

Amines, N-tallow alkyltrimethylenedi-, oleates:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 2.4 | Revision Date: 14.08.2018 | Date of last issue: 11.12.2017 Date of first issue: 23.06.2016 | Print Date: 16.08.2018 |
|----------------|------------------------------|---|---------------------------|

STOT - repeated exposure

Components:

Amines, N-tallow alkyltrimethylenedi-, oleates:

Exposure routes: Ingestion

Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Product:

Remarks: This information is not available.

Aspiration toxicity

Product:

This information is not available.

Further information

Product:

Remarks: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Very toxic to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms :
Remarks: No data available

Components:

calcium dihydroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49,1 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Amines, N-tallow alkyltrimethylenedi-, oleates:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,1 - 1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01 - 0,1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: Reproduction Test
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|----------------|------------------------------|---|---------------------------|
| Version 2.4 | Revision Date: 14.08.2018 | Date of last issue: 11.12.2017 Date of first issue: 23.06.2016 | Print Date: 16.08.2018 |
|----------------|------------------------------|---|---------------------------|

Physico-chemical removability : Remarks: No data available

Components:

calcium dihydroxide:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Amines, N-tallow alkyltrimethylenedi-, oleates:

Biodegradability : Result: rapidly biodegradable

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Amines, N-tallow alkyltrimethylenedi-, oleates:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Amines, N-tallow alkyltrimethylenedi-, oleates:

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

12.6 Other adverse effects

Product:

Additional ecological information : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3077

IMDG : UN 3077

IATA : UN 3077

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(fatty amine derivative)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(fatty amine derivative)

IATA : Environmentally hazardous substance, solid, n.o.s.
(fatty amine derivative)

14.3 Transport hazard class(es)

ADR : 9

IMDG : 9

IATA : 9

14.4 Packing group

ADR
Packing group : III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

No special precautions required.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

| | | | |
|----|-----------------------|---------------------|---------------------|
| E1 | ENVIRONMENTAL HAZARDS | Quantity 1 100 t | Quantity 2 200 t |
|----|-----------------------|---------------------|---------------------|

Occupational Illnesses (R-461-3, France) : 36, 49, 49 bis, 25, 34

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: < 0,01 %
Remarks: VOC content excluding water

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equip-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR



OKS 250

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 11.12.2017 | Print Date: |
| 2.4 | 14.08.2018 | Date of first issue: 23.06.2016 | 16.08.2018 |

ment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

| | |
|-------------------|------|
| Skin Irrit. 2 | H315 |
| Eye Dam. 1 | H318 |
| Aquatic Acute 1 | H400 |
| Aquatic Chronic 2 | H411 |

Classification procedure:

| |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

This safety datasheet applies only to products originally packaged and labelled by OKS Spezial-schmierstoffe. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of OKS Spezialschmierstoffe. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. OKS Spezialschmierstoffe provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.