according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

VersionRevision Date:Date of last issue: 2020-09-241.52022-11-04Date of first issue: 2013-10-18Print Date: 2022-11-04

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	OKS 252
Chemical nature	:	solid lubricant polyalkylene glycol oil silicate
Manufacturer or supplier's de	tai	Is
Company name of supplier	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
Emergency telephone number	:	+86 532 8388 9090 (NRCC, only for hazardous chemicals) +86 21 69225521
Recommended use of the che	emi	cal and restrictions on use
Recommended use	:	Grease
Restrictions on use	:	Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance		paste
Appearance Colour	:	
Odour	:	grey characteristic
Harmful to aquatic life.		
GHS Classification		
Short-term (acute) aquatic hazard	:	Category 3

GHS label elements



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

Version Revision Date: Date of last issue: 2020-09-24 2022-11-04 Date of first issue: 2013-10-18 Print Date: 2022-11-04 1.5 Hazard pictograms : None Signal word : None Hazard statements H402 Harmful to aquatic life. 2 Precautionary statements 2 **Prevention:** P273 Avoid release to the environment. Disposal: P501 Dispose of contents/containers according the local government requirements. Physical and chemical hazards Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Harmful to aquatic life.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium Benzoate	532-32-1	>= 1 -< 2.5
calcium distearate	1592-23-0	>= 1 -< 10

4. FIRST AID MEASURES

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If symptoms persist, call a physician.
If breathing is irregular or stopped, administer artificial respiration.



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

Version 1.5			ast issue: 2020-09-24 irst issue: 2013-10-18 Print Date: 2022-11-04
In ca	se of skin contact	:	Remove contaminated clothing. If irritation develops, get medical attention. Wash off with soap and water. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In ca	se of eye contact	:	Rinse immediately with plenty of water, also under the eyelids for at least 10 minutes. If eye irritation persists, consult a specialist.
lf swa	allowed	:	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
	important symptom effects, both acute a red		No information available. None known.
Notes	s to physician	:	No information available.
5. FIREFI	GHTING MEASURE	ES	
Suita	ble extinguishing m	edia :	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsu media	itable extinguishing a	:	High volume water jet
Haza produ	rdous combustion ucts	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Metal oxides
Spec meth	ific extinguishing ods	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
	ial protective equipr efighters	nent :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

6. ACCIDENTAL RELEASE MEASURES



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

Version 1.5	Revision Date: 2022-11-04	2010 01 1	ast issue: 2020-09-24 irst issue: 2013-10-18 Print Date: 2022-11-04
prote	onal precautions, ective equipment a rgency procedures	nd	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
Envi	ronmental precaut	ions :	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.
	ods and materials ainment and clean		Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on safe handling	:	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Avoidance of contact	:	No materials to be especially mentioned.
Storage		
Conditions for safe storage	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

VersionRevision Date:Date of last issue: 2020-09-241.52022-11-04Date of first issue: 2013-10-18Print Date: 2022-11-04

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium distearate	1592-23-0	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH (2018-03-20)

Engineering measures : none

Personal protective equipment				
Respiratory protection :		Not required; except in case of aerosol formation.		
Filter type	:	Filter type P		
Eye/face protection	:	Safety glasses with side-shields		
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.		
Hand protection Material Break through time Protective index	-	Nitrile rubber > 10 min Class 1		
Remarks	:	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.		
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : grey



according to GB/T 16483 and GB/T 17519 CN



Version	Revision Date:	Date of last issue: 2020-09-24	
1.5	2022-11-04	Date of first issue: 2013-10-18	Print Date: 2022-11-04

Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.001 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	1.58 (20 °C) Reference substance: Water The value is calculated
Density	:	1.58 g/cm3 (20 °C)
Bulk density	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

VersionRevision Date:Date of last issue: 2020-09-241.52022-11-04Date of first issue: 2013-10-18Print Date: 2022-11-04

Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available
Sublimation point	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.	
Chemical stability	:	Stable under normal conditions.	
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	:	No conditions to be specially mentioned.	
Incompatible materials	:	No materials to be especially mentioned.	
Hazardous decomposition products	:	No decomposition if stored and applied as directed.	

11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product: Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.



according to GB/T 16483 and GB/T 17519 CN



	Revision Date: 2022-11-04		st issue: 2020-09-24 rst issue: 2013-10-18 Print Date: 2022-11-04
Com	ponents:		
	ium Benzoate:		
Acut	e oral toxicity	:	LD50 (Rat): 3,450 mg/kg
calci	ium distearate:		
	e oral toxicity		LD50 (Rat): 5,000 mg/kg
Acut	e oral toxicity	·	Assessment: The substance or mixture has no acute oral toxicity
Acut	e inhalation toxicity	:	LC50 (Rat): > 200 mg/l
			Exposure time: 1 h
			Test atmosphere: dust/mist
Acut	e dermal toxicity		LD50 (Rabbit): > 2,000 mg/kg
	,		Assessment: The substance or mixture has no acute derma toxicity
Skin	corrosion/irritatio	on	
Skin <u>Proc</u>		on	
	luct:	on :	This information is not available.
<u>Prod</u> Rem	luct:		This information is not available.
Prod Rem <u>Com</u>	<mark>luct:</mark> arks		This information is not available.
Prod Rem <u>Com</u>	<u>luct:</u> larks liponents: lum Benzoate:		Rabbit
Proc Rem Com Sodi Spec Asse	<u>Juct:</u> parks pponents: ium Benzoate: cies essment	:	Rabbit No skin irritation
Prod Rem Com Sodi Spec Asse Meth	duct: arks ponents: ium Benzoate: cies essment nod	:	Rabbit No skin irritation OECD Test Guideline 404
Proc Rem Com Sodi Spec Asse	duct: arks ponents: ium Benzoate: cies essment nod	:	Rabbit No skin irritation
Prod Rem Com Sodi Spec Asse Meth Resu GLP	<u>Juct:</u> parks ponents: ium Benzoate: cies essment nod ult	:	Rabbit No skin irritation OECD Test Guideline 404 No skin irritation
Prod Rem Com Sodi Spec Asse Meth Resu GLP	luct: parks ponents: ium Benzoate: cies essment hod ult	:	Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes
Prod Rem Com Sodi Spec Asse Meth Resu GLP calci Spec	luct: parks ponents: ium Benzoate: cies essment od ult ium distearate: cies	:	Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes
Prod Rem Com Sodi Spec Asse Meth Resu GLP calci Spec	luct: harks ponents: ium Benzoate: cies essment hod ult ium distearate: cies essment	:	Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes
Prod Rem Com Sodi Spec Asse Meth Resu GLP calci Spec Asse Resu	luct: harks ponents: ium Benzoate: cies essment hod ult ium distearate: cies essment		Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes Rabbit No skin irritation No skin irritation
Prod Rem Com Sodi Spec Asse Meth Resu GLP calci Spec Asse Resu	Auct: larks ponents: ium Benzoate: cies essment nod ult ium distearate: cies essment ult		Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes Rabbit No skin irritation No skin irritation



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

VersionRevision Date:Date of last issue: 2020-09-241.52022-11-04Date of first issue: 2013-10-18Print Date: 2022-11-04

Components:

Sodium Benzoate:

Species	:	Rabbit
Result	:	Irritating to eyes.
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405

calcium distearate:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Sodium Benzoate:

Species	:	Guinea pig
Assessment	:	Did not cause sensitisation on laboratory animals.
Result	:	Did not cause sensitisation on laboratory animals.

calcium distearate:

:	Dermal
:	Guinea pig
:	Does not cause skin sensitisation.
:	Does not cause skin sensitisation.
	:

Germ cell mutagenicity

Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available



according to GB/T 16483 and GB/T 17519 CN



ersion .5	Revision Date: 2022-11-04		ast issue: 2020-09-24 irst issue: 2013-10-18 Print Date: 2022-11-04
Com	ponents:		
	um Benzoate:		Toot Tumos Amoo toot
Genc	otoxicity in vitro		Test Type: Ames test Test system: Salmonella typhimurium Method: OECD Test Guideline 471 Result: negative
Genc	otoxicity in vivo	:	Test Type: in vivo assay Species: Rat Method: OECD Test Guideline 475 Result: negative
	n cell mutagenicity essment	- :	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
calci	ium distearate:		
	n cell mutagenicity essment	- :	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Carc	inogenicity		
<u>Prod</u>	luct:		
Rem		:	No data available
<u>Com</u>	ponents:		
Sodi	um Benzoate:		
	inogenicity - essment	:	No evidence of carcinogenicity in animal studies.
calci	ium distearate:		
	inogenicity - essment	:	No evidence of carcinogenicity in animal studies.
Repr	roductive toxicity		
<u>Prod</u>	luct:		
Effec	cts on fertility	:	Remarks: No data available
	cts on foetal lopment	:	Remarks: No data available



according to GB/T 16483 and GB/T 17519 CN



	2022-11-04	Date of first issue: 2013-10-18 Print Date: 2022-11-04
<u>Com</u>	ponents:	
Sodi	um Benzoate:	
	oductive toxicity -	: - Fertility -
Asse	essment	No toxicity to reproduction - Teratogenicity -
		No effects on or via lactation
calci	ium distearate:	
	oductive toxicity -	: - Fertility -
Asse	essment	No toxicity to reproduction - Teratogenicity -
		No effects on or via lactation
STO	T - single exposu	3
<u>Com</u>	ponents:	
	i um distearate: essment	: The substance or mixture is not classified as specific targ organ toxicant, single exposure.
STO	T - repeated expo	ure
Com	ponents:	
	ium distearate:	
	essment	: The substance or mixture is not classified as specific targ organ toxicant, repeated exposure.
Repe	eated dose toxicit	
Prod	luct:	
Rem		: This information is not available.
Aspi	ration toxicity	
Prod	luct:	



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

VersionRevision Date:Date of last issue: 2020-09-241.52022-11-04Date of first issue: 2013-10-18Print Date: 2022-11-04

Components:

calcium distearate:

No aspiration toxicity classification

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity		
<u>Product:</u> Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Sodium Benzoate: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 484 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 650 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (microalgae)): > 30.5 mg/l



according to GB/T 16483 and GB/T 17519 CN



OKS 252

Version 1.5	Revision Date: 2022-11-04			st issue: 2020-09-24 st issue: 2013-10-18 Print Date: 2022-11-04
				Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
aquat	ity to daphnia and tic invertebrates nic toxicity)	other :		NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
	um distearate: ity to fish	:		LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
	ity to daphnia and tic invertebrates	other :		EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test
Toxic plants	ity to algae/aquati s	c :		ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test
Persi	stence and degra	adability	,	
<u>Produ</u> Biode	<u>uct:</u> egradability	:		Remarks: No data available
	ico-chemical vability	:		Remarks: No data available
<u>Com</u>	ponents:			
	u m Benzoate: egradability	:		Result: rapidly biodegradable
	um distearate: egradability	:		aerobic Result: Readily biodegradable. Biodegradation: 95 % Exposure time: 28 d



according to GB/T 16483 and GB/T 17519 CN



OKS 252							
Version 1.5	Revision Date: 2022-11-04		of last issue: 2020-09-24 of first issue: 2013-10-18 Print Date: 2022-11-04				
				Method: OECD Test Guideline 301D			
Bio	Bioaccumulative potential						
Pro	duct:						
	accumulation		:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).			
Con	nponents:						
Sod	ium Benzoate:						
	ition coefficient: n- nol/water		:	log Pow: 1.88			
Part	tium distearate: ition coefficient: n- nol/water		:	log Pow: 14.34			
Mot	oility in soil						
Pro	duct:						
Mob			:	Remarks: No data available			
	ribution among ronmental compart	ments	:	Remarks: No data available			
Oth	er adverse effects						
Add	<u>duct:</u> itional ecological rmation		:	Harmful to aquatic life with long lasting effects.			
Con	nponents:						
Res	l ium Benzoate: ults of PBT and vPv essment	vВ	:	Non-classified PBT substance Non-classified vPvB substance			
Res	tium distearate: ults of PBT and vP essment	vВ	:	Non-classified vPvB substance Non-classified PBT substance			



according to GB/T 16483 and GB/T 17519 $\ensuremath{\text{CN}}$



OKS 252

Version	Revision Date:	Date of last issue: 2020-09-24	
1.5	2022-11-04	Date of first issue: 2013-10-18	Print Date: 2022-11-04

13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Proper shipping name Class Subsidiary risk Packing group Labels	 Not applicable 	e e e e
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	 Not applicable 	
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant	 Not applicable 	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



according to GB/T 16483 and GB/T 17519 CN



OKS 252

VersionRevision Date:Date of last issue: 2020-09-241.52022-11-04Date of first issue: 2013-10-18Print Date: 2022-11-04

National Regulations

GB 6944/12268 UN number Proper shipping name	:	Not applicable Not applicable
Class Subsidiary risk	:	Not applicable Not applicable
Packing group Labels	:	Not applicable Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	Not applicable
Hazardous Chemicals for Priority Management under SAWS	:	Not applicable

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

-	-			
Catalogue of Highly Toxic Chemicals		:	Not applicable	

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable and Export

International Regulations

Montreal Protocol	:	Not applicable
Rotterdam Convention (Prior Informed Consent)	:	Not applicable
Stockholm Convention (Persistent Organic Pollutants)	:	Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory



according to GB/T 16483 and GB/T 17519 CN



OKS 252

Date of last issue: 2020-09-24 Version Revision Date: 2022-11-04 Date of first issue: 2013-10-18 Print Date: 2022-11-04 1.5

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH

: USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from



according to GB/T 16483 and GB/T 17519 CN



OKS 252

Version	Revision Date:	Date of last issue: 2020-09-24	
1.5	2022-11-04	Date of first issue: 2013-10-18	Print Date: 2022-11-04

the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

