according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

4 4	Product identifier								
1.1	Product name	:	OKS 2531						
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against								
	Use of the Sub- stance/Mixture	:	Anticorrosion additive						
	Recommended restrictions on use	:	Restricted to professional users.						
1.3	Details of the supplier of the	saf	ety data sheet						
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com						
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management						
	National contact	:							
1.4	Emergency telephone numbe	er							
			+49 8142 3051 517 Warszawa: +48 22 619 66 54						

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.					
Acute toxicity, Category 4	H332: Harmful if inhaled.					
Skin irritation, Category 2	H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS	OKS 2531							
Versic 4.0	on	Revision Date: 20.05.2022		te of last iss te of first iss			Print Date: 25.05.2022	
Specific target organ toxicity - sing posure, Category 3, Respiratory s				H335:	May cause respirato	ry irritation.		
		c target organ toxicity re, Category 2, hear			H373: May cause damage to organs through pro- longed or repeated exposure.			
Δ	Aspirat	ion hazard, Category	/ 1		H304: May be fatal if swallowed and enters air- ways.			
	_ong-te egory 3	erm (chronic) aquatic	haz	ard, Cat-	H412: fects.	Harmful to aquatic lif	e with long lasting ef-	
2.2 La	abel el	ements						
		ng (REGULATION (pictograms	EC) :	No 1272/20	08)			
S	Signal	word	:	Danger				
F	Hazard	statements	:	H222 H229 H304 H315 H319 H332 H335 H373		May be fatal if swall ways. Causes skin irritatio Causes serious eye Harmful if inhaled. May cause respirato May cause damage organs) through pro	er: May burst if heated. owed and enters air- n. irritation. ory irritation.	
				H412		posure. Harmful to aquatic li fects.	ife with long lasting ef-	
F	Precau	tionary statements	:	Preventio	n:			
				P210			at, hot surfaces, sparks, her ignition sources. No	
				P211		0	open flame or other	
				P251 P260		Do not pierce or bui Do not breathe mist		
				Response):			
				P301 + P3	310	IF SWALLOWED: In POISON CENTER/		
				P331		Do NOT induce von	niting.	
				Storago				

Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Hazardous components which must be listed on the label:

xylene

ethylbenzene

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Solvent Metal powder

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
xylene	1330-20-7 215-535-7 601-022-00-9	Flam. Liq.3; H226 Acute Tox.4; H332 Acute Tox.4; H312 Skin Irrit.2; H315 Asp. Tox.1; H304	Note C	>= 30 - < 50
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10
acetone	67-64-1	Flam. Liq.2; H225		>= 1 - < 10



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version Revision Date: 4.0 20.05.2022			last issue: 11.05.2021 first issue: 28.06.2016	Print Date: 25.05.2022		
		200-662-2 606-001-00-8 01-2119471330-4 XXXX	Eye Irrit.2; H319 STOT SE3; H336; EUH066 49-			
ethylbenz	zene	100-41-4, 100-41 202-849-4 601-023-00-4	-4 Flam. Liq.2; H225 Acute Tox.4; H332 STOT RE2; H373 Asp. Tox.1; H304		>= 1 - < 10	
zinc powder — zinc dust (stabilised)		7440-66-6 231-175-3 030-001-01-9 01-2119467174-3 XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410 37-	M-Factor: 1/1	>= 0,25 - < 1	
Substanc	es with a wo	rkplace exposure lir	nit :			
propane		74-98-6 200-827-9 601-003-00-5 01-2119486944-2 XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 20 - < 30	
butane		106-97-8 203-448-7 601-004-00-0	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 10 - < 20	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Obtain medical attention. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact	: Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021 Date of first issue: 28.06.2016	Print Date: 25.05.2022
		persists. Wash clothing before reuse. Thoroughly clean shoes before re	use.
In cas	se of eye contact	: Rinse immediately with plenty of v for at least 10 minutes. Seek medical advice.	vater, also under the eyelids,
lf swa	allowed	: Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - ca damage.	an enter lungs and cause
4.2 Most i	important symptom	s and effects, both acute and delayed	
	important symptom otoms	s and effects, both acute and delayed : Inhalation may provoke the follow Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema	
		 Inhalation may provoke the follow Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follow 	owing symptoms:

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media		High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-	:	Fire Hazard
fighting		Do not let product enter drains.
		Contains gas under pressure; may explode if heated.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version 4.0	Revision Date: 20.05.2022		e of last issue: 11.05.2021 e of first issue: 28.06.2016	Print Date: 25.05.2022
			Beware of vapours accumulating to forr tions. Vapours can accumulate in low a	•
Hazaı ucts	dous combustion proc	I- :	Carbon oxides	
5.3 Advice	e for firefighters			
	al protective equipmer efighters	nt :	In the event of fire, wear self-contained Use personal protective equipment. Exp tion products may be a hazard to health	osure to decomposi-
Furth	er information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing must not be discharged into drains. Cool containers/tanks with water spray.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
·	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Refer to protective measures listed in sections 7 and 8.
	Only qualified personnel equipped with suitable protective
	equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Do not use in areas without adequate ventilation.
	Do not breathe vapours or spray mist.
	In case of insufficient ventilation, wear suitable respiratory
	equipment.
	Avoid contact with skin and eyes.
	For personal protection see section 8.
	Keep away from fire, sparks and heated surfaces.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.
	Wash hands and face before breaks and immediately after
	handling the product.
	Do not get in eyes or mouth or on skin.
	Do not get on skin or clothing.
	Do not ingest.
	Do not use sparking tools.
	These safety instructions also apply to empty packaging which
	may still contain product residues.
	Pressurized container: protect from sunlight and do not ex-
	pose to temperatures exceeding 50 °C. Do not pierce or burn,
	even after use.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after
,,,	handling.
7.2 Conditions for safe storage, inclu	uding any incompatibilities
•	
Requirements for storage : areas and containers	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force
areas and containers	or throw into fire even after use. Do not spray on flames or
	red-hot objects. Store in accordance with the particular na- tional regulations.
	ional regulations.
7.3 Specific end use(s)	

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
xylene	1330-20-7	TWA	50 ppm 221 mg/m3	2000/39/EC (2000-06-16)
			221 mg/m3	(2000-00-10)
	Further information: Identifies the possibility of significant uptake through the			



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

	skin, Indicat	ive		
		STEL	100 ppm	2000/39/EC
			442 mg/m3	(2000-06-16)
	Further info	rmation: Identifie	s the possibility of significan	t uptake through the
	skin, Indicat	ive		
		NDS	100 mg/m3	PL OEL
			_	(2018-07-07)
	Further info	rmation: Skin		
		NDSch	200 mg/m3	PL OEL
				(2018-07-07)
	Further info	rmation: Skin		
propane	74-98-6	NDS	1.800 mg/m3	PL OEL
				(2018-07-07)
butane	106-97-8	NDS	1.900 mg/m3	PL OEL
				(2018-07-07)
		NDSch	3.000 mg/m3	PL OEL
				(2018-07-07)
acetone	67-64-1	TWA	500 ppm	2000/39/EC
			1.210 mg/m3	(2000-06-16)
	Further info	rmation: Indicativ		
		NDS	600 mg/m3	PL OEL
				(2018-07-07)
		NDSch	1.800 mg/m3	PL OEL
				(2018-07-07)
ethylbenzene	100-41-4	TWA	100 ppm	2000/39/EC
			442 mg/m3	(2000-06-16)
	Further info skin, Indicat		s the possibility of significan	t uptake through the
		STEL	200 ppm	2000/39/EC
		0122	884 mg/m3	(2000-06-16)
	Further info skin, Indicat		s the possibility of significan	
		NDS	200 mg/m3	PL OEL
				(2018-07-07)
	Further info	rmation: Skin	1	(======================================
		NDSch	400 mg/m3	PL OEL
				(2018-07-07)
	Further info	rmation: Skin	L	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Skin contact	Long-term systemic effects	83 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Fresh water	0,0206 mg/l
	-
Fresh water sediment	235,6 mg/kg



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Marine water	0,0061 mg/l
Marine sediment	121 mg/kg
Microbiological Activity in Sewage Treat- ment Systems	0,052 mg/l
Soil	106,8 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection	Safety glasses with side-shields
Hand protection Material Break through time Protective index	Fluorinated rubber > 10 min Class 1
Remarks	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	Respirator with combination filter for vapour/particulate (EN 141) Short term only
	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	ABEK-P3-filter
Protective measures	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

: aerosol



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Versi 4.0	ion	Revision Date: 20.05.2022		of last issue: 11.05.2021 of first issue: 28.06.2016	Print Date: 25.05.2022
	Colour		:	silver	
	Odour		:	characteristic	
	Odour ⁻	Threshold	:	No data available	
	Melting	point/range	:	No data available	
	Boiling	point/boiling range	:	-161 °C (1.013 hPa)	
	Flamma	ability (solid, gas)	:	Extremely flammable aerosol.	
		explosion limit / Upper bility limit	:	10,9 %(V)	
		explosion limit / Lower bility limit	:	1,1 %(V)	
	Flash p	oint	:	-60 °C Method: Abel-Pensky	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-soluble (in	water)
	Viscosi			No data available	
		osity, dynamic	:		
		osity, kinematic	:	< 20,5 mm2/s (40 °C)	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Solu	ibility in other solvents	3 :	No data available	
	Partition octanol	n coefficient: n- /water	:	No data available	
	Vapour	pressure	:	5.500 hPa (20 °C)	
	Relative	e density	:	0,66 (20 °C) Reference substance: Water The value is calculated	
	Density	,	:	0,66 g/cm3	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021Print Date:Date of first issue: 28.06.201625.05.2022	
		(20 °C)	
Bul	k density	: No data available	
Rel	ative vapour density	: No data available	
9.2 Other information			
Explosives		: Not explosive	
Oxi	dizing properties	: No data available	
Sel	f-ignition	: No data available	
Me	al corrosion rate	: Not corrosive to metals	
Eva	aporation rate	: No data available	
Sub	blimation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous	reactio	ns
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

		5 ()
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	LC50 (Rat): > 1,0 - 5 mg/l Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation.
		Remarks: Harmful by inhalation. Irritating to respiratory system.
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Local irritation, Respiratory disorders
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
		Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Components:		
xylene:		
Acute inhalation toxicity	:	LC50 (Rat): 21 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rat): > 1.000 mg/kg Assessment: The component/mixture is moderately toxic after single contact with skin.
isobutane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
acetone:		
Acute oral toxicity	:	LD50 Oral (Rat): 5.800 mg/kg
ethylbenzene:		
Acute inhalation toxicity	:	(Rat): 17,5 mg/l Exposure time: 4 h



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

zinc powder — zinc dust (stabilised):				
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 GLP: yes Assessment: The substance or mixture has no acute oral tox- icity		
Acute inhalation toxicity	:	LC50 (Rat): > 5,41 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhala- tion toxicity		
butane:				
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas		
Skin corrosion/irritation				
Product:				
Remarks	:	Irritating to skin.		
Components:				
xylene:				
Result	:	Severe skin irritation		
acetone:				
Result	:	Repeated exposure may cause skin dryness or cracking.		
zinc powder — zinc dust (st	tabi	ilised):		
Species	:	Rabbit		
Assessment	:	No skin irritation		
Result	:	No skin irritation		
Serious eye damage/eye irr	itat	ion		
Product:				
Result	:	Eye irritation		
Remarks	:	Irritating to eyes.		



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



KS 25	31			
ersion 0	Revision Date: 20.05.2022		of last issue: 11.05.2021 of first issue: 28.06.2016	Print Date: 25.05.2022
Com	ponents:			
aceto	one:			
Spec	ies	: F	Rabbit	
Resu	lt	: E	Eye irritation	
zinc	powder — zinc dust	(stabilis	ed):	
Spec	ies	: F	Rabbit	
Expo	sure time	: 2	24 h	
Asse	ssment		No eye irritation	
Meth	od		DECD Test Guideline 405	
Resu	lt	1 :	No eye irritation	
GLP		:)	ves .	
Resp	piratory or skin sens	itisation		
<u>Prod</u>	uct:			
Rema	arks	: 1	This information is not available.	
<u>Com</u>	ponents:			
zinc	powder — zinc dust	(stabilis	ed):	
Spec			Guinea pig	
	ssment		Did not cause sensitisation on lab	ooratory animals.
Meth	od	: (DECD Test Guideline 406	
Resu	lt	: [Did not cause sensitisation on lab	ooratory animals.
GLP		:)	/es	
Germ	n cell mutagenicity			
Prod	uct:			
Geno	otoxicity in vitro	: F	Remarks: No data available	
Geno	otoxicity in vivo	: F	Remarks: No data available	
<u>Com</u>	ponents:			
zinc	powder — zinc dust	(stabilis	ed):	
Germ	n cell mutagenicity- As		Tests on bacterial or mammalian	cell cultures did not show
sessr	ment	r	nutagenic effects.	
Carc	inogenicity			
Prod	uct:			
Rema	arks	: 1	No data available	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021 Date of first issue: 28.06.2016	Print Date: 25.05.2022			
Components:						
zinc powder — zinc dust (stabilised):						

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies. ment

Reproductive toxicity

Product:

Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Remarks: No data available

Components:

zinc powder — zinc dust (stabilised):				
Reproductive toxicity - As- sessment	:	- Fertility -		
		No toxicity to reproduction - Teratogenicity -		
		No effects on or via lactation		

STOT - single exposure

Product:

Exposure routes	:	Inhalation
Assessment	:	May cause respiratory irritation.

Components:

acetone:

Exposure routes	:	Inhalation
Assessment	:	May cause drowsiness or dizziness.

STOT - repeated exposure

Product:	
Target Organs:Assessment:	hearing organs The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

Target Organs Assessment	hearing organs The substance or mixture is classified as specific target organ
	toxicant, repeated exposure, category 2.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Components:

ethylbenzene:

Assessment

: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Components:

xylene:

May be fatal if swallowed and enters airways.

ethylbenzene:

May be fatal if swallowed and enters airways.

zinc powder — zinc dust (stabilised):

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

SECTION 12: Ecological information

12.1 Toxicity

	Product:				
	Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
	Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available		
	Toxicity to algae/aquatic plants	:	Remarks: No data available		
	Toxicity to microorganisms	:	Remarks: No data available		
	Components:				
	zinc powder — zinc dust (st	abi	lised):		
	Toxicity to fish	:	LC50 (Oncorhynchus kisutch (coho salmon)): 0,727 mg/l Exposure time: 96 h Test Type: static test		
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,937 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202		
	M-Factor (Acute aquatic tox- icity)	:	1		
	M-Factor (Chronic aquatic toxicity)	:	1		
	Ecotoxicology Assessment				
	Acute aquatic toxicity	:	Very toxic to aquatic life.		
	Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.		
12.2	12.2 Persistence and degradability				
	Product:				
	Biodegradability	:	Remarks: No data available		
	Physico-chemical removabil- ity	:	Remarks: No data available		



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Versi 4.0	ion	Revision Date: 20.05.2022		e of last issue: 11.05.2021 e of first issue: 28.06.2016	Print Date: 25.05.2022
	Comp	onents:			
	acetor				
	Biodeg	gradability	:	Result: rapidly biodegradable	
12.3	Bioac	cumulative potential			
	<u>Produ</u>	<u>ct:</u>			
	Bioaco	cumulation	:	Remarks: This mixture contains no sul be persistent, bioaccumulating and tox This mixture contains no substance co persistent and very bioaccumulating (v	kic (PBT). Insidered to be very
	<u>Comp</u>	onents:			
	isobut	ane:			
		on coefficient: n- I/water	:	log Pow: 2,88 Method: OECD Test Guideline 107	
	acetor	ne:			
	Bioaco	cumulation	:	Remarks: Does not bioaccumulate.	
		on coefficient: n- I/water	:	log Pow: 0,2	
	propa	ne:			
	Partitio	on coefficient: n- I/water	:	log Pow: 2,36	
	butan	e:			
	Partitic	on coefficient: n- I/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
12.4	Mobil	ty in soil			
	<u>Produ</u>	<u>ct:</u>			
	Mobilit	у	:	Remarks: No data available	
		ution among environ- l compartments	:	Remarks: No data available	
12.5	Resul	ts of PBT and vPvB a	asse	ssment	
	<u>Produ</u>	<u>ct:</u>			
	Asses	sment	:	This substance/mixture contains no co	mponents considered

sessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

12.6 Endocrine disrupting properties

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation	Assessment	REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
---	------------	---

12.7 Other adverse effects

Product:

Additional ecological infor-	:	Harmful to aquatic life with long lasting effects.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	 Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code	 unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021 Date of first issue: 28.06.2016	Print Date: 25.05.2022
ΙΑΤΑ	l	: UN 1950	
14.2 UN p	proper shipping name		
ADN		: AEROSOLS	
ADR		: AEROSOLS	
RID		: AEROSOLS	
IMDO	3	: AEROSOLS	
ΙΑΤΑ	L .	: Aerosols, flammable	
14.3 Tran	sport hazard class(es)		
ADN		: 2	
ADR		: 2	
RID		: 2	
IMDO	3	: 2.1	
ΙΑΤΑ	L.	: 2.1	
14.4 Pack	king group		
	ing group sification Code	 Not assigned by regulation 5F 2.1 	
Class Labe	ing group sification Code	 Not assigned by regulation 5F 2.1 (D) 	
Class	ing group sification Code Ird Identification Number Is	Not assigned by regulation5F	
Labe	ing group	 Not assigned by regulation 2.1 F-D, S-U 	
	(Cargo) ing instruction (cargo	: 203	
Pack	ing instruction (LQ) ing group	: Y203 : Not assigned by regulation : Flammable Gas	
Pack	(Passenger) ing instruction (passen- ircraft)	: 203	
	ing instruction (LQ)	: Y203	



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version 4.0	Revision Date: 20.05.2022	Date of last issue: 11.05.2021Print DateDate of first issue: 28.06.201625.05.202	
Label	-	Not assigned by regulationFlammable Gas	
14.5 ENVI	ronmental hazards		
ADN Envire	onmentally hazardous	: no	
ADR Envire	onmentally hazardous	: no	
RID Envire	onmentally hazardous	: no	
IMDG Marin	; le pollutant	: no	
14.6 Spec	ial precautions for us	ser	

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: xylene (Number on list 3) ethylbenzene (Number on list 3)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: xylene ethylbenzene



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

011		•				
Vers 4.0	ion	Revision Date: 20.05.2022		e of last issue: 11.0 e of first issue: 28.0		Print Date: 25.05.2022
	(EU P	IC)				
		ation (EU) 2019/1148 ives precursors	3 on th	e marketing and us	se of :	Listed
	all susp ances tional c https:// fairs/file terroris precur- sors/do	oduct is regulated by picious transactions, and thefts should be contact point. Please ec.europa.eu/home- es/what-we-do/polici sm/explosives/explos ocs/list_of_competer points_en.pdf	and s report see affairs ies/cris sives-	ignificant disappea ted to the relevant /sites/ homeaf- sis-and-	r- na-	acetone (ANNEX II)
		_p =			: P5c	
					P2	
	Parlian	o III: Directive 2012/ [,] nent and of the Cour accident hazards inv s.	ncil on	the control of	P3a	FLAMMABLE AEROSOLS
					18	Liquefied extremely flammable gases (including LPG) and natural gas
	Volatile	e organic compound	s :	emissions (integra	ated pollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 99,5 %

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Act of 25 February 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2019, No. 0, item 1225)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173). Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 wraz z późn. zm.). Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers

related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended). Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066	:	Repeated exposure may cause skin dryness or cracking.
H220	:	Extremely flammable gas.
H225	:	Highly flammable liquid and vapour.
H226	:	Flammable liquid and vapour.
H280	:	Contains gas under pressure; may explode if heated.
		May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date	e of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Dat	e of first issue: 28.06.2016	25.05.2022
H315		:	Causes skin irritation.	
H319		:	Causes serious eye irritation.	
H332		:	Harmful if inhaled.	
H336		:	May cause drowsiness or dizzines	SS.
H373		:	May cause damage to organs thro	
			exposure.	5 1 5 1
H400			Very toxic to aquatic life.	
H410		:	Very toxic to aquatic life with long	lasting effects.
EUHC)66	:	Repeated exposure may cause sl	
Full t	ext of other abbrev	iations		
i un t		alions		

Note C	:	Some organic substances may be marketed either in a specif- ic isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the sub- stance is a specific isomer or a mixture of isomers.
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
PL OEL	:	Poland. Occupational exposure limits for airborne toxic sub- stances
2000/39/EC / TWA 2000/39/EC / STEL PL OEL / NDS PL OEL / NDSch	::	Limit Value - eight hours Short term exposure limit Maximal Admissible Concentration Maximal Admissible Temporary Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the n	nixture:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Acute Tox. 4	H332	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Based on product data or assessment
STOT SE 3	H335	Based on product data or assessment
STOT RE 2	H373	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006 - PL (Commission Regulation (EU) 2020/878)



OKS 2531

Version	Revision Date:	Date of last issue: 11.05.2021	Print Date:
4.0	20.05.2022	Date of first issue: 28.06.2016	25.05.2022

