

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : OKS 255

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address of person  
responsible for the SDS : mcm@oks-germany.com  
National contact :

#### 1.4 Emergency telephone number

Emergency telephone  
number : +34 91 562 04 20

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

##### Additional Labelling

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Mineral oil.  
Thickening agent

#### Hazardous components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
Kaolin, calcined	92704-41-1  296-473-8	Eye Irrit.2; H319 STOT SE3; H335		$\geq 1 - < 10$
Benzenamine, N-phenyl-, styrenated	68442-68-2  270-485-3	Aquatic Chronic3; H412		$\geq 1 - < 2,5$
Substances with a workplace exposure limit :				
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7  265-157-1  649-467-00-8 01-2119484627-25-XXXX			$\geq 30 - < 50$
distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0  265-169-7  649-474-00-6 01-2119471299-27-XXXX		Note L	$\geq 30 - < 50$
titanium dioxide	13463-67-7  236-675-5			$\geq 1 - < 10$

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do not induce vomiting without medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. In the case of respirable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Avoid breathing dust.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this substance/mixture.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
distillates (petroleum), hydro-treated heavy paraffinic	64742-54-7	VLA-ED (Mist)	5 mg/m <sup>3</sup>	ES VLA
Further information	This value is applied to the refined mineral oil and it is not applied to the potential additives in its formulation.			
		VLA-EC (Mist)	10 mg/m <sup>3</sup>	ES VLA
Further information	This value is applied to the refined mineral oil and it is not applied to the potential additives in its formulation.			
distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	VLA-ED (Mist)	5 mg/m <sup>3</sup>	ES VLA
Further information	This value is applied to the refined mineral oil and it is not applied to the potential additives in its formulation.			
		VLA-EC (Mist)	10 mg/m <sup>3</sup>	ES VLA
Further information	This value is applied to the refined mineral oil and it is not applied to the potential additives in its formulation.			
titanium dioxide	13463-67-7	VLA-ED	10 mg/m <sup>3</sup>	ES VLA

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
distillates (petroleum), solvent-dewaxed heavy paraffinic	Oral	9,33 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection  
Material : Nitrile rubber

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

- Protective index : Class 1
- Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Filter type A-P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : paste
- Colour : white
- Odour : characteristic
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/range : No data available
- : Not applicable
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : Combustible Solids
- Upper explosion limit : No data available
- Lower explosion limit : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

---

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 0,93 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.  
Acute inhalation toxicity : Remarks: This information is not available.  
Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **Kaolin, calcined:**

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **Benzenamine, N-phenyl-, styrenated:**

Acute oral toxicity : LD50 (Rat): > 20.000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

##### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

### Skin corrosion/irritation

#### Product:

Remarks: This information is not available.

#### Components:

##### **Kaolin, calcined:**

Result: Repeated exposure may cause skin dryness or cracking.

##### **Benzenamine, N-phenyl-, styrenated:**

Species: Rabbit

Assessment: No skin irritation

Result: No skin irritation

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species: Rabbit

Assessment: No skin irritation

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

##### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Species: Rabbit

Assessment: No skin irritation

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

### Serious eye damage/eye irritation

#### Product:

Remarks: This information is not available.

#### Components:

##### **Kaolin, calcined:**

Result: Irritating to eyes.

##### **Benzenamine, N-phenyl-, styrenated:**

Species: Rabbit

Assessment: No eye irritation

Result: No eye irritation

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species: Rabbit

Assessment: No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

Method: OECD Test Guideline 405  
Result: No eye irritation  
GLP: yes

### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation  
GLP: yes

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks: This information is not available.

#### **Components:**

### **Benzenamine, N-phenyl-, styrenated:**

Species: Guinea pig  
Assessment: Did not cause sensitisation on laboratory animals.  
Result: Did not cause sensitisation on laboratory animals.

### **distillates (petroleum), hydrotreated heavy paraffinic:**

Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

### Components:

#### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Genotoxicity in vitro : Species: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### **Carcinogenicity**

#### Product:

Remarks: No data available

### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Species: Mouse  
Application Route: Dermal  
Method: OECD Test Guideline 451  
Result: negative

### **Reproductive toxicity**

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 414

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

### STOT - single exposure

#### Components:

##### **Kaolin, calcined:**

Exposure routes: Inhalation

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### Repeated dose toxicity

#### Product:

Remarks: This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

No aspiration toxicity classification

##### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

No aspiration toxicity classification

### Further information

#### Product:

Remarks: Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms :

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

Remarks: No data available

### Components:

#### **Benzenamine, N-phenyl-, styrenated:**

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 422 mg/l  
Exposure time: 96 h

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

#### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **Benzenamine, N-phenyl-, styrenated:**

Biodegradability : Result: Not rapidly biodegradable  
Biodegradation: 9 %  
Exposure time: 28 d

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD 301 B  
GLP: yes

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **Benzenamine, N-phenyl-, styrenated:**

Partition coefficient: n-octanol/water : log Pow: 4,64

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Partition coefficient: n-octanol/water : log Pow: > 2

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

octanol/water

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

##### **distillates (petroleum), hydrotreated heavy paraffinic:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance.

### 12.6 Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

### SECTION 14: Transport information

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

No special precautions required.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances  
Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

emissions (integrated pollution prevention and control)  
Remarks: Not applicable

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - ES



## OKS 255

Version	Revision Date:	Date of last issue: 09.09.2016	Print Date:
1.2	21.02.2018	Date of first issue: 30.05.2016	29.05.2018

---

stances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

This safety datasheet applies only to products originally packaged and labelled by OKS Spezial-schmierstoffe. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of OKS Spezialschmierstoffe. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. OKS Spezialschmierstoffe provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.