

OKS 2631

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
1.4	10.04.2024	Date of first issue: 23.06.2016	10.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	:	OKS 2631		
1.2 Relevant identified uses of	the s	ubstance or mixture and uses advised against		
Use of the Substance/Mixture	:	Cleaning agent / Cleaner, Detergent		
Recommended restrictions on use	:	Restricted to professional users.		
1.3 Details of the supplier of the safety data sheet				

Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	

1.4 Emergency telephone number

Emergency telephone number	: 06 68593726 Roma - Gesù" Dip. Emergenza	CAV "Osp. Pediatrico Bambino e Accettazione DEA
	800183459 Foggia ·	· Az. Osp. Univ. Foggia
	081-5453333 Napoli -	Az. Osp. "A. Cardarelli"
	06-49978000 Roma -	CAV Policlinico "Umberto I"
	06-3054343 Roma -	CAV Policlinico "A. Gemelli"
	055-7947819 Firenze	- Az. Osp. "Careggi" U.O.
	Tossicologia Medica	
	0382-24444 Pavia -	CAV Centro Nazionale di
	Informazione Tossicolog	gica 🛛 👘
	02-66101029 Milano -	Osp. Niguarda Ca' Granda
	800883300 Bergam	o - Az. Osp. Papa Giovanni XXII
	800011858 Verona	- Az. Osp. Integrata Verona
	+49 8142 3051 517 (Se	rvice 24/7)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
1.4	10.04.2024	Date of first issue: 23.06.2016	10.04.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

•	、 ,	,
Aerosols, Category 1		H222: Extremely flammable aerosol.
		H229: Pressurised container: May burst if heated.

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Danger Hazard statements H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation. Precautionary statements **Prevention:** ÷ P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P280 Wear eye protection/ face protection. **Response:** P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





OKS 2631

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
1.4	10.04.2024	Date of first issue: 23.06.2016	10.04.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Aqueous solution

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 603-117-00-0 02-2119457558-25- XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336		>= 1 - < 10
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
2-butoxyethanol	111-76-2 203-905-0 603-014-00-0 01-2119475108-36- XXXX	Acute Tox.4; H302 Acute Tox.3; H331 Skin Irrit.2; H315 Eye Irrit.2; H319	ATE (Oral): 1.200 mg/kg; ATE (Inhalation): 3 mg/l;	>= 1 - < 10
	kplace exposure limit :			
butane	106-97-8	Flam. Gas1A;		>= 1 - < 10



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



Version	Revision Da	ate: Date of las	st issue: 29.11.2022	Print	Date:
1.4	10.04.2024 Date of first is		st issue: 23.06.2016	sue: 23.06.2016 10.04.2024	
		203-448-7 601-004-00-0 01-2119474691-32- XXXX	H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed	 Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.
4.2 Most important symptoms a	and effects, both acute and delayed
Symptoms	 Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness

Risks : None known.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878 - IT

OKS 2631

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
1.4	10.04.2024	Date of first issue: 23.06.2016	10.04.2024

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
		equipment may intervene.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version 1.4	Revision Date: 10.04.2024	Date of last issue: 29.11.2022 Date of first issue: 23.06.2016	Print Date: 10.04.2024		
6.2 Enviro	onmental precautions	S			
Environmental precautions		courses. Prevent further leakage or spillag	Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages		
6.3 Metho	ds and material for c	containment and cleaning up			
Metho	ods for cleaning up	: Contain spillage, and then collect absorbent material, (e.g. sand, e vermiculite) and place in contain local / national regulations (see s Keep in suitable, closed containe Non-sparking tools should be use	earth, diatomaceous earth, er for disposal according to section 13). ers for disposal.		

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : BEWARE: Aerosol is pressurized. Keep away from direct sun





OKS 2631

•··• =•	• •		
Version 1.4	Revision Date: 10.04.2024	Date of last issue: 29.11.2022 Date of first issue: 23.06.2016	Print Date: 10.04.2024
areas	and containers	exposure and temperatures over s or throw into fire even after use. D red-hot objects. Store in accordan national regulations. Protect from frost.	o not spray on flames or
-	f ic end use(s) ific use(s)	: Specific instructions for handling,	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH (2013-03-01)
		STEL	400 ppm	ACGIH (2013-03-01)
butane	106-97-8	STEL	1.000 ppm	ACGIH (2018-03-20)
2-butoxyethanol	111-76-2	TWALimit Value - eight hours	20 ppm 98 mg/m3	2000/39/EC (2000-06-16)
	Further inform skin, Indicativ		possibility of significant upta	ke through the
		STELShort term exposure limit	50 ppm 246 mg/m3	2000/39/EC (2000-06-16)
	Further inform skin, Indicativ		possibility of significant upta	ke through the
		TWA8 hour exposure limit	20 ppm 98 mg/m3	IT OEL (2020-05-19)
			Skin' attributes to the expos	ure limit values
		STELShort term exposure limit	50 ppm 246 mg/m3	IT OEL (2020-05-19)
	Further information: The notation 'Skin' attributes to the exposure limit and indicates the possibility of absorption through the skin.			
		TWA	20 ppm	ACGIH (2013-03-01)

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
propan-2-ol	67-63-0	Acetone: 40 mg/l (Urine)	End of shift at end of workweek	ACGIH BEI (2007-01-
				01)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



ceases)

OKS 2631

Version 1.4	Revision Date: 10.04.2024		issue: 29.11.2022 issue: 23.06.2016	Print Da 10.04.20	
2-but	oxyethanol	111-76-2	Butoxyacetic acid (BAA): 200 mg/g creatinine	End of shift (As soon as possible after exposure	ACGIH BEI (2010-03- 01)

(Urine)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

			· ·	
Substance name	End Use	Exposure routes	Potential health effects	Value
propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg
2-butoxyethanol	Workers	Inhalation	Long-term systemic effects	98 mg/m3
	Workers	Inhalation	Acute systemic effects	1091 mg/m3
	Workers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	89 mg/kg bw/day
	Workers	Inhalation	Acute local effects	246 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-butoxyethanol	Fresh water	8,8 mg/l
	Marine water	0,88 mg/l
	Sewage treatment plant	463 mg/l
	Fresh water sediment	34,6 mg/kg
	Marine sediment	3,46 mg/kg
	Soil	2,33 mg/kg
	Intermittent use/release	26,4 mg/l

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Hand protection		
Material	:	butyl-rubber
Break through time	:	> 10 min
Protective index	:	Class 1

Wear protective gloves. The break through time depends Remarks : amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 26	31		
Version 1.4	Revision Date: 10.04.2024	Date of last issue: 29.11.2022Print Date:Date of first issue: 23.06.201610.04.2024	
		The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standa EN 374 derived from it.	rd
Skin and body protection		: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.	0
Respiratory protection		: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstration that exposures are within recommended exposure guideling	
Filter type		: Recommended Filter type:	
		Organic gas and low boiling vapour type (AX)	
Protective measures		: The type of protective equipment must be selected accordi to the concentration and amount of the dangerous substan at the specific workplace.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	< 0 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	10,6 %(V)
Lower explosion limit / Lower flammability limit	:	2 %(V)
Flash point	:	< 0 °C Method: Abel-Pensky



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Versio 1.4	on Revision Date: 10.04.2024		of last issue: 29.11.2022 of first issue: 23.06.2016	Print Date: 10.04.2024
А	Auto-ignition temperature	:	No data available	
C	Decomposition temperature	:	No data available	
p	Н	:	10 (20 °C) Concentration: 100 %	
V	/iscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
S	Solubility(ies) Water solubility	:	soluble	
	Solubility in other solvents	; :	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
V	/apour pressure	:	48 hPa (20 °C)	
F	Relative density	:	0,989 (20 °C) Reference substance: Water The value is calculated	
C	Density	:	0,99 g/cm3 (20 °C)	
E	Bulk density	:	No data available	
F	Relative vapour density	:	No data available	
9.2 Ot	ther information			
E	Explosives	:	Not explosive	
C	Dxidizing properties	:	No data available	
S	Self-ignition	:	No data available	
E	Evaporation rate	:	No data available	
S	Sublimation point	:	No data available	



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

VersionRevision Date:Date of last issue: 29.11.2022Print Date:1.410.04.2024Date of first issue: 23.06.201610.04.2024	
--	--

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
		Strong sunlight for prolonged periods.
		Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
		Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
propan-2-ol:		
Acute oral toxicity	:	LD50 Oral (Rat): 5.840 mg/kg



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



_

(S 263	81		
sion	Revision Date: 10.04.2024	Date of last issue: 29.11.2022 Date of first issue: 23.06.2016	Print Date: 10.04.2024
	oxyethanol:		
Acute	oral toxicity	: Acute toxicity estimate: 1.: Method: Acute toxicity est No. 1272/2008	200 mg/kg imate according to Regulation (EC)
		LD50 (Guinea pig): 1.414 Method: OECD Test Guid	mg/kg eline 401
Acute	inhalation toxicity	: Acute toxicity estimate: 3 Test atmosphere: vapour Method: Acute toxicity est No. 1272/2008	mg/l imate according to Regulation (EC)
		LC50: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The compon inhalation.	ent/mixture is toxic after short term
Acute	dermal toxicity	: LD50 (Guinea pig): > 2.00 Method: OECD Test Guid Assessment: The substan toxicity	
butan	e:		
Acute	inhalation toxicity	: LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Skin d	corrosion/irritation		
<u>Produ</u>	ict:		
Rema		: This information is not ava	ailable.
<u>Comp</u>	oonents:		
2-but	oxyethanol:		
Specie		: Rabbit	
Asses Resul	sment t	Irritating to skin.Irritating to skin.	
Serio	us eye damage/eye	irritation	
<u>Produ</u>	<u>ict:</u>		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

rsion	Revision Date: 10.04.2024		e of last issue: 29.11.2022 e of first issue: 23.06.2016	Print Date: 10.04.2024
Com	ponents:			
prop	an-2-ol:			
Resu		:	Irritating to eyes.	
2-but	toxyethanol:			
Spec		:	Rabbit	
	ssment	:	Irritating to eyes.	
Resu	It	:	Irritating to eyes.	
Resp	piratory or skin sens	sitisatic	n	
Prod				
Rema	arks	:	This information is not available.	
Com	ponents:			
2-but	toxyethanol:			
Test		:	Maximisation Test	
Spec		:	Guinea pig	
Resu	ssment It	:	Did not cause sensitisation on labor Did not cause sensitisation on labor	
Germ	n cell mutagenicity			
Prod	uct:			
-	otoxicity in vitro	:	Remarks: No data available	
Geno	otoxicity in vivo	:	Remarks: No data available	
<u>Com</u>	ponents:			
2-but	toxyethanol:			
Geno	otoxicity in vitro	:	Test Type: In vitro mammalian cel	I gene mutation test
			Method: OECD Test Guideline 476	6
			Result: negative	and the second second second
			Remarks: In vitro tests did not sho	w mutagenic effects
Geno	otoxicity in vivo	:	Test Type: In vivo micronucleus te	est
	-		Species: Rat	
			Method: OECD Test Guideline 474	4
			Result: negative	
Germ	n cell mutagenicity-	:	In vitro tests did not show mutager	nic effects
	ssment			



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version 1.4	Revision Date: 10.04.2024		e of last issue: 29.11.2022 e of first issue: 23.06.2016	Print Date: 10.04.2024
Car	cinogenicity			
Pro	duct:			
Rem	narks	:	No data available	
<u>Con</u>	nponents:			
2-bı	utoxyethanol:			
	cinogenicity - essment	:	Animal testing did not show any ca	arcinogenic effects.
Rep	roductive toxicity			
Pro	duct:			
Effe	cts on fertility	:	Remarks: No data available	
-	cts on foetal elopment	:	Remarks: No data available	
<u>Con</u>	nponents:			
2-bı	utoxyethanol:			
	roductive toxicity - essment	:	- Fertility -	
733	cosment		No toxicity to reproduction - Teratogenicity -	
			Animal testing did not show any ef development.	fects on foetal
STC)T - single exposure			
Pro	duct:			
Rem	narks	:	No data available	
<u>Con</u>	nponents:			
	pan-2-ol:			
Ass	essment	:	May cause drowsiness or dizzines	S.
	utoxyethanol:			
Ass	essment	:	The substance or mixture is not cla organ toxicant, single exposure.	assified as specific target
STC	OT - repeated exposure	•		
Pro	duct:			
Rem	narks	:	No data available	



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version 1.4	Revision Date: 10.04.2024		e of last issue: 29.11.2022 e of first issue: 23.06.2016	Print Date: 10.04.2024
Com	ponents:			
2-but	toxyethanol:			
Asse	ssment	:	The substance or mixture is not clasor organ toxicant, repeated exposure.	ssified as specific target
Repe	eated dose toxicity			
Prod	uct:			
Rema	arks	:	This information is not available.	
Aspii	ration toxicity			
<u>Prod</u> This i	uct: information is not ava	ilable.		
Com	ponents:			
	t oxyethanol: spiration toxicity class	sificatio	n	
1.2 Infor	mation on other haz	zards		
Endo	ocrine disrupting pro	opertie	S	
Prod	uct:			
Asse	ssment	:	The substance/mixture does not co considered to have endocrine disru to REACH Article 57(f) or Commiss (EU) 2017/2100 or Commission Re levels of 0.1% or higher.	pting properties according ion Delegated regulation
Furth	ner information			
Prod	uct:			
Rema	arks	:	Information given is based on data the toxicology of similar products.	on the components and

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish

: Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version 1.4	Revision Date: 10.04.2024		e of last issue: 29.11.2022 e of first issue: 23.06.2016	Print Date: 10.04.2024
	xicity to daphnia and other uatic invertebrates	· :	Remarks: No data available	
	xicity to algae/aquatic ints	:	Remarks: No data available	
То	xicity to microorganisms	:	Remarks: No data available	
<u>Co</u>	mponents:			
2-k	outoxyethanol:			
Τo	xicity to fish	:	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20	
	xicity to daphnia and other uatic invertebrates	• :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 20	
	xicity to algae/aquatic ints	:	EC50 (Pseudokirchneriella subca mg/l Exposure time: 72 h Method: OECD Test Guideline 20	
			NOEC (Pseudokirchneriella subca mg/l Exposure time: 72 h Method: OECD Test Guideline 20	
	xicity to fish (Chronic cicity)	:	NOEC: > 100 mg/l Exposure time: 21 d Species: Danio rerio (zebra fish)	
aq	xicity to daphnia and other uatic invertebrates nronic toxicity)	· :	NOEC: 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water f Test Type: Reproduction Test Method: OECD Test Guideline 21	

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2	2631			
Version 1.4	Revision Date: 10.04.2024		e of last issue: 29.11.2022 e of first issue: 23.06.2016	Print Date: 10.04.2024
<u>Co</u>	mponents:			
pro	opan-2-ol:			
Bic	odegradability	:	Result: Readily biodegradable.	
2-b	outoxyethanol:			
Bic	odegradability	:	Test Type: aerobic Result: rapidly biodegradable Biodegradation: 90 % Exposure time: 28 d Method: OECD Test Guideline 301B	
12.3 Bio	oaccumulative potentia	I		
Pro	oduct:			
Bic	baccumulation	:	Remarks: No data available	
<u>Co</u>	mponents:			
-	opan-2-ol:			
Bic	baccumulation	:	Remarks: Bioaccumulation is unlikely.	
	rtition coefficient: n- anol/water	:	log Pow: 0,05	
pro	opane:			
	rtition coefficient: n- anol/water	:	log Pow: 2,36	
2-b	outoxyethanol:			
Bic	baccumulation	:	Bioconcentration factor (BCF): 3,16	
	rtition coefficient: n- anol/water	:	log Pow: 0,81 (25 °C) Method: OECD Test Guideline 107	
bu	tane:			
	rtition coefficient: n- anol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
12.4 Mc	obility in soil			
Pro	oduct:			
Мо	bility	:	Remarks: No data available	
Dis	stribution among	:	Remarks: No data available	
				a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
1.4	10.04.2024	Date of first issue: 23.06.2016	10.04.2024

environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment	: The substance/mixture does not contain components
Assessment	
	considered to have endocrine disrupting properties according
	to REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.
	levels of 0.1% of higher.

12.7 Other adverse effects

Product:

Additional ecological information	:	No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
1.4	10.04.2024	Date of first issue: 23.06.2016	10.04.2024

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADN	:	2
ADR	:	2
RID	:	2
IMDG	:	2.1
ΙΑΤΑ	:	2.1
14.4 Packing group		
ADN Packing group Classification Code Labels	:	Not assigned by regulation 5F 2.1
ADR Packing group Classification Code Labels Tunnel restriction code		Not assigned by regulation 5F 2.1 (D)
RID Packing group Classification Code Hazard Identification Number Labels IMDG		Not assigned by regulation 5F 23 2.1



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

0110 10			
Version 1.4	Revision Date: 10.04.2024	Date of last issue: 29.11.2022Print Date:Date of first issue: 23.06.201610.04.2024	
Labe	king group els 6 Code	 Not assigned by regulation 2.1 F-D, S-U 	
Pack aircra Pack	king instruction (LQ)	 203 Y203 Not assigned by regulation Flammable Gas 	
Pack (pas: Pack	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group els	 203 Y203 Not assigned by regulation Flammable Gas 	
14.5 Envi	ironmental hazards		
ADN Envi	l ronmentally hazardous	: no	
ADR Envi	ronmentally hazardous	: no	
RID Envi	ronmentally hazardous	: no	
IMD Mari	G ne pollutant	: no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered:	
		Number on list 75	20

Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



	A			
OKS 26	31			
Version 1.4	Revision Date: 10.04.2024	Date of last issue: 29. Date of first issue: 23.		Print Date: 10.04.2024
				2-butoxyethanol (Number on list 3)
Conc	CH - Candidate List o ern for Authorisation SVHC)	f Substances of Very Hig (Article 59).	h :	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
deple	lation (EC) No 1005/ te the ozone layer 1005/2009)	2009 on substances that	:	Not applicable
pollut	lation (EU) 2019/102 ants (recast) POP)	1 on persistent organic	:	Not applicable
Parlia	rt of dangerous chem	il concerning the export a	: nd	Not applicable
(Anne	CH - List of substance ex XIV) REACH-Annex XIV)	es subject to authorisatior	n :	Not applicable
•	lation (EU) 2019/114 sives precursors	8 on the marketing and u	se of :	Not applicable
			P2	
Parlia majo	so III: Directive 2012/ ament and of the Cou r-accident hazards in ances.		P3a	FLAMMABLE AEROSOLS
			18	Liquefied flammable gases (including LPG) and natural gas
Volat	ile organic compound			4 November 2010 on industrial ution prevention and control)
				a brand of





OKS 26	31		
Version 1.4	Revision Date: 10.04.2024	Date of last issue: 29.11.2022 Date of first issue: 23.06.2016	Print Date: 10.04.2024
	llation (EC) No. 2004, as amended	 Volatile organic compounds (VOC Ingredients 5 - < 15%: Aliphatic hydrocarbons Other constituents: Perfumes Allergens: LIMONENE 	

Other regulations:

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H225 : H280 :	Extremely flammable gas. Highly flammable liquid and vapour. Contains gas under pressure; may explode if heated.
H315 :	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.
H331 :	Toxic if inhaled. May cause drowsiness or dizziness.

Full text of other abbreviations

Note C

: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - IT



OKS 2631

Version 1.4	Revision Date: 10.04.2024		e of last issue: 29.11.2022 e of first issue: 23.06.2016	Print Date: 10.04.2024
Note I	J (table 3.1)	:	When put on the market gases ha "Gases under pressure", in one of gas, liquefied gas, refrigerated liqu The group depends on the physic packaged and therefore has to be following codes are assigned: Pre (Liq.) Press. Gas (Ref. Liq.) Press not be classified as gases under p 2, Section 2.3.2.1, Note 2).	the groups compressed uefied gas or dissolved gas. al state in which the gas is assigned case by case. The ss. Gas (Comp.) Press. Gas Gas (Diss.) Aerosols shall
2000/	39/EC	:	Europe. Commission Directive 20 list of indicative occupational expo	
ACGIH		:	: USA. ACGIH Threshold Limit Values (TLV)	
ACGIH BEI		:	ACGIH - Biological Exposure India	ces (BEI)
IT OE	L	:	Italy. List of indicative limit values chemical agents.	for professional exposure to
2000/3	39/EC / TWA	:	Limit Value - eight hours	
2000/	39/EC / STEL	:	Short term exposure limit	
	H/TWA	:	8-hour, time-weighted average	
	H / STEL	:	Short-term exposure limit	
	L / TWA L / STEL	:	8 hour exposure limit Short term exposure limit	
II OL		•		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CLP - Classification Labelling Packaging Regulation: Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-





OKS 2631

Version	Revision Date:	Date of last issue: 29.11.2022	Print Date:
1.4	10.04.2024	Date of first issue: 23.06.2016	10.04.2024

Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

