according to Regulation (EC) No. 1907/2006 - IT



## **OKS 265**

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 265

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Lubricant

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

mcm@oks-germany.com

responsible for the SDS

Material Compliance Management

National contact :

## 1.4 Emergency telephone number

Emergency telephone num-

ber

06 68593726 Roma - CAV "Osp. Pediatrico Bambino

Gesù" Dip. Emergenza e Accettazione DEA 800183459 Foggia - Az. Osp. Univ. Foggia 081-5453333 Napoli - Az. Osp. "A. Cardarelli"

06-49978000 Roma - CAV Policlinico "Umberto I" 06-3054343 Roma - CAV Policlinico "A. Gemelli" 055-7947819 Firenze - Az. Osp. "Careggi" U.O.

Tossicologia Medica

0382-24444 Pavia - CAV Centro Nazionale di

Informazione Tossicologica

02-66101029 Milano - Osp. Niguarda Ca' Granda 800883300 Bergamo - Az. Osp. Papa Giovanni XXII 800011858 Verona - Az. Osp. Integrata Verona

+49 8142 3051 517 (Service 24/7)



according to Regulation (EC) No. 1907/2006 - IT



## **OKS 265**

 Version
 Revision Date:
 Date of last issue: 15.06.2018
 Print Date:

 2.0
 19.07.2021
 Date of first issue: 03.06.2016
 19.07.2021

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Long-term (chronic) aquatic hazard, Cat-

H411: Toxic to aquatic life with long lasting effects.

egory 2

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label: calcium dihydroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Chemical nature : lithium soap

solid lubricant

Synthetic hydrocarbon oil

## Components

| Chemical name        | CAS-No. EC-No. Index-No. Registration number                        | Classification  | Concentration<br>limits<br>M-Factor<br>Notes | Concentration<br>(% w/w) |
|----------------------|---|---|--|--------------------------|
| calcium dihydroxide  | 1305-62-0<br>215-137-3<br>01-2119475151-45-<br>XXXX                 | Skin Irrit.2; H315<br>Eye Dam.1; H318<br>STOT SE3; H335 |  | >= 10 - < 20             |
| dizinc pyrophosphate | 7446-26-6<br>231-203-4<br>01-2120768152-56-<br>XXXX                 | Aquatic Acute1;<br>H400<br>Aquatic Chronic1;<br>H410    | M-Factor: 1/1                                | >= 2,5 - < 10            |
| zinc oxide           | 1314-13-2<br>215-222-5<br>030-013-00-7<br>01-2119463881-32-<br>XXXX | Aquatic Acute1;<br>H400<br>Aquatic Chronic1;<br>H410    | M-Factor: 1/1                                | >= 0,25 - < 1            |

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

Get medical attention immediately.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:

Erythema

Allergic appearance

Risks : Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides Sulphur oxides

> Oxides of phosphorus Halogenated compounds

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

 Version
 Revision Date:
 Date of last issue: 15.06.2018
 Print Date:

 2.0
 19.07.2021
 Date of first issue: 03.06.2016
 19.07.2021

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

| Components               | CAS-No.    | Value type (Form of exposure)   | Control parameters | Basis                       |
|--------------------------|------------|---------------------------------|--------------------|-----------------------------|
| calcium dihydrox-<br>ide | 1305-62-0  | TWA (Respirable fraction)       | 1 mg/m3            | 2017/164/EU<br>(2017-02-01) |
| Further information      | Indicative |                                 |                    |                             |
|                          |            | STEL (Respira-<br>ble fraction) | 4 mg/m3            | 2017/164/EU<br>(2017-02-01) |
| Further information      | Indicative |                                 |                    |                             |

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name   | End Use | Exposure routes | Potential health effects     | Value      |
|--|---------|-----------------|------------------------------|------------|
| calcium dihydroxide  | Workers | Inhalation      | Long-term local ef-<br>fects | 1 mg/m3    |
|  | Workers | Inhalation      | Acute local effects          | 4 mg/m3    |
| dizinc pyrophosphate   | Workers | Skin contact    | Long-term systemic effects   | 192 mg/kg  |
|  | Workers | Inhalation      | Long-term systemic effects   | 13,5 mg/m3 |
| thiodiethylene bis[3-<br>(3,5-di-tert-butyl-4-<br>hydroxy-<br>phenyl)propionate] | Workers | Inhalation      | Long-term systemic effects   | 3 mg/m3    |
| -  | Workers | Inhalation      | Acute systemic effects       | 3 mg/m3    |
|  | Workers | Skin contact    | Long-term systemic effects   | 13,8 mg/kg |



according to Regulation (EC) No. 1907/2006 - IT



## **OKS 265**

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

| zinc oxide | Workers | Inhalation   | Long-term systemic effects   | 5 mg/m3   |
|------------|---------|--------------|------------------------------|-----------|
|            | Workers | Inhalation   | Long-term local ef-<br>fects | 0,5 mg/m3 |
|            | Workers | Skin contact | Long-term systemic effects   | 83 mg/kg  |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name  | Environmental Compartment                                 | Value       |
|---|---|-------------|
| calcium dihydroxide   | Fresh water   | 0,49 mg/l   |
|   | Marine water  | 0,32 mg/l   |
|   | Intermittent use/release                                  | 0,49 mg/l   |
|   | Microbiological Activity in Sewage Treat-<br>ment Systems | 3 mg/l      |
|   | Soil  | 1080 mg/kg  |
| dizinc pyrophosphate  | Fresh water   | 0,233 µg/l  |
|   | Marine water  | 0,0233 µg/l |
|   | Sewage treatment plant                                    | 0,052 mg/l  |
|   | Fresh water sediment                                      | 25,6 mg/kg  |
|   | Marine sediment   | 2,56 mg/kg  |
|   | Soil  | 5,13 mg/kg  |
| thiodiethylene bis[3-(3,5-di-tert-<br>butyl-4-<br>hydroxyphenyl)propionate] | Sewage treatment plant                                    | 1 mg/l      |
| zinc oxide  | Fresh water   | 0,0206 mg/l |
|   | Marine water  | 0,0061 mg/l |
|   | Microbiological Activity in Sewage Treat-<br>ment Systems | 0,100 mg/l  |
|   | Fresh water sediment                                      | 117,8 mg/kg |
|   | Marine sediment   | 56,5 mg/kg  |
|   | Soil  | 35,6 mg/kg  |

## 8.2 Exposure controls

## **Engineering measures**

none

## Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

 Version
 Revision Date:
 Date of last issue: 15.06.2018
 Print Date:

 2.0
 19.07.2021
 Date of first issue: 03.06.2016
 19.07.2021

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : white

Odour : odourless

Odour Threshold : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Melting point/range : Not applicable

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1,02 (20 °C)

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

Reference substance: Water The value is calculated

Density : 1,02 g/cm3

(20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

Hazardous decomposition

products

>280 °C danger of forming toxic fluorine-containing pyrolysis

products.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

**Components:** 

calcium dihydroxide:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,04 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.500 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

dizinc pyrophosphate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 4,73 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

Method: OECD Test Guideline 436

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Guinea pig): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

zinc oxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

**Product:** 

Remarks : Irritating to skin.

**Components:** 

calcium dihydroxide:

Species : human skin Assessment : Irritating to skin.

Method : OECD Test Guideline 431

Result : Irritating to skin.

GLP : yes

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Irritating to skin.

GLP : yes

dizinc pyrophosphate:

Species : human skin

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

 Version
 Revision Date:
 Date of last issue: 15.06.2018
 Print Date:

 2.0
 19.07.2021
 Date of first issue: 03.06.2016
 19.07.2021

Assessment : No skin irritation

Method : OECD Test Guideline 439

Result : No skin irritation

GLP : yes

zinc oxide:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : Risk of serious damage to eyes.

**Components:** 

calcium dihydroxide:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

GLP : yes

dizinc pyrophosphate:

Species : Bovine cornea Assessment : No eye irritation

Method : OECD Test Guideline 437

Result : No eye irritation

GLP : yes

zinc oxide:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

**Components:** 

calcium dihydroxide:

Test Type : Local lymph node assay (LLNA)

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

Species : Mouse

Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

GLP : yes

dizinc pyrophosphate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

zinc oxide:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

calcium dihydroxide:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

GLP: yes



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

zinc oxide:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

calcium dihydroxide:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

zinc oxide:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

Components:

calcium dihydroxide:

Reproductive toxicity - As-

sessment

No toxicity to reproduction No effects on or via lactation

zinc oxide:

Reproductive toxicity - As-

sessment

No toxicity to reproduction No toxicity to reproduction

STOT - single exposure

**Components:** 

calcium dihydroxide:

Assessment : May cause respiratory irritation.

zinc oxide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

Version Date of last issue: 15.06.2018 Print Date: Revision Date: 19.07.2021 Date of first issue: 03.06.2016 19.07.2021 2.0

STOT - repeated exposure

**Components:** 

zinc oxide:

The substance or mixture is not classified as specific target Assessment

organ toxicant, repeated exposure.

Repeated dose toxicity

**Product:** 

Remarks This information is not available.

**Aspiration toxicity** 

**Product:** 

This information is not available.

**Components:** 

dizinc pyrophosphate:

No aspiration toxicity classification

zinc oxide:

No aspiration toxicity classification

**Further information** 

**Product:** 

Remarks Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

**SECTION 12: Ecological information** 

12.1 Toxicity

**Product:** 

Remarks: Toxic to aquatic organisms, may cause long-term Toxicity to fish

adverse effects in the aquatic environment.

aquatic invertebrates

Toxicity to daphnia and other : Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

a brand of FREUDENBERG

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

 Version
 Revision Date:
 Date of last issue: 15.06.2018
 Print Date:

 2.0
 19.07.2021
 Date of first issue: 03.06.2016
 19.07.2021

Remarks: No data available

**Components:** 

calcium dihydroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 49,1 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 32 mg/l Exposure time: 14 d

Species: Crangon crangon (shrimp)

Test Type: semi-static test

dizinc pyrophosphate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,948 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): < 5,6 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,233

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox-

icity)

1

M-Factor (Chronic aquatic :

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

Version Date of last issue: 15.06.2018 **Revision Date:** Print Date: 19.07.2021 Date of first issue: 03.06.2016 19.07.2021 2.0

toxicity)

zinc oxide:

LC50 (Danio rerio (zebra fish)): 1,55 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,136

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic tox- :

icity)

Toxicity to microorganisms EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

0,04 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability Remarks: No data available

Physico-chemical removabil- : Remarks: No data available

ity

#### **Components:**

calcium dihydroxide:

Remarks: The methods for determining the biological degra-Biodegradability

dability are not applicable to inorganic substances.

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

 Version
 Revision Date:
 Date of last issue: 15.06.2018
 Print Date:

 2.0
 19.07.2021
 Date of first issue: 03.06.2016
 19.07.2021

zinc oxide:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

**Components:** 

dizinc pyrophosphate:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB)..

zinc oxide:

Assessment : Remarks: Not applicable

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

: Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(dizinc pyrophosphate)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(dizinc pyrophosphate)



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(dizinc pyrophosphate)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(dizinc pyrophosphate)

IATA : Environmentally hazardous substance, solid, n.o.s.

(dizinc pyrophosphate)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

**ADN** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956

according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

Version **Revision Date:** Date of last issue: 15.06.2018 Print Date: 19.07.2021 Date of first issue: 03.06.2016 19.07.2021 2.0

Packing group Ш

Labels Miscellaneous

14.5 Environmental hazards

Environmentally hazardous yes

**ADR** 

Environmentally hazardous yes

Environmentally hazardous ves

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous ves

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regu-

lation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

Not applicable



according to Regulation (EC) No. 1907/2006 - IT



## **OKS 265**

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

preparations and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL

HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### Other regulations:

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada);



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021

ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Dam. 1 H318 Calculation method

Aquatic Chronic 2 H411 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006 - IT



**OKS 265** 

VersionRevision Date:Date of last issue: 15.06.2018Print Date:2.019.07.2021Date of first issue: 03.06.201619.07.2021