

Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product ide Product nar		: OKS 265
1.2 Relevant ide	entified uses of the s	substance or mixture and uses advised against
Use of the Substance/I	: Mixture	: Lubricant
Recommen on use	ded restrictions :	Restricted to professional users.
1.3 Details of th	e supplier of the sa	afety data sheet
Company	:	 OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	ess of person : for the SDS	mcm@oks-germany.com Material Compliance Management
National cor	ntact :	:
1.4 Emergency	telephone number	
Emergency number	telephone :	 CIAV - Information Centre of Antipoison (+351) 800 250 250 (free 24/7 service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.				





Version 4.0	Revision Date: 12.07.2023		te of last issue: 10.0 te of first issue: 03.0		Print Date: 12.07.2023
2.2 Labe	el elements				
Lab	elling (REGULATION (I	EC)	No 1272/2008)		
Haz	ard pictograms	:		7	
Sigr	nal word	:	Danger		
Haz	ard statements	:	H315 H318 H411	Causes skin irritation. Causes serious eye da Toxic to aquatic life wit	
Pre	cautionary statements	:	Prevention:		
	·		P264 P273 P280	Wash skin thoroughly a Avoid release to the en Wear protective gloves protection.	vironment.
			Response:		
			P305 + P351 + P3	38 + P310 IF IN EYE with water for several n contact lenses, if prese Continue rinsing. Imme POISON CENTER/ doo	ninutes. Remove nt and easy to do. diately call a
			P332 + P313	If skin irritation occurs: attention.	Get medical advice/
			P391	Collect spillage.	

Hazardous components which must be listed on the label:

calcium dihydroxide

Additional Labelling

Contains Benzenesulfonic acid, mono-C15-36-branched alkyl derivs., calcium salts. May produce an allergic reaction.

2.3 Other hazards

EUH208

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: lithium soap solid lubricant Synthetic hydrocarbon oil

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335		>= 10 - < 20
dizinc pyrophosphate	7446-26-6 231-203-4 01-2120768152-56- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 2,5 - < 10
zinc oxide	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1
Benzenesulfonic acid, mono-C15-36- branched alkyl derivs., calcium salts	90194-49-3 290-660-8	Skin Sens.1B; H317		>= 0,1 - < 1
Substances with a work				
lithium 12- hydroxystearate	7620-77-1 231-536-5	Not classified		>= 1 - < 10
	01-2119970893-23- XXXX			





OKS 26	5		
Version 4.0	Revision Date: 12.07.2023	Date of last issue: 10.07.2023 Date of first issue: 03.06.2016	Print Date: 12.07.2023
	XXXX 01-21 XXXX	19970893-23- (19970893-23-	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description of mist ald measure	
If inhaled :	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Get medical attention immediately.
If swallowed :	Move the victim to fresh air. Call a physician immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Skin contact may provoke the following symptoms: Erythema Allergic appearance
Risks :	corrosive effects





OKS 2	65				
Version 4.0	Revision Date: 12.07.2023		e of last issue: 10.07.2023 e of first issue: 03.06.2016	Print Date: 12.07.2023	
			Causes skin irritation. May cause an allergic skin reaction.		
4.3 Indio	cation of any immediate	e meo	dical attention and special treatment	needed	
Tre	Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. Treat symptomatically.				
SECTIO	ON 5: Firefighting mea	asur	es		
5.1 Exti	nguishing media				
Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.		n, dry chemical or			
Uns	suitable extinguishing dia	:	High volume water jet		
5.2 Spe	5.2 Special hazards arising from the substance or mixture				
	zardous combustion ducts	:	Carbon oxides Sulphur oxides Oxides of phosphorus Halogenated compounds Metal oxides		
5.3 Advi	ice for firefighters				
	ecial protective equipmen firefighters	t:	In the event of fire, wear self-contained Use personal protective equipment. Ex decomposition products may be a haz	posure to	
Fur	ther information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing must not be discharged into drains.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
----------------------	--





VersionRevision Date:Date of last issue: 10.07.2023Print Date:4.012.07.2023Date of first issue: 03.06.201612.07.2023	-			
--	---	--	--	--

6.2 Environmental precautions

Environmental precautions

: Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	: Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage	e, including any incompatibilities
Requirements for storage areas and containers	: Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright

7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.

to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis				
calcium dihydroxide	1305-62-0	VLE-MPTime Weighted Average	5 mg/m3	PT OEL (2007-03-26)				
		TWALimit Value - eight hours (Respirable fraction)	1 mg/m3	2017/164/EU (2017-02-01)				
	Further inform	nation: Indicative						
		STELShort term exposure limit (Respirable fraction)	4 mg/m3	2017/164/EU (2017-02-01)				
	Further inform	Further information: Indicative						
		TWA8 Hour limit value (respirable fraction)	1 mg/m3	PT DL 305/2007 (2018-06-11)				
		STELShort term limit value (respirable fraction)	4 mg/m3	PT DL 305/2007 (2018-06-11)				
lithium 12- hydroxystearate	7620-77-1	VLE-MPTime Weighted Average	10 mg/m3	PT OEL (2007-03-26)				
	Further inform humans.		hat are not classified as c	arcinogenic for				
zinc oxide	1314-13-2	VLE-MPTime Weighted Average (Respirable fraction)	2 mg/m3	PT OEL (2007-03-26)				
		VLE_CDShort Term Exposure Limit (Respirable fraction)	10 mg/m3	PT OEL (2007-03-26)				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium dihydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3
	Workers	Inhalation	Acute local effects	4 mg/m3



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 265

Vers 4.0	sion Revision Date: 12.07.2023		issue: 10.07.2023 issue: 03.06.2016	Print Da 12.07.2	
	dizinc pyrophosphate	Workers	Skin contact	Long-term systemic effects	192 mg/kg

			effects	
	Workers	Inhalation	Long-term systemic effects	13,5 mg/m3
thiodiethylene bis[3- (3,5-di-tert-butyl-4- hydroxyphenyl)propio nate]	Workers	Inhalation	Long-term systemic effects	3 mg/m3
	Workers	Inhalation	Acute systemic effects	3 mg/m3
	Workers	Skin contact	Long-term systemic effects	13,8 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium dihydroxide	Fresh water	0,49 mg/l
	Marine water	0,32 mg/l
	Intermittent use/release	0,49 mg/l
	Microbiological Activity in Sewage Treatment Systems	3 mg/l
	Soil	1080 mg/kg
dizinc pyrophosphate	Fresh water	0,233 µg/l
	Marine water	0,0233 µg/l
	Sewage treatment plant	0,052 mg/l
	Fresh water sediment	25,6 mg/kg
	Marine sediment	2,56 mg/kg
	Soil	5,13 mg/kg
thiodiethylene bis[3-(3,5-di-tert- butyl-4- hydroxyphenyl)propionate]	Sewage treatment plant	1 mg/l
zinc oxide	Fresh water	0,0179 mg/l
	Marine water	0,009 mg/l
	Sewage treatment plant	0,1245 mg/l
	Fresh water sediment	182,8 mg/kg
	Marine sediment	201,9 mg/kg
	Soil	103,4 mg/kg

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye/face protection	:	Tightly fitting safety goggles
Hand protection		
Material	:	Nitrile rubber
Break through time	:	> 10 min
Protective index	:	Class 1





OKS 26	5				
Version 4.0	Revision Date: 12.07.2023		of last issue: 10.07.2023 of first issue: 03.06.2016	Print Date: 12.07.2023	
Remarks			 Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. 		
Skin and body protection			Choose body protection in relation to concentration and amount of danger the specific work-place.		
Respiratory protection		:	: Not required; except in case of aerosol formation.		
Fi	lter type	:	Filter type A-P		
Prote	ective measures		The type of protective equipment mut to the concentration and amount of at the specific workplace.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
Melting point/range	:	Not applicable
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available





UN3 Z	05			
Version 4.0	Revision Date: 12.07.2023		of last issue: 10.07.2023 of first issue: 03.06.2016	Print Date: 12.07.2023
Dec	composition temperature	:	No data available	
рH		:	Not applicable substance/mixture is non-soluble	(in water)
	cosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
	ubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	6 :	No data available	
	tition coefficient: n- anol/water	:	No data available	
Vap	oour pressure	:	< 0,001 hPa (20 °C)	
Rel	ative density	:	0,95 (20 °C) Reference substance: Water The value is calculated	
Der	nsity	:	0,95 g/cm3 (20 °C)	
Bul	k density	:	No data available	
Rel	ative vapour density	:	No data available	
	er information		Not explosive	
	dizing properties	•	No data available	
	f-ignition	:	No data available	
	aporation rate	:	No data available	
Sub	blimation point	:	No data available	





Version 4.0	Revision Date: 12.07.2023	Date of last issue: 10.07.2023 Date of first issue: 03.06.2016	Print Date: 12.07.2023
SECTIC	N 10: Stability and	reactivity	
10.1 Rea	-		
NO	nazards to be specially	mentioned.	
	emical stability	tions.	
10.3 Pos	sibility of hazardous	reactions	
Haz	ardous reactions	: No dangerous reaction known	under conditions of normal use.
10.4 Cor	nditions to avoid		
Con	ditions to avoid	: No conditions to be specially n	nentioned.
10.5 Inco	ompatible materials		
Mat	erials to avoid	: No materials to be especially r	mentioned.
10.6 Haz	ardous decompositio	on products	
	ardous decomposition lucts	: >280 °C danger of forming tox products.	ic fluorine-containing pyrolysis

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Symptoms: Pain, Stomach/intestinal disorders
Acute inhalation toxicity	:	Remarks: Risk of delayed pulmonary oedema. Effects of breathing high concentrations of vapour may include: Irritating to respiratory system.
Acute dermal toxicity	:	Symptoms: Blistering, Redness, Local irritation
Components:		
calcium dihydroxide:		
Acute oral toxicity	:	LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity





OKS 26	5				
Version 4.0	Revision Date: 12.07.2023	Date of last issue: 10.07.2023Print EDate of first issue: 03.06.201612.07.			
Acute	inhalation toxicity	 LC50 (Rat, male and female): > 6,04 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes 			
Acute dermal toxicity		 LD50 (Rabbit, male and female): > 2.500 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute de toxicity 			
dizin	c pyrophosphate:				
Acute	oral toxicity	 LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 423 GLP: yes Assessment: The substance or mixture has no ac toxicity 	cute oral		
Acute inhalation toxicity		 LC50 (Rat): > 4,73 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes Assessment: The substance or mixture has no ac inhalation toxicity 	cute		
Acute dermal toxicity		 LD50 (Guinea pig): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no ac toxicity 	cute dermal		
zinc	oxide:				
-	oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401			
Acute	inhalation toxicity	 LC50 (Rat): > 5,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no ac inhalation toxicity 	cute		
Acute	e dermal toxicity	 LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no ac toxicity 	cute dermal		





Print Date:

12.07.2023

	KS 265	
4.0 12.07.2023		te:

U	12.07.2023	Dai	e of filst issue. 05.00.2010	12.07.2023
	lithium 12-hydroxystearate	:		
	Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
	Acute dermal toxicity	:	LD50 (Rabbit): > 3.000 mg/kg Assessment: The substance or mixtu toxicity	ure has no acute dermal
	Skin corrosion/irritation			
	Product:			
	Remarks	:	Causes skin burns. Irritating to skin.	
	Components:			
	calcium dihydroxide:			
	Species		human skin	
	Assessment Method	÷	Irritating to skin. OECD Test Guideline 431	
	Result	÷	Irritating to skin.	
	GLP	:	yes	
	Species	:	Rabbit	
	Assessment	:	Irritating to skin.	
	Method Result	÷	OECD Test Guideline 404 Irritating to skin.	
	GLP	:	yes	
	dizinc pyrophosphate:			
	Species		human skin	
	Assessment	:	No skin irritation	
	Method Result	÷	OECD Test Guideline 439 No skin irritation	
	GLP	:	yes	
	zinc oxide:			
	Species	:	Rabbit	
	Assessment Method	:	No skin irritation OECD Test Guideline 404	
	Result	÷	No skin irritation	

Date of last issue: 10.07.2023

Date of first issue: 03.06.2016

lithium 12-hydroxystearate:

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 439
Result	:	No skin irritation





Version 4.0	Revision Date: 12.07.2023	Date of last issue: 10.07.2023 Date of first issue: 03.06.2016	Print Date: 12.07.2023

Serious eye damage/eye irritation

Product:

Remarks

: Causes eye burns.

Components:

calcium dihydroxide:

Species	:	Rabbit
Assessment	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.
GLP	:	yes

dizinc pyrophosphate:

:	Bovine cornea
:	No eye irritation
:	OECD Test Guideline 437
:	No eye irritation
:	yes
	:

zinc oxide:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

lithium 12-hydroxystearate:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

calcium dihydroxide: Test Type

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Assessment	:	Does not cause skin sensitisation.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 26	5		
Version 4.0	Revision Date: 12.07.2023	Date of last issue: 10.07.2023 Date of first issue: 03.06.2016	Print Date: 12.07.2023
Meth Resu GLP		 OECD Test Guideline 429 Does not cause skin sensitisa yes 	ition.
Test Spec	ies ssment od	 Local lymph node assay (LLN Mouse Did not cause sensitisation or OECD Test Guideline 429 Did not cause sensitisation or yes 	a laboratory animals.
Test Spec	ies ssment od	 Maximisation Test Guinea pig Does not cause skin sensitisa OECD Test Guideline 406 Does not cause skin sensitisa yes 	
	ssment	ono-C15-36-branched alkyl derivs., : The product is a skin sensitise : The product is a skin sensitise	er, sub-category 1B.
	od	te: : Dermal : Mouse : OECD Test Guideline 429 : negative	
Gern	n cell mutagenicity		
<u>Prod</u> Genc	<u>uct:</u> otoxicity in vitro	: Remarks: No data available	
Geno	otoxicity in vivo	: Remarks: No data available	
<u>Com</u>	ponents:		
	um dihydroxide: otoxicity in vitro	: Test Type: Ames test Method: OECD Test Guideline Result: negative GLP: yes	e 471
		15 / 07	a brand of





OKS 26	5		
Version 4.0	Revision Date: 12.07.2023	Date of last issue: 10.07.2023 Date of first issue: 03.06.2016	Print Date: 12.07.2023
		Test Type: Chromosome aberr Method: OECD Test Guideline Result: negative GLP: yes	
		Test Type: In vitro mammalian Method: OECD Test Guideline Result: negative GLP: yes	
Germ	oxide: n cell mutagenicity- ssment	: Tests on bacterial or mammali mutagenic effects.	an cell cultures did not show
Carc	inogenicity		
<u>Prod</u> Rema		: No data available	
Com	ponents:		
Carci	um dihydroxide: nogenicity - ssment	: No evidence of carcinogenicity	in animal studies.
Carci	oxide: nogenicity - ssment	: Not classifiable as a human ca	rcinogen.
Repr	oductive toxicity		
Prod	uct:		
Effec	ts on fertility	: Remarks: No data available	
	ts on foetal lopment	: Remarks: No data available	
<u>Com</u>	ponents:		
Repr	um dihydroxide: oductive toxicity - ssment	 Fertility - No toxicity to reproduction Teratogenicity - No effects on or via lactation 	





OKS	265				
Versio 4.0	on	Revision Date: 12.07.2023		e of last issue: 10.07.2023 e of first issue: 03.06.2016	Print Date: 12.07.2023
R	inc ox eprod ssess	uctive toxicity -	:	 Fertility - No toxicity to reproduction Teratogenicity - No toxicity to reproduction 	
S	тот -	single exposure			
	r oduc temark		:	No data available	
<u>C</u>	ompo	onents:			
	alciun ssess	n dihydroxide: ment	:	May cause respiratory irritation.	
	inc ox ssess		:	The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target
S	тот -	repeated exposure			
	eroduc Remark		:	No data available	
<u>c</u>	ompo	onents:			
	inc ox ssess		:	The substance or mixture is not c organ toxicant, repeated exposure	
R	epeat	ed dose toxicity			
	r oduc temark		:	This information is not available.	
А	spirat	tion toxicity			
	roduc his inf	e <mark>t:</mark> ormation is not availa	ble.		
<u>c</u>	ompo	onents:			
	-	pyrophosphate:			
N	lo aspi	ration toxicity classifi	catio	1	





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

zinc oxide:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance. Ingestion causes burns of the upper digestive and respiratory tracts.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
calcium dihydroxide:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l Exposure time: 96 h Test Type: static test





OK	S 265				
Vers 4.0	sion	Revision Date: 12.07.2023		e of last issue: 10.07.2023 e of first issue: 03.06.2016	Print Date: 12.07.2023
				Method: OECD Test Guideline 203 GLP: yes	
		/ to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 49, Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	1 mg/l
	Toxicity plants	/ to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	green algae)): 184,57
	Ecotox	cicology Assessment	t		
	Acute a	aquatic toxicity	:	This product has no known ecotoxicologi	cal effects.
	Chronic	c aquatic toxicity	:	This product has no known ecotoxicologi	cal effects.
	dizinc	pyrophosphate:			
	Toxicity	/ to fish	:	LC50 (Danio rerio (zebra fish)): > 1,948 r Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	ng/l
		/ to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): < 5 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	,6 mg/l
	Toxicity plants	/ to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	green algae)): 0,233
	M-Fact toxicity	or (Acute aquatic)	:	1	
	M-Fact toxicity	or (Chronic aquatic)	:	1	
	zinc ox	kide:			
		/ to fish	:	LC50 (Danio rerio (zebra fish)): 1,55 mg/ Exposure time: 96 h	I





- 1/-					
OKS	5 265				
Versi 4.0	on	Revision Date: 12.07.2023		e of last issue: 10.07.2023 e of first issue: 03.06.2016	Print Date: 12.07.2023
				Test Type: static test	
		to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 1 m Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	g/I
	Toxicity plants	to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	reen algae)): 0,136
	M-Facto toxicity)	or (Acute aquatic	:	1	
-	Toxicity	to microorganisms	:	EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes	
á	aquatic	to daphnia and other invertebrates c toxicity)	:	0,04 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211	
	M-Facto toxicity)	or (Chronic aquatic	:	1	
		12-hydroxystearate : to fish		LC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes	ut)): > 100 mg/l
		to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h)0 mg/l
	Toxicity plants	to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g mg/l Exposure time: 72 h Method: OECD Test Guideline 201	reen algae)): > 160
				NOEC (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h Method: OECD Test Guideline 201	green algae)): 160





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

12.2 Persistence and degradability

	-		
	<u>Product:</u> Biodegradability	:	Remarks: No data available
	Physico-chemical removability	:	Remarks: No data available
	Components:		
	calcium dihydroxide:		
	Biodegradability	:	Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.
	zinc oxide:		
	Biodegradability	:	Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
	lithium 12-hydroxystearate:		
	Biodegradability	:	Test Type: Primary biodegradation Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 74,7 % Exposure time: 28 d Method: OECD Test Guideline 301C
12.3	3 Bioaccumulative potential		
	Product:		
	Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
	Components:		
	lithium 12 hydroxystoarato:		
	lithium 12-hydroxystearate: Partition coefficient: n- octanol/water	:	log Pow: 2,6
12.4	4 Mobility in soil		
	Product:		
	Mobility	:	Remarks: No data available
	Distribution among	:	Remarks: No data available
			21 / 27



Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

dizinc pyrophosphate:		
Assessment	:	This substance is not considered to be persistent, bioaccumulating and toxic (PBT) This substance is not considered to be very persistent and very bioaccumulating (vPvB).

zinc oxide:

Assessment	: F	Remarks: Not applicable
------------	-----	-------------------------

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological	:	Toxic to aquatic life with long lasting effects.
information		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 The product should not be allowed to enter drains, water courses or the soil.
 Do not dispose of with domestic refuse.
 Dispose of as hazardous waste in compliance with local and national regulations.





OKS 26	5		
Version 4.0	Revision Date: 12.07.2023	Date of last issue: 10.07.2023 Date of first issue: 03.06.2016	Print Date: 12.07.2023
		Waste codes should be assigned by the application for which the product was	
Conta	aminated packaging	 Packaging that is not properly emptied the unused product. Dispose of waste product or used con local regulations. 	•
		The following Waste Codes are only s	suggestions:
Waste Code		: used product, unused product 12 01 12*, spent waxes and fats	
		uncleaned packagings 15 01 10*, packaging containing resid by hazardous substances	ues of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dizinc pyrophosphate)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dizinc pyrophosphate)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dizinc pyrophosphate)
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (dizinc pyrophosphate)
14.3 Transport hazard class(es)		
ADR	:	9
RID	:	9
IMDG	:	9



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 265

Version 4.0	Revision Date: 12.07.2023		e of last issue: 10.07.2023 e of first issue: 03.06.2016	Print Date: 12.07.2023
ΙΑΤΑ		:	9	
14.4 Pack	ing group			
Class Haza Label	ing group ification Code rd Identification Number Is el restriction code		III M7 90 9 (-)	
Class	ing group ification Code rd Identification Number Is	:	III M7 90 9	
Label	ing group	:	III 9 F-A, S-F	
Packi aircra Packi	ing instruction (LQ)	:	956 Y956 III Miscellaneous Dangerous Goods	
Packi (pass Packi	(Passenger) ing instruction enger aircraft) ing instruction (LQ) ing group Is	:	956 Y956 III Miscellaneous Dangerous Goods	
14.5 Envi	ronmental hazards			
ADR Envir	onmentally hazardous	:	yes	
RID Envir	onmentally hazardous	:	yes	
IMDO Marin	3 ne pollutant	:	yes	
	(Passenger) onmentally hazardous	:	yes	
	(Cargo) onmentally hazardous	:	yes	
	ial precautions for use	٦r	-	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable
Seveso III: Directive 2012/18/EU of the European E2 Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		ENVIRONMENTAL HAZARDS
0 1		4 November 2010 on industrial ution prevention and control)



Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

2017/1

2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
PT DL 305/2007	:	Portugal. Indicative Occupational Exposure Limits
PT OEL	:	Portugal. Security and Health at the Workplace - Occupational exposure limits of chemical agents
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
PT DL 305/2007 / TWA	:	8 Hour limit value
PT DL 305/2007 / STEL	:	Short term limit value
PT OEL / VLE-MP	:	Time Weighted Average
PT OEL / VLE_CD	:	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
4.0	12.07.2023	Date of first issue: 03.06.2016	12.07.2023

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	e mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Chronic 2	H411	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

