according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name		OKS 2660			
Product name	•	OKS 2000			
1.2 Relevant identified uses of t	the s	substance or mixture and uses advised against			
Use of the Sub- stance/Mixture	:	Cleaning agent / Cleaner			
Recommended restrictions on use	:	Restricted to professional users.			
1.3 Details of the supplier of the	e saf	ety data sheet			
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com			
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management			
National contact	:				
1.4 Emergency telephone numb	ber				
Emergency telephone num- ber		+49 8142 3051 517			
SECTION 2: Hazards identification					
2.1 Classification of the substance or mixture					

### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



<b>DKS 266</b>	50				
/ersion 2.1	Revision Date: 12.05.2022			ue: 11.05.2018 sue: 23.06.2016	Print Date: 19.05.2022
Aspira	ation hazard, Catego	ory 1		H304: May be fatal if s ways.	swallowed and enters air-
Long- egory	term (chronic) aquat 2	ic haz	ard, Cat-	H411: Toxic to aquation	c life with long lasting effects.
2.2 Label	elements				
Label	ling (REGULATION	I (EC)	No 1272/20	08)	
Hazaı	rd pictograms	:			
Signa	l word	:	Danger		
Hazaı	rd statements	:	H225 H304		ble liquid and vapour. swallowed and enters air-
			H315	Causes skin ir	
			H319 H336		s eye irritation. owsiness or dizziness.
			H411		ic life with long lasting effects.
Preca	utionary statements	:	Preventio	n:	
			P210		m heat, hot surfaces, sparks, nd other ignition sources. No
			P273	Avoid release	to the environment.
			Response	:	
			P301 + P3	10 IF SWALLOW POISON CEN	ED: Immediately call a TER/ doctor.
			P331 P370 + P3	Do NOT induc 78 In case of fire:	
			P391	Collect spillage	-
			Storage:		
			P403 + P2	35 Store in a well	-ventilated place. Keep cool.

# Hazardous components which must be listed on the label:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

acetone

Hydrocarbons, C6, isoalkanes, <5% n-hexane



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature

: Solvent mixture

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	920-750-0 01-2119473851-33- xxxx	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066		>= 30 - < 50
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 25 - < 30
acetone	67-64-1 200-662-2 606-001-00-8 01-2119471330-49- XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 20 - < 30
Hydrocarbons, C6,		Flam. Liq.2; H225		>= 2,5 - < 10



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

Version	Revision D		issue: 11.05.2018	Print Date:
2.1	12.05.2022		issue: 23.06.2016	19.05.2022
isoalkanes hexane	s, <5% n-	931-254-9 01-2119484651-34- XXXX	Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled	:	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed	:	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms

: Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

Version 2.1	Revision Date: 12.05.2022	Date of last issue: 11.05.207 Date of first issue: 23.06.207	
Risks		Erythema Aspiration may cause p : Central nervous system Can be absorbed throu	igh skin. g the lungs on vomiting after ingestion.

### 4.3 Indication of any immediate medical attention and special treatment needed

т	rea	atm	าค	nt
	100	un	10	ιıι

: Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire- fighting	:	Do not let product enter drains. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
	Hazardous combustion prod- ucts	:	Carbon oxides
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
	Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas. Use personal protective equipment.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
	Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up :	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.
---------------------------	--

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling Use only in an area containing explosion proof equipment. • Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not indest. Do not use sparking tools.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

Version 2.1	Revision Date: 12.05.2022	Date of last issue: 11.05.2018Print Date:Date of first issue: 23.06.201619.05.2022	
		Do not enter areas where used or stored until adequate tilated. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packagin may still contain product residues. Keep container closed when not in use.	
	ice on protection agains and explosion	: Keep away from heat and sources of ignition.	
Hyg	iene measures	: Wash face, hands and any exposed skin thoroughly aft handling.	er
7.2 Conditions for safe storage, including any incompatibilities			
	uirements for storage as and containers	Store in original container. Keep container closed when not ir use. Keep in a cool place away from oxidizing agents. Keep i a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prever leakage. Store in accordance with the particular national regu- lations. Keep in properly labelled containers.	
Stor	age class (TRGS 510)	: 3, Flammable liquids	
-	t <b>ific end use(s)</b> cific use(s)	: Specific instructions for handling, not required.	

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis	
		of exposure)	·		
Hydrogerbong C7	Not As-	AGW	1.500 mg/m3	DE TRGS	
Hydrocarbons, C7-		AGW	1.500 mg/ms		
C9, n-alkanes,	signed			900	
isoalkanes, cyclics				(2009-02-16)	
	Peak-limit: excursion factor (category): 2;(II)				
	Further information: Group exposure limit for hydrocarbon solvent mixtures				
Hydrocarbons, C6-	Not As-	AGW	1.500 mg/m3	DE TRGS	
C7, n-alkanes,	signed		-	900	
isoalkanes, cyclics,	J			(2009-02-16)	
<5% n-hexane				(2000 02 10)	
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(II)			
	Further information: Group exposure limit for hydrocarbon solvent mixtures				
acetone	67-64-1	TWA	500 ppm	2000/39/EC	
			1.210 mg/m3	(2000-06-16)	
	Further information: Indicative				



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

2.1         12.05.2022         Date of first issue: 23.06.2016         19.05.2022	Version 2.1	Revision Date: 12.05.2022	Date of last issue: 11.05.2018 Date of first issue: 23.06.2016	Print Date: 19.05.2022
---	----------------	---------------------------	---	------------------------

		AGW	500 ppm 1.200 mg/m3	DE TRGS 900 (2015-03-02)	
	Peak-limit: excursion factor (category): 2;(I)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
Hydrocarbons, C6, isoalkanes, <5% n- hexane	Not As- signed	AGW	1.500 mg/m3	DE TRGS 900 (2009-02-16)	
	Peak-limit: excursion factor (category): 2;(II)				
	Further information: Group exposure limit for hydrocarbon solvent mixtures				

#### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
acetone	67-64-1	Acetone: 80 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903 (2004-08- 01)

#### 8.2 Exposure controls

#### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Filter type A-P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

# **SECTION 9: Physical and chemical properties**

9.1 Informa	tion on basic physical	an	d chemical properties
Physica	al state	:	liquid
Colour		:	colourless
Odour		:	hydrocarbon-like
Odour <sup>-</sup>	Threshold	:	No data available
Melting	point/range	:	No data available
Boiling	point/boiling range	:	61,4 °C (1.013 hPa)
Flamma	ability (solid, gas)	:	Not applicable
	explosion limit / Upper bility limit	:	7,7 %(V)
	explosion limit / Lower bility limit	:	0,7 %(V)
Flash p	oint	:	-18 °C Method: Abel-Pensky
Auto-ig	nition temperature	:	No data available
Decom	position temperature	:	No data available
рН		:	Not applicable substance/mixture is non-polar/aprotic
Viscosi	tv		
	osity, dynamic	:	No data available
Visc	osity, kinematic	:	< 20,5 mm2/s (40 °C)
Solubili Wat	ty(ies) er solubility	:	insoluble
Solu	bility in other solvents	:	No data available
Partitio octanol	n coefficient: n- /water	:	No data available



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

Version 2.1	Revision Date: 12.05.2022	Date of last issue: 11.05.2018 Date of first issue: 23.06.2016	Print Date: 19.05.2022
Vapo	our pressure	: 8,4 hPa (20 °C)	
Relat	tive density	: 0,7285 (20 °C) Reference substance: Water The value is calculated	
Dens	sity	: 0,73 g/cm3 (20 °C)	
Bulk	density	: No data available	
Relat	tive vapour density	: No data available	
9.2 Other	information		
Explo	osives	: Not explosive	
Oxidi	izing properties	: No data available	
Self-i	ignition	: not auto-flammable	
Meta	l corrosion rate	: Not corrosive to metals	
Evap	oration rate	: No data available	
Subli	mation point	: No data available	

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	
No hazards to be specially m	entioned.
10.2 Chemical stability	
Stable under normal conditio	ns.
10.3 Possibility of hazardous re	actions
Hazardous reactions	: No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks. Strong sunlight for prolonged periods.
10.5 Incompatible materials	
Materials to avoid	: Oxidizing agents
10.6 Hazardous decomposition	products

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.
		Symptoms: Inhalation may provoke the following symptoms:, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
Components:		
Hydrocarbons, C7-C9, n-all	kan	es, isoalkanes, cyclics:
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
acetone:		
Acute oral toxicity	:	LD50 Oral (Rat): 5.800 mg/kg
Hydrocarbons, C6, isoalka	nes,	, <5% n-hexane:
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Skin corrosion/irritation		
Product:		
Remarks	:	Irritating to skin.
Components:		
Hydrocarbons, C7-C9, n-al	kan	es, isoalkanes, cyclics:
Result	:	Repeated exposure may cause skin dryness or cracking.
-	kan	es, isoalkanes, cyclics, <5% n-hexane:
Species Result	:	Rabbit Skin irritation
NESUIL	•	
acetone:		
Result	:	Repeated exposure may cause skin dryness or cracking.
		a brand of

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

Hydrocarbons, C6, isoalkanes, <5% n-hexane:				
Result	ies, :			
Serious eye damage/eye irr	itat	ion		
Product:				
Remarks	:	Irritating to eyes.		
Components:				
acetone:				
Species Result		Rabbit Eye irritation		
Result	•			
Respiratory or skin sensitis	satio	on		
Product:				
Remarks	:	This information is not available.		
Germ cell mutagenicity				
Product:				
Genotoxicity in vitro	:	Remarks: No data available		
Genotoxicity in vivo	:	Remarks: No data available		
Carcinogenicity				
Product:				
Remarks	:	No data available		
Reproductive toxicity				
Product:				
Effects on fertility	:	Remarks: No data available		
Effects on foetal develop- ment	:	Remarks: No data available		
STOT - single exposure				
Components:				
Hydrocarbons, C7-C9, n-alk	kane	es, isoalkanes, cyclics:		
Assessment	:	May cause drowsiness or dizziness.		

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version 2.1	Revision Date: 12.05.2022	Date of last issue: 11.05.2018 Date of first issue: 23.06.2016	Print Date: 19.05.2022
Asse	ssment	: May cause drowsiness or dizziness	
	one: sure routes ssment	: Inhalation : May cause drowsiness or dizziness	
Hvdr	ocarbons. C6. isoal	kanes, <5% n-hexane:	
-	ssment	: May cause drowsiness or dizziness	
Repe	eated dose toxicity		
<u>Prod</u> Rema		: This information is not available.	
Aspi	ration toxicity		
Prod May I	uct: be fatal if swallowed	and enters airways.	
Com	ponents:		
-	ocarbons, C7-C9, n be fatal if swallowed	-alkanes, isoalkanes, cyclics: and enters airways.	
-	ocarbons, C6-C7, n be fatal if swallowed	-alkanes, isoalkanes, cyclics, <5% n-hexa and enters airways.	ine:
-	ocarbons, C6, isoal be fatal if swallowed	<b>kanes, &lt;5% n-hexane:</b> and enters airways.	
11.2 Infor	mation on other ha	zards	
Endo	ocrine disrupting pro	operties	
<u>Prod</u>			
Asse	ssment	: The substance/mixture does not con ered to have endocrine disrupting p REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Reg levels of 0.1% or higher.	roperties according to Delegated regulation
Furth	ner information		
Prod	uct:		
Rema	arks	: Ingestion causes irritation of upper gastrointestinal disturbance.	respiratory system and



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

12.1 I OXICITY		
<u>Product:</u> Toxicity to fish		Remarks: Toxic to aquatic organisms, may cause long-term
	•	adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C7-C9, n-alk	ane	es, isoalkanes, cyclics:
Ecotoxicology Assessment		
		Toxic to aquatic life with long lasting effects.
Hydrocarbons, C6-C7, n-alk	ane	es, isoalkanes, cyclics, <5% n-hexane:
Ecotoxicology Assessment		
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
Hydrocarbons, C6, isoalkan	es,	<5% n-hexane:
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h
12.2 Persistence and degradabil	ity	
Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available
Components:		
Hydrocarbons, C7-C9, n-alk	ane	es, isoalkanes, cyclics:

Biodegradability : Result: Readily biodegradable.

#### acetone:



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

Version 2.1	Revision Date: 12.05.2022		e of last issue: 11.05.2018 e of first issue: 23.06.2016	Print Date: 19.05.2022
Biode	egradability	:	Result: rapidly biodegradable	
Hydr	ocarbons, C6, isoalka	nes,	<5% n-hexane:	
Biode	egradability	:	Result: Not rapidly biodegradable	
12.3 Bioa	ccumulative potential			
Prod	uct:			
Bioac	cumulation	:	Remarks: This mixture contains no be persistent, bioaccumulating an This mixture contains no substance persistent and very bioaccumulation	d toxic (PBT). ce considered to be very
Com	ponents:			
Hydr	ocarbons, C7-C9, n-al	kane	es, isoalkanes, cyclics:	
Bioac	cumulation	:	Remarks: Not applicable	
	ion coefficient: n- ol/water	:	Remarks: No data available	
aceto	one:			
Bioac	cumulation	:	Remarks: Does not bioaccumulate	е.
	ion coefficient: n- ol/water	:	log Pow: 0,2	
Hydr	ocarbons, C6, isoalka	nes.	<5% n-hexane:	
•	cumulation	:	Remarks: No data available	
	ion coefficient: n- ol/water	:	log Pow: 4	
12.4 Mobi	lity in soil			
Prod	<u>uct:</u>			
Mobil	ity	:	Remarks: No data available	
	bution among environ- al compartments	:	Remarks: No data available	
12.5 Resu	llts of PBT and vPvB a	asse	ssment	
Prod	uct:			
	ssment	:	This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher.	lative and toxic (PBT), or



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

### **12.6 Endocrine disrupting properties**

REACH Article 57(f) or Commission Delegated regulation	Assessment	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
--	------------	--

#### 12.7 Other adverse effects

### Product:

Additional ecological infor-	:	Toxic to aquatic life with long lasting effects.
mation		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 14 06 03*, other solvents and solvent mixtures
	uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN

: UN 1993



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



# **OKS 2660**

OKS	5 266	0			
Versi 2.1	ion	Revision Date: 12.05.2022		e of last issue: 11.05.2018 e of first issue: 23.06.2016	Print Date: 19.05.2022
	ADR		:	UN 1993	
	RID		:	UN 1993	
	IMDG			UN 1993	
				UN 1993	
14.2	UN pro	oper shipping name			
	ADN		:	FLAMMABLE LIQUID, N.O.S.	
	ADR		:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7-C9, n-alkanes, iso carbons, C6-C7, n-alkanes, isoalkane hexane)	
	RID		:	FLAMMABLE LIQUID, N.O.S.	
	IMDG		:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C7-C9, n-alkanes, iso carbons, C6-C7, n-alkanes, isoalkano hexane)	
ļ	ΙΑΤΑ		:	Flammable liquid, n.o.s. (Hydrocarbons, C7-C9, n-alkanes, is carbons, C6-C7, n-alkanes, isoalkane hexane)	
14.3	Trans	port hazard class(es)			
	ADN		:	3	
	ADR		:	3	
	RID		:	3	
	IMDG		:	3	
	ΙΑΤΑ		:	3	
14.4	Packir	ng group			
	Classif Hazarc Labels <b>ADR</b> Packin Classif Hazarc Labels Tunnel <b>RID</b> Packin Classif Hazarc	g group ication Code d Identification Number l restriction code g group ication Code d Identification Number	: ; ; ; ;	II F1 33 3 II F1 33 3 (D/E) II F1 33	
	Labels		:	3	
					a brand of



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

01020	00			
Version 2.1	Revision Date: 12.05.2022		e of last issue: 11.05.2018 e of first issue: 23.06.2016	Print Date: 19.05.2022
Labe	king group	: :	ll 3 F-E, <u>S-E</u>	
Pack aircra Pack	ting instruction (LQ)	:	364 Y341 II Flammable Liquids	
Pack ger a Pack	A (Passenger) ing instruction (passen- aircraft) ing instruction (LQ) ing group els	:		
14.5 Envi	ironmental hazards			
<b>ADN</b> Envir	ronmentally hazardous	:	yes	
<b>ADR</b> Envir	ronmentally hazardous	:	yes	
<b>RID</b> Envir	ronmentally hazardous	:	yes	

### IMDG Marine pollutant

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : No	ot applicable for product as supplied.
--------------	--

: yes

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction lowing entries should Number on list 3	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not stances of very high o lation (EC) No 1907/2 Article 57).	oncern (Regu-



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version 2.1	Revision Date: 12.05.2022		e of last issue: 11. e of first issue: 23.			Print Date: 19.05.2022
(Anne	CH - List of substances ex XIV) REACH-Annex XIV)	subj	ect to authorisation	ו	:	Not applicable
plete	lation (EC) No 1005/20 the ozone layer 1005/2009)	09 0	n substances that	de-	:	Not applicable
tants	lation (EU) 2019/1021 (recast) POP)	on pe	ersistent organic p	ollu-	:	Not applicable
ment	lation (EC) No 649/20 and the Council conce ngerous chemicals PIC)				:	Not applicable
	lation (EU) 2019/1148 sives precursors	on th	e marketing and u	se of	:	Listed
all su ances tional https: fairs/f terror precu sors/c	product is regulated by spicious transactions, s and thefts should be contact point. Please //ec.europa.eu/home-a files/what-we-do/policie ism/explosives/explosi ur- docs/list_of_competent t_points_en.pdf	and s repor see affairs es/cris ves-	ignificant disappea ted to the relevant /sites/ homeaf- sis-and-	ar- na-		acetone (ANNEX II)
				: P5	5C	
Parlia	so III: Directive 2012/1 ament and of the Coun r-accident hazards invo es.	cil on	the control of	E2	2	ENVIRONMENTAL HAZARDS
				P5	ōc	FLAMMABLE LIQUIDS
Wate ny)	r hazard class (Germa	- :	WGK 2 obviously Classification acc			us to water AwSV, Annex 1 (5.2)
TA Lu	uft List (Germany)	:	Total dust: Not applicable Inorganic substa Not applicable Inorganic substa Not applicable Organic Substan Not applicable	ncesi		owdered form: apour or gaseous form:



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Versie 2.1	on Revision Date: 12.05.2022		e of last issue: 11.05.2018 e of first issue: 23.06.2016	Print Date: 19.05.2022
			Carcinogenic substances: Not applicable Mutagenic: Not applicable Toxic to reproduction: Not applicable	
١	/olatile organic compounds	:	Directive 2010/75/EU of 24 No emissions (integrated pollution Volatile organic compounds (N	prevention and control)

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

This information is not available.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

EUH066 H225 H304 H315 H319 H336	<ul> <li>Repeated exposure may cause skin dryness or cracki</li> <li>Highly flammable liquid and vapour.</li> <li>May be fatal if swallowed and enters airways.</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizziness.</li> </ul>	ing.
H411	: Toxic to aquatic life with long lasting effects.	
EUH066	: Repeated exposure may cause skin dryness or cracki	ng.

#### Full text of other abbreviations

2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
DE TRGS 900 TRGS 903 2000/39/EC / TWA DE TRGS 900 / AGW	:	Germany. TRGS 900 - Occupational exposure limit values. TRGS 903 - Biological limit values Limit Value - eight hours Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Classification of the m	ixture:	Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version	Revision Date:	Date of last issue: 11.05.2018	Print Date:
2.1	12.05.2022	Date of first issue: 23.06.2016	19.05.2022

that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

