according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



**OKS 2660** 

Version Revision Date: Date of last issue: 11.05.2018 Print Date: 2.1 12.05.2022 Date of first issue: 23.06.2016 19.05.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 2660

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub: : Cleaning agent / Cleaner

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person : m

responsible for the SDS

mcm@oks-germany.com

Material Compliance Management

National contact :

1.4 Emergency telephone number

Emergency telephone num-

: +34 91 562 04 20

ber

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single ex-

posure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Long-term (chronic) aquatic hazard, Cat-H411: Toxic to aquatic life with long lasting effects.

egory 2

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters air-

ways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P273 Avoid release to the environment.

Response:

P301 + P310 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use alcohol-resistant foam,

carbon dioxide or water mist to extinguish.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Hazardous components which must be listed on the label:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

acetone

Hydrocarbons, C6, isoalkanes, <5% n-hexane



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



# **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature : Solvent mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	920-750-0 01-2119473851-33- xxxx	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066		>= 30 - < 50
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 25 - < 30
acetone	67-64-1 200-662-2 606-001-00-8 01-2119471330-49- XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 20 - < 30
Hydrocarbons, C6,		Flam. Liq.2; H225		>= 2,5 - < 10

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



**OKS 2660** 

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

isoalkanes, <5% nhexane

931-254-9

Skin Irrit.2; H315
STOT SE3; H336
Asp. Tox.1; H304
Aquatic Chronic2;
H411

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled : Call a physician or poison control centre immediately.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause

damage.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:

Unconsciousness

Dizziness Drowsiness Headache



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



**OKS 2660** 

Version Revision Date: Date of last issue: 11.05.2018 Print Date: 2.1 12.05.2022 Date of first issue: 23.06.2016 19.05.2022

> Nausea **Tiredness**

Skin contact may provoke the following symptoms:

Erythema

Aspiration may cause pulmonary oedema and pneumonitis.

Risks Central nervous system depression

Can be absorbed through skin.

Risk of product entering the lungs on vomiting after ingestion.

Health injuries may be delayed.

Causes skin irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** : Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not let product enter drains.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Hazardous combustion prod- : Carbon oxides

ucts

# 5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Do not breathe vapours or spray mist.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Use only in an area containing explosion proof equipment.

Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not use sparking tools.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



**OKS 2660** 

 Version
 Revision Date:
 Date of last issue: 11.05.2018
 Print Date:

 2.1
 12.05.2022
 Date of first issue: 23.06.2016
 19.05.2022

Do not enter areas where used or stored until adequately ven-

tilated.

Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regu-

lations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Occupational Exposure Limits**

•	-			
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
acetone	67-64-1	TWA	500 ppm	2000/39/EC
			1.210 mg/m3	(2000-06-16)
	Further info	Further information: Indicative		
		VLA-ED	500 ppm	ES VLA
			1.210 mg/m3	(2011-03-03)

# **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
acetone	67-64-1	Acetone: 50 mg/l (Urine)	End of workday	ES VLB (2011-03-
				Ò3)

#### 8.2 Exposure controls

## **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation.

Handle only in a place equipped with local exhaust (or other appropriate exhaust).



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version Revision Date: Date of last issue: 11.05.2018 Print Date: 2.1 12.05.2022 Date of first issue: 23.06.2016 19.05.2022

### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : hydrocarbon-like

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : 61,4 °C (1.013 hPa)

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper : 7,7 %(V)

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Version Revision Date: Date of last issue: 11.05.2018 Print Date: 2.1 12.05.2022 Date of first issue: 23.06.2016 19.05.2022

flammability limit

Lower explosion limit / Lower : 0,7 %(V)

flammability limit

Flash point -18 °C

Method: Abel-Pensky

Auto-ignition temperature No data available

Decomposition temperature No data available

pΗ Not applicable

substance/mixture is non-polar/aprotic

Viscosity

No data available Viscosity, dynamic

< 20,5 mm2/s (40 °C) Viscosity, kinematic

Solubility(ies)

Water solubility insoluble

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure 8,4 hPa (20 °C)

Relative density : 0,7285 (20 °C)

Reference substance: Water The value is calculated

Density 0.73 g/cm3

(20 °C)

Bulk density No data available

Relative vapour density No data available

9.2 Other information

Not explosive **Explosives** 

Oxidizing properties No data available

Self-ignition not auto-flammable

Metal corrosion rate Not corrosive to metals

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

Evaporation rate : No data available

Sublimation point : No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Effects due to ingestion may include:

Symptoms: Central nervous system depression

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.

Symptoms: Inhalation may provoke the following symptoms:, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central

nervous system depression

Acute dermal toxicity : Symptoms: Redness, Local irritation

### **Components:**

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

acetone:

Acute oral toxicity : LD50 Oral (Rat): 5.800 mg/kg

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks : Irritating to skin.

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

Result : Repeated exposure may cause skin dryness or cracking.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Species : Rabbit

Result : Skin irritation

acetone:

Result : Repeated exposure may cause skin dryness or cracking.

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Result : Skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : Irritating to eyes.

**Components:** 

acetone:

Species : Rabbit Result : Eye irritation

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



**OKS 2660** 

Version Revision Date: Date of last issue: 11.05.2018 Print Date: 2.1 12.05.2022 Date of first issue: 23.06.2016 19.05.2022

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

**Product:** 

Remarks : No data available

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available

STOT - single exposure

**Components:** 

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

Assessment : May cause drowsiness or dizziness.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Assessment : May cause drowsiness or dizziness.

acetone:

Exposure routes : Inhalation

Assessment : May cause drowsiness or dizziness.

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Assessment : May cause drowsiness or dizziness.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Aspiration toxicity** 

**Product:** 

May be fatal if swallowed and enters airways.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

#### **Components:**

#### Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

May be fatal if swallowed and enters airways.

## Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

May be fatal if swallowed and enters airways.

### Hydrocarbons, C6, isoalkanes, <5% n-hexane:

May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### **Further information**

## **Product:**

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Product:**

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

: Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

Date of last issue: 11.05.2018 Version Revision Date: Print Date: 2.1 12.05.2022 Date of first issue: 23.06.2016 19.05.2022

#### **Components:**

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

**Ecotoxicology Assessment** 

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

**Ecotoxicology Assessment** 

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Toxicity to daphnia and other :

aquatic invertebrates Exposure time: 48 h

12.2 Persistence and degradability

**Product:** 

: Remarks: No data available Biodegradability

Physico-chemical removabil- : Remarks: No data available

ity

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

**Components:** 

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

Biodegradability Result: Readily biodegradable.

acetone:

Biodegradability Result: rapidly biodegradable

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Biodegradability : Result: Not rapidly biodegradable

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

: Remarks: Not applicable Bioaccumulation

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



**OKS 2660** 

Version Revision Date: Date of last issue: 11.05.2018 Print Date: 2.1 12.05.2022 Date of first issue: 23.06.2016 19.05.2022

Partition coefficient: n-

octanol/water

: Remarks: No data available

acetone:

Bioaccumulation Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 0,2

Hydrocarbons, C6, isoalkanes, <5% n-hexane:

Bioaccumulation Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 4

### 12.4 Mobility in soil

**Product:** 

Mobility Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

This substance/mixture contains no components considered Assessment

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Endocrine disrupting properties

**Product:** 

The substance/mixture does not contain components consid-Assessment

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:** 

mation

Additional ecological infor- : Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

14 06 03\*, other solvents and solvent mixtures

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR : UN 1993
RID : UN 1993
IMDG : UN 1993
IATA : UN 1993

#### 14.2 UN proper shipping name

**ADR** : FLAMMABLE LIQUID, N.O.S.

(Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-

hexane)

RID : FLAMMABLE LIQUID, N.O.S.

IMDG : FLAMMABLE LIQUID, N.O.S.

 $(Hydrocarbons,\,C7\text{-}C9,\,n\text{-}alkanes,\,isoalkanes,\,cyclics,\,Hydro-$ 

carbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-

hexane)

IATA : Flammable liquid, n.o.s.

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

(Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-

hexane)

## 14.3 Transport hazard class(es)

ADR : 3
RID : 3
IMDG : 3
IATA : 3

### 14.4 Packing group

### **ADR**

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

### RID

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3

#### **IMDG**

Packing group : II
Labels : 3
EmS Code : F-E, <u>S-E</u>

## IATA (Cargo)

Packing instruction (cargo : 364

aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

# IATA (Passenger)

Packing instruction (passen- : 353

ger aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

#### 14.5 Environmental hazards

# **ADR**

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



### **OKS 2660**

Version Revision Date: Date of last issue: 11.05.2018 Print Date: 12.05.2022 Date of first issue: 23.06.2016 19.05.2022 2.1

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV)

Not applicable

(EU. REACH-Annex XIV)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

(EU PIC)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

Listed

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant na-

tional contact point. Please see

https://ec.europa.eu/home-affairs/sites/ homeaf-

fairs/files/what-we-do/policies/crisis-and-

terrorism/explosives/explosives-

precur-

sors/docs/list\_of\_competent\_authorities\_and\_national\_c ontact points en.pdf

acetone (ANNEX II)



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

: P5c

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 100 %

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

EUH066 : Repeated exposure may cause skin dryness or cracking.

H225 : Highly flammable liquid and vapour.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H319 : Causes serious eye irritation. H336 : May cause drowsiness or dizziness.

H411 : Toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

ES VLA : Spain. Environmental Limits for exposure to Chemical agents

- Table 1: Occupational Exposure Values

ES VLB : Occupational Exposure Limits for Chemical Agents in Spain -

**Biological Exposure Values** 

2000/39/EC / TWA : Limit Value - eight hours

ES VLA / VLA-ED : Environmental Daily Limit Value



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



## **OKS 2660**

 Version
 Revision Date:
 Date of last issue: 11.05.2018
 Print Date: 12.05.2022

 Date of first issue: 23.06.2016
 19.05.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

## Classification of the mixture:

		•
Flam. Liq. 2	H225	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users



Classification procedure:

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



**OKS 2660** 

VersionRevision Date:Date of last issue: 11.05.2018Print Date:2.112.05.2022Date of first issue: 23.06.201619.05.2022

from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.