according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	÷	OKS 2670
1.2 Relevant identified uses of	the s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Cleaning agent / Cleaner
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	
1.4 Emergency telephone numb	her	
Emergency telephone num- ber		+34 91 562 04 20
SECTION 2: Hazards identifi	cati	on
2.1 Classification of the substa	nce	or mixture
Classification (REGULATIO	ON (E	EC) No 1272/2008)
Flammable liquids, Category	2	H225: Highly flammable liquid and vapour

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

2.2 Label elements

Labelling (REGULATION (EC) Hazard pictograms :	No 1272/2008)	
Signal word :	Danger	
Hazard statements :	H225 H304	Highly flammable liquid and vapour. May be fatal if swallowed and enters air- ways.
	H319 H336	Causes serious eye irritation. May cause drowsiness or dizziness.
Supplemental Hazard : Statements	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements :	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233	Keep container tightly closed.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331 P370 + P378	Do NOT induce vomiting. In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.
	Storage:	
	P403 + P235	Store in a well-ventilated place. Keep cool.

Hazardous components which must be listed on the label:

propan-2-ol

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

ethyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solvent mixture

Components

		Oleasifiastist		O a m a a m t m a t i a m
Chemical name	CAS-No.	Classification	specific concen-	Concentration
	EC-No.		tration limit	(% w/w)
			M-Factor	
	Index-No.		Notes	
	Registration number		Acute toxicity	
			estimate	
propan-2-ol	67-63-0	Flam. Liq.2; H225		>= 50 - < 70
	200-661-7	Eye Irrit.2; H319		
		STOT SE3; H336		
	603-117-00-0	,		
	02-2119457558-25-			
	XXXX			
Hydrocarbons, C11-		Flam. Liq.3; H226		>= 30 - < 50
C12, isoalkanes, < 2%	918-167-1	Asp. Tox.1; H304;		
aromatics		EUH066	Note P	
		2011000		
	01-2119472146-39-			
	XXXX			
ethyl acetate	141-78-6	Flam. Liq.2; H225		>= 10 - < 20
	205-500-4	Eye Irrit.2; H319		
	200 000 4	STOT SE3; H336;		
	607-022-00-5	EUH066		
	01-21119475103-46-			
	XXXX			

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version 1.6	Revision Date: 20.06.2022	Date of last issue: 08.02.2021 Date of first issue: 23.06.2016	Print Date: 20.06.2022
		medical attention. Keep patient warm and at rest. If unconscious, place in recovery advice. Keep respiratory tract clear. If breathing is irregular or stoppe tion.	
In ca	se of skin contact	 Take off all contaminated clothin Get medical attention immediate persists. Wash clothing before reuse. Thoroughly clean shoes before r Wash skin thoroughly with soap skin cleanser. 	ly if irritation develops and reuse.
In ca	se of eye contact	: Rinse immediately with plenty of for at least 10 minutes. Seek medical advice.	water, also under the eyelids
If sw	allowed	 Move the victim to fresh air. If accidentally swallowed obtain If unconscious, place in recovery advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to Aspiration hazard if swallowed - damage. 	y position and seek medical
4.2 Most	important symptom	s and effects, both acute and delayed	
	ptoms	 Inhalation may provoke the follor Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the fo Erythema 	
		Aspiration may cause pulmonary	v oedema and pneumonitis.
Risk	S	: Central nervous system depress Can be absorbed through skin.	ion

Treatment : Treat symptomatically.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:
1.6	20.06.2022

Date of last issue: 08.02.2021 Date of first issue: 23.06.2016 Print Date: 20.06.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Special hazards arising from	the	e substance or mixture
Specific hazards during fire-	:	Do not let product enter drains.

5.2

Specific hazards during fire- fighting	:	Do not let product enter drains. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist.
	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.
-------------------------	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Use only in an area containing explosion proof equipment. Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. Do not enter areas where used or stored until adequately ven- tilated. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Keep container closed when not in
areas and containers		use. Keep in a cool place away from oxidizing agents. Keep in
		a dry, cool and well-ventilated place. Containers which are



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version 1.6			te of last issue: 08.02.2021 te of first issue: 23.06.2016	Print Date: 20.06.2022
			opened must be carefully resealed and kept upright to preve leakage. Store in accordance with the particular national reg lations. Keep in properly labelled containers.	
•	i c end use(s) iic use(s)	:	Specific instructions for handling, not req	juired.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	VLA-ED	200 ppm	ES VLA
			500 mg/m3	(2011-03-03)
		VLA-EC	400 ppm	ES VLA
			1.000 mg/m3	(2011-03-03)
ethyl acetate	141-78-6	VLA-ED	200 ppm	ES VLA
			734 mg/m3	(2018-02-19)
		STEL	400 ppm	2017/164/EU
			1.468 mg/m3	(2017-02-01)
	Further infor	mation: Indicative		
		TWA	200 ppm	2017/164/EU
			734 mg/m3	(2017-02-01)
	Further infor	mation: Indicative		
		VLA-EC	400 ppm	ES VLA
			1.468 mg/m3	(2018-02-19)

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
propan-2-ol	67-63-0	Acetone: 40 mg/l (Urine)	At the end of the work week	ES VLB (2011-03- 03)

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection :		Safety glasses with side-shields
------------------	--	----------------------------------

Hand	protection
i iuiiu	protootion

Material	: butyl-rubber
Break through time	: > 10 min
Protective index	: Class 1



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version 1.6	Revision Date: 20.06.2022		e of last issue: 08.02.2021 e of first issue: 23.06.2016	Print Date: 20.06.2022
Remarks		:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.	
Respiratory protection		:	Use respiratory protection unless adequate local exhaust ver tilation is provided or exposure assessment demonstrates th exposures are within recommended exposure guidelines.	
Filt	er type	:	Туре А (А)	
Protec	tive measures	:	The type of protective equipment must be to the concentration and amount of the da at the specific workplace. Choose body protection in relation to its t tration and amount of dangerous substan- cific work-place.	angerous substance ype, to the concen-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
	:	Not applicable
Boiling point/boiling range	:	> 36 °C (1.013 hPa)
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	12 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	-15 °C Method: DIN 51755, closed cup
Auto-ignition temperature	:	No data available



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Version 1.6	Revision Date: 20.06.2022		of last issue: 08.02.2021 of first issue: 23.06.2016	Print Date: 20.06.2022
De	composition temperature	:	No data available	
рH		:	Not applicable substance/mixture is non-soluble	(in water)
	cosity			
	Viscosity, dynamic	•	No data available	
	Viscosity, kinematic	:	<= 3,5 mm2/s (40 °C)	
	lubility(ies) Water solubility	:	partly miscible	
	Solubility in other solvents	5 :	No data available	
	rtition coefficient: n- anol/water	:	No data available	
Vaj	pour pressure	:	98 hPa (20 °C)	
Re	lative density	:	0,78 (20 °C) Reference substance: Water The value is calculated	
De	nsity	:	0,78 g/cm3 (20 °C)	
Bul	lk density	:	No data available	
Re	lative vapour density	:	No data available	
9.2 Oth	er information			
Exp	olosives	:	Not explosive	
Ox	idizing properties	:	No data available	
Sel	lf-ignition	:	No data available	
Eva	aporation rate	:	No data available	
Re	fractive index	:	1,3892 at 20 °C	
Sul	blimation point	:	No data available	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:				
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022				
SECTION 10: Stability and reactivity							

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability	
Stable under normal conditions.	

10.3 Possibility of hazardous reactions

The Tossibility of hazardous reactions					
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.			
10.4 Conditions to avoid					
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods.			
10.5 Incompatible materials					
Materials to avoid	:	Oxidizing agents			

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product: Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
Acute inhalation toxicity	:	Symptoms: Central nervous system depression Remarks: Respiration of solvent vapour may cause dizziness.
		Symptoms: Inhalation may provoke the following symptoms:, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
propan-2-ol: Acute oral toxicity	:	LD50 Oral (Rat): 5.840 mg/kg



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

-	oalkanes, < 2% aromatics:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402
ethyl acetate:	
Acute oral toxicity	: LD50 (Rat): 5.620 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 20.000 mg/kg
Skin corrosion/irritation	
Product:	
Remarks	: This information is not available.
Components:	
Hydrocarbons, C11-C12, i	oalkanes, < 2% aromatics:
Result	: Repeated exposure may cause skin dryness or cracking.
ethyl acetate:	
Species Result	: Rabbit : Mild skin irritation
Result	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/eye i	ritation
Product:	
Remarks	: Irritating to eyes.
Components:	
propan-2-ol:	
Result	: Irritating to eyes.
ethyl acetate:	
Assessment Result	Irritating to eyes.Irritating to eyes.
Respiratory or skin sensi	sation
Product:	
Remarks	: This information is not available.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Components:

ethyl acetate: Test Type Exposure routes Species Assessment Method Result		Maximisation Test Dermal Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation.
Germ cell mutagenicity		
<u>Product:</u> Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available
Carcinogenicity		
<u>Product:</u> Remarks	:	No data available
Reproductive toxicity		
<u>Product:</u> Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Remarks: No data available
STOT - single exposure		
Components:		
propan-2-ol: Assessment	:	May cause drowsiness or dizziness.
ethyl acetate: Exposure routes Target Organs Assessment	:	Inhalation Respiratory system The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.
STOT - repeated exposure		

STOT - repeated exposure

Components:

ethyl acetate:



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

UN3 201			
Version 1.6	Revision Date: 20.06.2022	Date of last issue: 08.02.2021 Date of first issue: 23.06.2016	Print Date: 20.06.2022
Asses	ssment	: The substance or mixture is n organ toxicant, repeated expo	
Repe	ated dose toxicity		
Prod	uct:		
Rema	arks	: This information is not availab	le.
Aspir	ation toxicity		
Prod	uct:		
May t	be fatal if swallowed a	nd enters airways.	
Com	oonents:		
Hydro	ocarbons, C11-C12,	isoalkanes, < 2% aromatics:	
Mayt	be fatal if swallowed a	nd enters airways.	
11.2 Infor	mation on other haz	ards	
Endo	crine disrupting pro	perties	
Prod	uct:		
Asses	ssment	ered to have endocrine disrup REACH Article 57(f) or Comm	
Furth	er information		
Prod	uct:		
Rema	arks	: Information given is based on the toxicology of similar produ	
OFOTION			

SECTION 12: Ecological information

12.1 Toxicity

Product:						
Toxicity to fish	:	Remarks: May cause long-term adverse effects in the aquatic environment.				
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available				
Toxicity to algae/aquatic plants	:	Remarks: No data available				



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



	3 2070		Det	a of last issues 00.02.2024	Drint Date:
ver: 1.6	sion	Revision Date: 20.06.2022		e of last issue: 08.02.2021 e of first issue: 23.06.2016	Print Date: 20.06.2022
	Toxicity	y to microorganisms	:		
				Remarks: No data available	
	<u>Compo</u>	onents:			
	ethyl a	cetate:			
	Toxicity	y to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test	∋ad minnow)): 212,5 mg/l
		y to daphnia and other invertebrates	r:	EC50 (Daphnia magna (Water flea Exposure time: 48 h	a)): 154 mg/l
	Toxicit <u>y</u> plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 2.500 mg/l Exposure time: 96 h	
12.2	2 Persis	tence and degradabi	ility		
	Produ	<u>ct:</u>			
	Biodeg	radability	:	Remarks: No data available	
	Physic ity	o-chemical removabil-	:	Remarks: No data available	
	Compo	onents:			
	propar	n-2-ol:			
	Biodeg	radability	:	Result: Readily biodegradable.	
	Hydro	carbons, C11-C12, is	oalk	anes, < 2% aromatics:	
	•	radability	:	Result: Not readily biodegradable.	
	othvl a	cetate:			
	•	radability	:	Result: rapidly biodegradable	
40.4	D'				
12.3		cumulative potential			
	Produce Bioacc	<u>ct:</u> umulation		Remarks: This mixture contains no	substance considered to
	Dioace			be persistent, bioaccumulating and This mixture contains no substanc persistent and very bioaccumulating	d toxic (PBT). e considered to be very
	Compo	onents:			
	propar	n-2-ol:			
	Bioacc	umulation	:	Remarks: Bioaccumulation is unlik	ely.
				14 / 21	a brand of



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Version 1.6	Revision Date: 20.06.2022		e of last issue: 08.02.2021 e of first issue: 23.06.2016	Print Date: 20.06.2022
	ion coefficient: n- ol/water	:	log Pow: 0,05	
-		soalk	anes, < 2% aromatics:	
Bioac	cumulation	:	Remarks: No data available	
	ion coefficient: n- ol/water	:	Remarks: No data available	
Partit	acetate: ion coefficient: n- ol/water	:	log Pow: 0,68 (25 °C)	
12.4 Mobi	lity in soil			
Prod	uct:			
Mobil	ity	:	Remarks: No data available	
	bution among environ- al compartments	:	Remarks: No data available	
12.5 Resu	llts of PBT and vPvB	asse	ssment	
Prod	uct:			
Asses	ssment	:	This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher.	lative and toxic (PBT), or
12.6 Endo	ocrine disrupting prop	oertie	s	
Prod	uct:			
Asses	ssment	:	The substance/mixture does not of ered to have endocrine disrupting REACH Article 57(f) or Commissi (EU) 2017/2100 or Commission R levels of 0.1% or higher.	properties according to on Delegated regulation
12.7 Othe	r adverse effects			
<u>Prod</u> Additi matio	ional ecological infor-	:	May cause long lasting harmful e	ffects to aquatic life.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
		The following Waste Codes are only suggestions:
Waste Code	:	used product, unused product 14 06 03*, other solvents and solvent mixtures
		uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 1993
RID	:	UN 1993
IMDG	:	UN 1993
ΙΑΤΑ	:	UN 1993
14.2 UN proper shipping name		
ADR	:	FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aro- matics)
RID	:	FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aro- matics)
IMDG	:	FLAMMABLE LIQUID, N.O.S. (isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aro- matics)
ΙΑΤΑ	:	Flammable liquid, n.o.s.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

(isopropanol, Hydrocarbons, C11-C12, isoalkanes, <2% aromatics)

14.3 Transport hazard class(es)

ADR	:	3
RID	:	3
IMDG	:	3
ΙΑΤΑ	:	3

14.4 Packing group

ADR

	Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: : : : : :	II F1 33 3 (D/E)
	RID Packing group Classification Code Hazard Identification Number Labels		II F1 33 3
	IMDG Packing group Labels EmS Code	:	II 3 F-E, <u>S-E</u>
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: : : :	364 Y341 II Flammable Liquids
14.5	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels Environmental hazards		353 Y341 II Flammable Liquids
	ADR Environmentally hazardous		20
	RID Environmentally hazardous	:	no
	IMDG Marine pollutant	:	no



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) (EU POP)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals (EU PIC)	: Not applicable
: P5	c
Seveso III: Directive 2012/18/EU of the European P5 Parliament and of the Council on the control of major-accident hazards involving dangerous sub- stances.	C FLAMMABLE LIQUIDS
emissions (integrated p	of 24 November 2010 on industrial pollution prevention and control) punds (VOC) content: 100 %



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full	text	of	H-Statements	
------	------	----	--------------	--

EUH066	:	Repeated exposure may cause skin dryness or cracking.		
H225	:	Highly flammable liquid and vapour.		
H226	:	Flammable liquid and vapour.		
H304	:	May be fatal if swallowed and enters airways.		
H319	:	Causes serious eye irritation.		
H336	:	May cause drowsiness or dizziness.		
EUH066	:	Repeated exposure may cause skin dryness or cracking.		
Full text of other abbreviations				

Note P	:	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regula- tion shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
ES VLA	:	Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values
ES VLB	:	Occupational Exposure Limits for Chemical Agents in Spain - Biological Exposure Values
2017/164/EU / STEL 2017/164/EU / TWA ES VLA / VLA-ED ES VLA / VLA-EC	:	Short term exposure limit Limit Value - eight hours

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 2670

Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtur	e:	Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Version	Revision Date:	Date of last issue: 08.02.2021	Print Date:
1.6	20.06.2022	Date of first issue: 23.06.2016	20.06.2022

