

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 270

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant

Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: +49 8142 3051 500
Fax.: +49 8142 3051 599
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

1.4 Emergency telephone number

Emergency telephone number : 06 68593726 Roma - CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA
800183459 Foggia - Az. Osp. Univ. Foggia
081-5453333 Napoli - Az. Osp. "A. Cardarelli"
06-49978000 Roma - CAV Policlinico "Umberto I"
06-3054343 Roma - CAV Policlinico "A. Gemelli"
055-7947819 Firenze - Az. Osp. "Careggi" U.O. Tossicologia Medica
0382-24444 Pavia - CAV Centro Nazionale di Informazione Tossicologica
02-66101029 Milano - Osp. Niguarda Ca' Granda
800883300 Bergamo - Az. Osp. Papa Giovanni XXII
800011858 Verona - Az. Osp. Integrata Verona

+49 8142 3051 517 (Service 24/7)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

:



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mineral oil.
PTFE
solid lubricant
lithium soap

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8	Asp. Tox.1; H304	Note L	$\geq 30 - < 50$
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	800-362-7 01-2119974117-33- XXXX	Skin Irrit.2; H315 Eye Irrit.2; H319 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 10/1	$\geq 2,5 - < 10$
zinc oxide	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 1 - < 2,5$
zinc carbonate	3486-35-9 222-477-6	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 0,1 - < 0,25$
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1 01-2119491299-23- XXXX	Repr.2; H361f		$\geq 0,1 - < 1$
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	$\geq 0,1 - < 1$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
----------------	------------------------------	---	---------------------------

	01-2119978241-36-XXXX			
Substances with a workplace exposure limit :				
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25-XXXX	Not classified	Note L	$\geq 20 - < 30$
lithium 12-hydroxystearate	7620-77-1 231-536-5 01-2119970893-23-XXXX 01-2119970893-23-XXXX 01-2119970893-23-XXXX 01-2119970893-23-XXXX	Not classified		$\geq 1 - < 10$
calcium distearate	1592-23-0 216-472-8	Not classified		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Obtain medical attention.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
----------------	------------------------------	---	---------------------------

- If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Obtain medical attention.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.
- Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Oxides of phosphorus
Halogenated compounds
Metal oxides

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

- Environmental precautions : Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Do not use in areas without adequate ventilation. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH (2013-03-01)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH (2013-03-01)
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH (2018-03-20)
calcium distearate	1592-23-0	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH (2018-03-20)
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH (2018-03-20)
zinc oxide	1314-13-2	TWA (Respirable particulate matter)	2 mg/m ³	ACGIH (2007-01-01)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
----------------	------------------------------	---	---------------------------

		matter)		
		STEL (Respirable particulate matter)	10 mg/m3	ACGIH (2007-01-01)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]	Workers	Skin contact	Long-term systemic effects	0,04 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,29 mg/m3
calcium distearate		Skin contact	Long-term local effects	0,172 mg/m3
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m3
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
	Workers	Dermal	Long-term systemic effects	25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]	Fresh water	0,00638 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

	Marine water	0,000638 mg/l
	Intermittent use/release	0,00509 mg/l
	Microbiological Activity in Sewage Treatment Systems	98,6 mg/l
	Fresh water sediment	204 mg/kg
	Marine sediment	20,4 mg/kg
	Soil	9,93 mg/kg
zinc oxide	Fresh water	0,0179 mg/l
	Marine water	0,009 mg/l
	Sewage treatment plant	0,1245 mg/l
	Fresh water sediment	182,8 mg/kg
	Marine sediment	201,9 mg/kg
	Soil	103,4 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	0,034 mg/l
	Marine water	0,003 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,51 mg/l
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Fresh water	0,1 mg/l
	Marine water	0,1 mg/l
	Fresh water sediment	45211 mg/kg
	Marine sediment	45211 mg/kg
	Microbiological Activity in Sewage Treatment Systems	1000 mg/l
	Soil	36739 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Fluorinated rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
The selected protective gloves have to satisfy the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : beige

Odour : hydrocarbon-like

Odour Threshold : No data available

Drop point : > 190 °C (1.013 hPa)

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable
substance/mixture is non-soluble (in water)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
----------------	------------------------------	---	---------------------------

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water

: No data available

Vapour pressure

: < 0,001 hPa (20 °C)

Relative density

: 1,15 (20 °C)

Reference substance: Water
The value is calculated

Density

: 1,15 g/cm³
(20 °C)

Bulk density

: No data available

Relative vapour density

: No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
----------------	------------------------------	---	---------------------------

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

zinc oxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

zinc carbonate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402

lithium 12-hydroxystearate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

calcium distearate:

Acute oral toxicity : LD50 (Rat): 5.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Assessment : Irritating to skin.
Result : Irritating to skin.

zinc oxide:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Assessment : No skin irritation
Result : No skin irritation

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

lithium 12-hydroxystearate:

Assessment : No skin irritation
Method : OECD Test Guideline 439
Result : No skin irritation

calcium distearate:

Species : Rabbit
Assessment : No skin irritation
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Species : Rabbit
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405
Result : Irritating to eyes.

zinc oxide:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes

zinc carbonate:

Species : Rabbit
Assessment : No eye irritation
Result : No eye irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Assessment : No eye irritation
Result : No eye irritation

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes

lithium 12-hydroxystearate:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation

calcium distearate:

Species : Rabbit
Assessment : No eye irritation
Result : No eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

zinc oxide:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

zinc carbonate:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans
Result : Probability or evidence of low to moderate skin sensitisation rate in humans

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

lithium 12-hydroxystearate:

Exposure routes	: Dermal
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

calcium distearate:

Exposure routes	: Dermal
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Result	: Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro	: Remarks: No data available
Genotoxicity in vivo	: Remarks: No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Genotoxicity in vitro	: Test Type: Ames test Result: negative
-----------------------	--

Germ cell mutagenicity-Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
-----------------------------------	---

zinc oxide:

Germ cell mutagenicity-Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
-----------------------------------	---

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	---

calcium distearate:

Germ cell mutagenicity-Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
-----------------------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Carcinogenicity

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.
Assessment

zinc oxide:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

calcium distearate:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.
Assessment

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Reproductive toxicity - : - Fertility -
Assessment No toxicity to reproduction
- Teratogenicity -
No toxicity to reproduction

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

zinc oxide:

Reproductive toxicity - : - Fertility -
Assessment
No toxicity to reproduction
- Teratogenicity -
No toxicity to reproduction

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - : - Fertility -
Assessment
Some evidence of adverse effects on sexual function and
fertility, based on animal experiments.

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Reproductive toxicity - : - Fertility -
Assessment
No toxicity to reproduction
- Teratogenicity -
No toxicity to reproduction

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Reproductive toxicity - : - Fertility -
Assessment
No toxicity to reproduction

calcium distearate:

Reproductive toxicity - : - Fertility -
Assessment
No toxicity to reproduction
- Teratogenicity -
No effects on or via lactation

STOT - single exposure

Product:

Remarks : No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Assessment : The substance or mixture is not classified as specific target
organ toxicant, single exposure.

zinc oxide:

Assessment : The substance or mixture is not classified as specific target

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

organ toxicant, single exposure.

calcium distearate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Remarks : No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Exposure routes : Ingestion
Assessment : May cause damage to organs through prolonged or repeated exposure.

zinc oxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

calcium distearate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

May be harmful if swallowed and enters airways.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

zinc oxide:

No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification

calcium distearate:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Very toxic to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Toxicity to microorganisms :
Remarks: No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,1 - 1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01
plants - 0,1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic : 10
toxicity)

Toxicity to daphnia and other : EC50: 1,41 mg/l
aquatic invertebrates Exposure time: 21 d
(Chronic toxicity) Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 1
toxicity)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

zinc oxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1,55 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,136
plants mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 0,04 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

zinc carbonate:

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0,147 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to daphnia and other : EL10: 1,69 mg/l
aquatic invertebrates
(Chronic toxicity) Exposure time: 21 d
Species: Daphnia magna (Water flea)

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : NOELR (Desmodesmus subspicatus (green algae)): 100 mg/l
plants
Exposure time: 72 h
Method: OECD Test Guideline 201

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
aquatic invertebrates
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes

Toxicity to daphnia and other : NOEC: 10 mg/l
aquatic invertebrates
(Chronic toxicity) Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

lithium 12-hydroxystearate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

calcium distearate:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Result: rapidly biodegradable
Biodegradation: 65 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

zinc oxide:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 3 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

lithium 12-hydroxystearate:

Biodegradability : Test Type: Primary biodegradation
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 74,7 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

calcium distearate:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: 95 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Exposure time: 28 d
Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 42 d
Bioconcentration factor (BCF): 1.730
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: > 6

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 70,8

Partition coefficient: n-octanol/water : log Pow: 6,91 (20 °C)

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Partition coefficient: n-octanol/water : log Pow: > 2

lithium 12-hydroxystearate:

Partition coefficient: n-octanol/water : log Pow: 2,6

calcium distearate:

Partition coefficient: n-octanol/water : log Pow: 14,34

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

zinc oxide:

Assessment : Remarks: Not applicable

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

calcium distearate:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.
- Waste codes should be assigned by the user based on the application for which the product was used.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.
- The following Waste Codes are only suggestions:
- Waste Code : used product, unused product
12 01 12**, spent waxes and fats
- uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

- ADN : UN 3077
- ADR : UN 3077
- RID : UN 3077
- IMDG : UN 3077
- IATA : UN 3077

14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(fatty amine derivative)
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(fatty amine derivative)

IATA : Environmentally hazardous substance, solid, n.o.s.
(fatty amine derivative)

14.3 Transport hazard class(es)

ADN : 9

ADR : 9

RID : 9

IMDG : 9

IATA : 9

14.4 Packing group

ADN

Packing group : III

Classification Code : M7

Hazard Identification Number : 90

Labels : 9

ADR

Packing group : III

Classification Code : M7

Hazard Identification Number : 90

Labels : 9

Tunnel restriction code : (-)

RID

Packing group : III

Classification Code : M7

Hazard Identification Number : 90

Labels : 9

IMDG

Packing group : III

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956

Packing instruction (LQ) : Y956

Packing group : III

Labels : Miscellaneous Dangerous Goods

IATA (Passenger)

Packing instruction (passenger aircraft) : 956

Packing instruction (LQ) : Y956

Packing group : III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
----------------	------------------------------	---	---------------------------

Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Not applicable

Other regulations:

Legislative Decree April 9, 2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H361f	: Suspected of damaging fertility.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT
(Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.