

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 270
1.2 Relevant identified uses of the	he s	substance or mixture and uses advised against
Use of the Substance/Mixture	:	Lubricant
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	sat	fety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	
1.4 Emergency telephone numb	er	
• • •		CIAV - Information Centre of Antipoison

Emergency telephone	:	CIAV - Information Centre of Antipoison
number		(+351) 800 250 250 (free 24/7 service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.





VersionRevision Date:Date of last issue: 04.11.2022Print Date:3.219.02.2024Date of first issue: 01.07.201619.02.2024				/ersion 3.2	-
--	--	--	--	----------------	---

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	(EC) :	No 1272/2008)	
Signal word	:	Warning	
Hazard statements	:	H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273	Avoid release to the environment.
		Response: P391	Collect spillage.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Mineral oil. PTFE solid lubricant lithium soap

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	specific concentration limit M-Factor	Concentration (% w/w)
	Index-Ino.		IVI-Faciol	



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 270

Version I 3.2

Revision Date: 19.02.2024

Date of last issue: 04.11.2022 Date of first issue: 01.07.2016 Print Date: 19.02.2024

	Registration number		Notes Acute toxicity estimate	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8	Asp. Tox.1; H304	Note L	>= 30 - < 50
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	800-362-7 01-2119974117-33- XXXX	Skin Irrit.2; H315 Eye Irrit.2; H319 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 10/1	>= 2,5 - < 10
zinc oxide	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 1 - < 2,5
zinc carbonate	3486-35-9 222-477-6	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,1 - < 0,25
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1 01-2119491299-23- XXXX	Repr.2; H361f		>= 0,1 - < 1
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7 01-2119978241-36- XXXX	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	>= 0,1 - < 1
Substances with a work Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	place exposure limit : 64742-54-7 265-157-1 649-467-00-8 01-2119484627-25-	Not classified	Note L	>= 20 - < 30



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 270

Version Revision 3.2 19.02.20		ssue: 04.11.2022 ssue: 01.07.2016	Print Date: 19.02.2024
	xxxx		
lithium 12- hydroxystearate	7620-77-1 231-536-5 01-2119970893-23- XXXX 01-2119970893-23- XXXX 01-2119970893-23- XXXX 01-2119970893-23- XXXX 01-2119970893-23- XXXX	Not classified	>= 1 - < 10
calcium distearate	1592-23-0 216-472-8	Not classified	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Obtain medical attention. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.





Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.20 Date of first issue: 01.07.20	
lf swa	allowed	advice. Keep respiratory tract Do not induce vomiting Obtain medical attentio	in recovery position and seek medical clear. g without medical advice.
4.2 Most i	important symptom	and effects, both acute and	d delayed
Symp	otoms	: No symptoms known o	or expected.
	3	: None known.	

i.3 indication of any imm	equate med	ical attention and special tre	atment no
Treatment	:	Treat symptomatically.	

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Halogenated compounds Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions		
Environmental precautions	:	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Pick up and trai	nsfer to properly labelled containers.
-------------------------	--------------------	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Do not use in areas without adequate ventilation.
	 Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	: Wash face, hands and any exposed skin thoroughly after

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Keep container closed when not in
areas and containers		use. Keep in a dry, cool and well-ventilated place. Containers
		which are opened must be carefully resealed and kept upright
		to prevent leakage. Store in accordance with the particular





OKS 27	0		
Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
		national regulations. Keep in prop	erly labelled containers.
•	fic end use(s) ific use(s)	: Specific instructions for handling,	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	VLE-MPTime Weighted Average (Inhalable fraction)	5 mg/m3	PT OEL (2014-11-14)
	Further inform humans.	nation: Substances th	hat are not classified as carc	inogenic for
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	VLE-MPTime Weighted Average (Inhalable fraction)	5 mg/m3	PT OEL (2014-11-14)
	Further inform humans.	nation: Substances th	hat are not classified as carc	inogenic for
lithium 12- hydroxystearate	7620-77-1	VLE-MPTime Weighted Average	10 mg/m3	PT OEL (2007-03-26)
	Further information: Substances that are not classified as carcinogenic for humans.			
calcium distearate	1592-23-0	VLE-MPTime Weighted Average	10 mg/m3	PT OEL (2007-03-26)
	Further inform humans.	nation: Substances th	hat are not classified as carc	inogenic for
zinc oxide	1314-13-2	VLE-MPTime Weighted Average (Respirable fraction)	2 mg/m3	PT OEL (2007-03-26)
		VLE_CDShort Term Exposure Limit (Respirable fraction)	10 mg/m3	PT OEL (2007-03-26)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 270

Version F 3.2 1

Revision Date: 19.02.2024

Date of last issue: 04.11.2022 Date of first issue: 01.07.2016 Print Date: 19.02.2024

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	Workers	Skin contact	Long-term systemic effects	0,04 mg/kg
•	Workers	Inhalation	Long-term systemic effects	0,29 mg/m3
calcium distearate		Skin contact	Long-term local effects	0,172 mg/m3
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m3
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
	Workers	Dermal	Long-term systemic effects	25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Amines, N-C16-C18-alkyl-	Fresh water	0,00638 mg/l
(evennumbered, C18		
unsaturated) propane-1,3-		
diaminium di[(9Z)-octadec-9-		
enoate]		
	Marine water	0,000638 mg/l
	Intermittent use/release	0,00509 mg/l
	Microbiological Activity in Sewage	98,6 mg/l
	Treatment Systems	
	Fresh water sediment	204 mg/kg
	Marine sediment	20,4 mg/kg
	Soil	9,93 mg/kg





ersion	Revision Date:	Date of last issue: 04.11.2022	Print Date:
.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024
zinc o	oxide	Fresh water	0,0179 mg/l
		Marine water	0,009 mg/l
		Sewage treatment plant	0,1245 mg/l
		Fresh water sediment	182,8 mg/kg
		Marine sediment	201,9 mg/kg
		Soil	103,4 mg/kg
Benz	enamine, N-phenyl-,	Fresh water	0,034 mg/l
reacti	ion products with 2,4,4-		
trime	thylpentene		
		Marine water	0,003 mg/l
		Fresh water sediment	0,446 mg/kg
		Marine sediment	0,045 mg/kg
		Soil	1,76 mg/kg
		Sewage treatment plant	10 mg/l
		Intermittent use/release	0,51 mg/l
	enesulfonic acid, di-C10- derivs., calcium salts	14- Fresh water	0,1 mg/l
		Marine water	0,1 mg/l
		Fresh water sediment	45211 mg/kg
		Marine sediment	45211 mg/kg
		Microbiological Activity in Sewage Treatment Systems	1000 mg/l
		Soil	36739 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection Material Break through time Protective index	:	Fluorinated rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Not required; except in case of aerosol formation.





Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
Fi	lter type	: Filter type A-P	
Prote	ective measures	: The type of protective equipme to the concentration and amou at the specific workplace.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	beige
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
Drop point	:	> 190 °C (1.013 hPa)
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies)		



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 270

Version 3.2	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
W	ater solubility	:	insoluble	
S	olubility in other solven	ts :	No data available	
	tion coefficient: n- nol/water	:	No data available	
Vapo	our pressure	:	< 0,001 hPa (20 °C)	
Relat	tive density	:	1,15 (20 °C) Reference substance: Water The value is calculated	
Dens	sity	:	1,15 g/cm3 (20 °C)	
Bulk	density	:	No data available	
Relat	tive vapour density	:	No data available	
	cle characteristics article size	:	Not applicable	
Pa	article Size Distribution	:	Not applicable	
9.2 Other	information			
Explo	osives	:	Not explosive	
Oxidi	izing properties	:	No data available	
Self-i	ignition	:	not auto-flammable	
Meta	l corrosion rate	:	Not corrosive to metals	
Evap	oration rate	:	No data available	
Subli	mation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions





Version 3.2	Revision Date: 19.02.2024		int Date: .02.2024
Hazardous reactions		: No dangerous reaction known under conditio	ons of normal use.
10.4 Conditions to avoid Conditions to avoid		: No conditions to be specially mentioned.	
10.5 Incompatible materials Materials to avoid		: No materials to be especially mentioned.	

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

: This information is not available.
: This information is not available.
: This information is not available.
vy paraffinic; Baseoil — unspecified:
al (Rat): > 5.000 mg/kg
at): Exposure time: 4 h osphere: dust/mist
rmal (Rabbit): > 5.000 mg/kg
I, C18 unsaturated) propane-1,3-diaminium di[(9Z)-
at): > 5.000 mg/kg
abbit): > 2.000 mg/kg ent: The substance or mixture has no acute dermal
at): > 5.000 mg/kg DECD Test Guideline 401





DKS 27	0			
/ersion 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016		
Acute	e inhalation toxicity	: LC50 (Rat): > 5,7 mg/l Exposure time: 4 h Test atmosphere: dust/m Method: OECD Test Guid Assessment: The substan inhalation toxicity		
Acute	e dermal toxicity	 LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute de toxicity 		
zinc	carbonate:			
	e oral toxicity	: LD50 (Rat): > 5.000 mg/k Method: OECD Test Guid		
Benz	zenamine, N-phenyl-	reaction products with 2,4,4-tr	rimethylpentene:	
Acute	e oral toxicity	: LD50 (Rat): > 5.000 mg/k Method: OECD Test Guid		
Acute	e dermal toxicity	: LD50 (Rat): > 2.000 mg/k Method: OECD Test Guid Assessment: The substan toxicity		
Benz	zenesulfonic acid, di	C10-14-alkyl derivs., calcium s	salts:	
	e oral toxicity	: LD50 (Rat): > 5.000 mg/k		
Acute	e inhalation toxicity	: LC50 (Rat): > 1,9 mg/l Exposure time: 4 h Test atmosphere: dust/m Assessment: The substar inhalation toxicity	ist nce or mixture has no acute	
Acute	e dermal toxicity	: LD50 (Rat): > 2.000 mg/k Assessment: The substar toxicity	<g nce or mixture has no acute dermal</g 	
Disti	llates (petroleum), h	drotreated heavy paraffinic; B	aseoil — unspecified:	
	e oral toxicity	: LD50 (Rat): > 5.000 mg/k Method: OECD Test Guid GLP: yes	kg	
Acute	e inhalation toxicity	: LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/m	ist	
		13 / 35	a brand of	



)			
ersion 2	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
			Method: OECD Test Guideline 403 Assessment: The substance or mi inhalation toxicity	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	
lithiu	m 12-hydroxysteara	ate:		
Acute oral toxicity		:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
Acute dermal toxicity		:	LD50 (Rabbit): > 3.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity	
calciu	um distearate:			
Acute	oral toxicity	:	LD50 (Rat): 5.000 mg/kg Assessment: The substance or mixture has no acute oral toxicity	
Acute inhalation toxicity		:	LC50 (Rat): > 200 mg/l Exposure time: 1 h Test atmosphere: dust/mist	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mi toxicity	xture has no acute dermal
Skin	corrosion/irritation			
Skin (<u>Produ</u>				
-	uct:	:	This information is not available.	
<mark>Produ</mark> Rema	uct:	:	This information is not available.	
Produ Rema <u>Comp</u>	uct: arks ponents:	: I-(even	This information is not available. numbered, C18 unsaturated) prop	pane-1,3-diaminium di[(9Z)-
Produ Rema <u>Comp</u> Amin octad Speci	uct: arks <u>ponents:</u> es, N-C16-C18-alky lec-9-enoate]: es	:	numbered, C18 unsaturated) proj Rabbit	pane-1,3-diaminium di[(9Z)-
Produ Rema <u>Comp</u> Amin octad Speci	uct: arks <u>conents:</u> es, N-C16-C18-alky lec-9-enoate]: es ssment	:	numbered, C18 unsaturated) prop	pane-1,3-diaminium di[(9Z)-
Produ Rema Comp Amin octad Speci Asses Resul	uct: arks ponents: es, N-C16-C18-alky lec-9-enoate]: es ssment it	:	numbered, C18 unsaturated) prop Rabbit Irritating to skin. Irritating to skin.	oane-1,3-diaminium di[(9Z)-
Produ Rema Comp Amin octad Speci Asses Resul zinc c Speci	uct: arks ponents: es, N-C16-C18-alky lec-9-enoate]: es ssment it pxide: es	:	numbered, C18 unsaturated) prop Rabbit Irritating to skin. Irritating to skin. Rabbit	pane-1,3-diaminium di[(9Z)-
Produ Rema Comp Amin octad Speci Asses Resul zinc c Speci	uct: arks ponents: es, N-C16-C18-alky lec-9-enoate]: es ssment it pxide: es ssment	:	numbered, C18 unsaturated) prop Rabbit Irritating to skin. Irritating to skin.	oane-1,3-diaminium di[(9Z)-





Benze Specie	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
Specie	namine, N-phenyl	-, reaction products with 2,4,4-trime	ethylpentene:
	S	: Rabbit	
Assess		: No skin irritation	
Result		: No skin irritation	
Benze	nesulfonic acid, d	i-C10-14-alkyl derivs., calcium salts	:
Assess	sment	: No skin irritation	
Method		: OECD Test Guideline 404	
Result		: No skin irritation	
Distilla	ates (petroleum), I	ydrotreated heavy paraffinic; Base	oil — unspecified:
Specie	S	: Rabbit	
Assess		: No skin irritation	
Method		: OECD Test Guideline 404	
Result		: No skin irritation	
GLP		: yes	
lithium	n 12-hydroxystear	ate:	
Assess	sment	: No skin irritation	
Method		: OECD Test Guideline 439	
Result		: No skin irritation	
calciu	m distearate:		
Specie	S	: Rabbit	
Assess		: No skin irritation	
Result		: No skin irritation	
Seriou	is eye damage/eye	irritation	
Produ	<u>ct:</u>		
Remar	ks	: This information is not availal	ble.
	onents:		
Comp			
Amine		I-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9
Amine octade	ec-9-enoate]:) propane-1,3-diaminium di[(9
Amine octade Specie	ec-9-enoate]:	: Rabbit) propane-1,3-diaminium di[(9
Amine octade	ec-9-enoate]: es sment	: Rabbit : Irritating to eyes.) propane-1,3-diaminium di[(9
Amine octade Specie Assess	ec-9-enoate]: es sment d	: Rabbit) propane-1,3-diaminium di[(9
Amine octade Specie Assess Method	ec-9-enoate]: es sment d	 Rabbit Irritating to eyes. OECD Test Guideline 405) propane-1,3-diaminium di[(9
Amine octade Specie Assess Methoo Result zinc or	ec-9-enoate]: es sment d xide:	 Rabbit Irritating to eyes. OECD Test Guideline 405 Irritating to eyes.) propane-1,3-diaminium di[(9
Amine octade Specie Assess Methoo Result	ec-9-enoate]: es sment d xide: es	 Rabbit Irritating to eyes. OECD Test Guideline 405 Irritating to eyes. Rabbit) propane-1,3-diaminium di[(9
Amine octade Specie Assess Methoo Result zinc oz	ec-9-enoate]: es sment d xide: es sment	 Rabbit Irritating to eyes. OECD Test Guideline 405 Irritating to eyes.) propane-1,3-diaminium di[(9





KS 270							
rsion	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024			
GLP		:	yes				
zinc o	carbonate:						
Speci	es	:	Rabbit				
Asses	ssment	:	No eye irritation				
Resul	t	:	: No eye irritation				
Benz	enamine, N-phenyl-	, reacti	on products with 2,4,4-trimethyl	pentene:			
Speci	es	:	Rabbit				
Asses	ssment	:	No eye irritation				
Resul	t	:	No eye irritation				
Benz	enesulfonic acid, di	i-C10-1	4-alkyl derivs., calcium salts:				
Asses	ssment	:	No eye irritation				
Metho	bd	:	OECD Test Guideline 405				
Resul	t	:	No skin irritation				
Distil	lates (petroleum), h	ydrotre	eated heavy paraffinic; Baseoil –	- unspecified:			
Speci	es	:	Rabbit				
Assessment		:	No eye irritation				
Metho		:	OECD Test Guideline 405				
Resul	t	:	No eye irritation				
GLP		:	yes				
lithiu	m 12-hydroxysteara	ate:					
Speci	es	:	Rabbit				
	ssment	:	No eye irritation				
Metho		:	OECD Test Guideline 405				
Resul	t	:	No eye irritation				
calciu	um distearate:						
Speci		:	Rabbit				
	ssment	:	No eye irritation				
Resul	t	:	No eye irritation				
Resp	iratory or skin sens	itisatio	n				
<u>Produ</u>							
Rema	arks	:	This information is not available.				
<u>Comp</u>	oonents:						
	es, N-C16-C18-alky lec-9-enoate]:	l-(even	numbered, C18 unsaturated) pro	pane-1,3-diaminium di[(9			
	ssment	:	Does not cause skin sensitisation				
				a brand of			





KS 270)		
rsion 2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024
Resul	t	: Does not cause skin sensitisation.	
zinc c	oxide:		
Test 7	Гуре	: Maximisation Test	
Speci		: Guinea pig	
Asses	ssment	: Does not cause skin sensitisation.	
Metho	bd	: OECD Test Guideline 406	
Resul GLP	t	Does not cause skin sensitisation.yes	
	carbonate:	Movimination Test	
Test T		: Maximisation Test	
Speci	es ssment	: Guinea pig : Does not cause skin sensitisation.	
Resul		: Does not cause skin sensitisation.	
i tesui	L .		
		, reaction products with 2,4,4-trimethylp	pentene:
Speci		: Guinea pig	
	ssment	: Does not cause skin sensitisation.	
Method Result		: OECD Test Guideline 406 : Does not cause skin sensitisation.	
Benzenesulfonic acid, di-C Assessment Result		 Probability or evidence of low to m rate in humans Probability or evidence of low to m rate in humans 	
Distil	lates (petroleum), h	rate in humans ydrotreated heavy paraffinic; Baseoil –	- unspecified:
Speci	es	: Guinea pig	
	ssment	: Does not cause skin sensitisation.	
Metho	bd	: OECD Test Guideline 406	
Resul	t	: Does not cause skin sensitisation.	
GLP		: yes	
lithiu	m 12-hydroxysteara	ate:	
Expos	sure routes	: Dermal	
Speci		: Mouse	
Metho		: OECD Test Guideline 429	
Resul	t	: negative	
calciu	um distearate:		
Expos	sure routes	: Dermal	
		17 / 35	a brand of



rsion	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
Species Assessment Result		:	Guinea pig Does not cause skin sensitisation. Does not cause skin sensitisation.	
Germ	n cell mutagenicity			
Prod				
Geno	otoxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
Com	ponents:			
	ies, N-C16-C18-alkyl dec-9-enoate]:	-(even	numbered, C18 unsaturated) prop	pane-1,3-diaminium di[(9
Genotoxicity in vitro		:	Test Type: Ames test Result: negative	
Germ cell mutagenicity- Assessment		:	Tests on bacterial or mammalian co mutagenic effects.	ell cultures did not show
zinc	oxide:			
Germ cell mutagenicity- Assessment		:	Tests on bacterial or mammalian co mutagenic effects.	ell cultures did not show
Benz	enesulfonic acid, di	-C10-1	4-alkyl derivs., calcium salts:	
Genotoxicity in vitro		:	Test Type: Microbial mutagenesis a Test system: Salmonella typhimuric Metabolic activation: with and witho Method: OECD Test Guideline 471 Result: negative	um out metabolic activation
calci	um distearate:			
Germ cell mutagenicity- Assessment		:	Tests on bacterial or mammalian co mutagenic effects.	ell cultures did not show
Carci	inogenicity			
Product: Remarks :		:	No data available	
Com	ponents:			
Carci	l lates (petroleum), h nogenicity - ssment	ydrotro :	eated heavy paraffinic; Baseoil — Not classifiable as a human carcino	•





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Amines, N-C16-C18-alkyl-(octadec-9-enoate]:	ever	nnumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-
Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies.
zinc oxide:		
Carcinogenicity - Assessment	:	Not classifiable as a human carcinogen.
Distillates (petroleum), hyd	drotr	eated heavy paraffinic; Baseoil — unspecified:
Carcinogenicity - Assessment	:	Not classifiable as a human carcinogen.
calcium distearate:		
Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies.
Reproductive toxicity		
Product:		
Effects on fertility	:	Remarks: No data available
Effects on foetal development	:	Remarks: No data available
Components:		
Amines, N-C16-C18-alkyl-(octadec-9-enoate]:	ever	nnumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-
Reproductive toxicity -	:	- Fertility -
Assessment		No toxicity to reproduction - Teratogenicity -
		No toxicity to reproduction
zinc oxide:		
Reproductive toxicity -	:	- Fertility -
Assessment		No toxicity to reproduction - Teratogenicity -
		No toxicity to reproduction

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:





OKS 270	0			
/ersion 3.2	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
	oductive toxicity - ssment	:	- Fertility - Some evidence of adverse effects fertility, based on animal experime	
Repro	Benzenesulfonic acid, di-C1 Reproductive toxicity - Assessment		 4-alkyl derivs., calcium salts: Fertility - No toxicity to reproduction Teratogenicity - No toxicity to reproduction 	
Repro	lates (petroleum), h oductive toxicity - ssment	ydrotre :	eated heavy paraffinic; Baseoil — - Fertility - No toxicity to reproduction	unspecified:
Repro	calcium distearate: Reproductive toxicity - Assessment		- Fertility - No toxicity to reproduction - Teratogenicity - No effects on or via lactation	
STOT <u>Produ</u> Rema		:	No data available	
Amin	ponents: es, N-C16-C18-alky lec-9-enoate]:	l-(even	numbered, C18 unsaturated) prop	oane-1,3-diaminium di[(9Z)-
	ssment	:	The substance or mixture is not cla organ toxicant, single exposure.	assified as specific target
	oxide: ssment	:	The substance or mixture is not cla organ toxicant, single exposure.	assified as specific target
	u m distearate: ssment	:	The substance or mixture is not cla organ toxicant, single exposure.	assified as specific target





S 270				
rsion Revision Date: 2 19.02.2024			of last issue: 04.11.2022 of first issue: 01.07.2016	Print Date: 19.02.2024
стот	- repeated exposu	re		
<u>Produ</u>	<u>uct:</u>			
Rema	rks	: N	lo data available	
Comp	oonents:			
	es, N-C16-C18-alky /ec-9-enoate]:	l-(evennı	umbered, C18 unsaturated) pro	pane-1,3-diaminium di[(9
	sure routes	: 1	ngestion	
Asses	sment		Nay cause damage to organs thro exposure.	ough prolonged or repeated
zinc c	oxide:			
Asses	sment		he substance or mixture is not clorgan toxicant, repeated exposure	
calciu	ım distearate:			
Asses	ssment		The substance or mixture is not clorgan toxicant, repeated exposure	
Repea	ated dose toxicity			
<u>Produ</u>	<u>ict:</u>			
Rema	rks	: 1	his information is not available.	
Aspir	ation toxicity			
<u>Produ</u>	<u>ict:</u>			
This ir	nformation is not ava	ailable.		
<u>Comp</u>	oonents:			
	l ates (petroleum), h be fatal if swallowed	-	ted heavy paraffinic; Baseoil – s airways.	- unspecified:
Mayh	e harmful if swallow			

No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

calcium distearate:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties				
Product:				
Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 			
Further information				
Product:				
Remarks	: Information given is based on data on the components and the toxicology of similar products.			
Components:				
Distillates (petroleum), hydro	treated heavy paraffinic; Baseoil — unspecified:			
Remarks	: Information given is based on data on the components and the toxicology of similar products.			

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Very toxic to aquatic organisms.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:





OK	S 270				
Vers 3.2	sion	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
	Toxicity	y to fish	:	LC50 (Danio rerio (zebra fish)): > 0,1 - 1 Exposure time: 96 h Method: OECD Test Guideline 203	mg/l
		y to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0, Exposure time: 48 h	,1 - 1 mg/l
	Toxicity plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g - 0,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	green algae)): > 0,01
	M-Fact toxicity	or (Acute aquatic)	:	10	
	aquatio	y to daphnia and other invertebrates ic toxicity)	:	EC50: 1,41 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211	
	M-Fact toxicity	or (Chronic aquatic)	:	1	
	Ecoto	kicology Assessment	t		
	Acute a	aquatic toxicity	:	Very toxic to aquatic life.	
	Chroni	c aquatic toxicity	:	Toxic to aquatic life with long lasting effect	cts.
	zinc o	xide:			
	Toxicity	y to fish	:	LC50 (Danio rerio (zebra fish)): 1,55 mg/l Exposure time: 96 h Test Type: static test	
		y to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 1 m Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	ıg/l
	Toxicit <u>y</u> plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	green algae)): 0,136
	M-Fact toxicity	or (Acute aquatic)	:	1	





Versio	n Revision Date:	Date	e of last issue: 04.11.2022	Print Date:
3.2	19.02.2024		e of first issue: 01.07.2016	19.02.2024
Т	oxicity to microorganisms	:	EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes	
ac	oxicity to daphnia and other quatic invertebrates Chronic toxicity)	• :	0,04 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211	
	-Factor (Chronic aquatic xicity)	:	1	
zi	nc carbonate:			
Т	oxicity to fish	:	EC50 (Oncorhynchus mykiss (rainbow t Exposure time: 96 h	rout)): 0,169 mg/l
	oxicity to daphnia and other quatic invertebrates	• :	EC50 (Ceriodaphnia dubia (water flea)) Exposure time: 48 h	: 0,147 mg/l
	-Factor (Acute aquatic xicity)	:	1	
	-Factor (Chronic aquatic xicity)	:	1	
В	enzenamine, N-phenyl-, re	eacti	on products with 2,4,4-trimethylpente	ne:
	oxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 m Exposure time: 96 h Method: OECD Test Guideline 203	
	oxicity to daphnia and other quatic invertebrates	• :	EC50 (Daphnia magna (Water flea)): 51 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	l mg/l
	oxicity to algae/aquatic ants	:	EC50 (Desmodesmus subspicatus (gree Exposure time: 72 h Method: OECD Test Guideline 201	en algae)): > 100 mg/l
Τ¢	oxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209	
ac	oxicity to daphnia and other quatic invertebrates Chronic toxicity)	· :	EL10: 1,69 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)	





01/0							
OKS	OKS 270						
Versi 3.2		Revision Date: 9.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024		
	Renzene	sulfonic acid di-C	10-1	4-alkyl derivs., calcium salts:			
	Toxicity t		:	LC50 (Oncorhynchus mykiss (rainbe Exposure time: 96 h Method: OECD Test Guideline 203	ow trout)): > 100 mg/l		
		o daphnia and other nvertebrates	:	(Daphnia magna (Water flea)): > 10 Exposure time: 48 h Method: OECD Test Guideline 202)0 mg/l		
	Toxicity t plants	o algae/aquatic	:	NOELR (Desmodesmus subspicatu Exposure time: 72 h Method: OECD Test Guideline 201	s (green algae)): 100 mg/l		
				EL50 (Desmodesmus subspicatus (Exposure time: 72 h Method: OECD Test Guideline 201	green algae)): > 100 mg/l		
-	Toxicity t	o microorganisms	:	EC50 (activated sludge): > 10.000 r Exposure time: 3 h Method: OECD Test Guideline 209	ng/l		
	Distillate	es (netroleum), hvd	rotre	eated heavy paraffinic; Baseoil — (unspecified:		
	Toxicity t		:	LC50 (Pimephales promelas (fathea Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	•		
		o daphnia and other nvertebrates	:	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes): > 10.000 mg/l		
á		o daphnia and other nvertebrates toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes	a)		
I	lithium 1	2-hydroxystearate	:				
-	Toxicity t	o fish	:	LC50 (Oncorhynchus mykiss (rainbe Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes	ow trout)): > 100 mg/l		





Vers 3.2	sion	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
		y to daphnia and other c invertebrates	• :	EC50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h	00 mg/l
	Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h Method: OECD Test Guideline 201	green algae)): > 160
				NOEC (Pseudokirchneriella subcapitata mg/l Exposure time: 72 h Method: OECD Test Guideline 201	(green algae)): 160
	calciu	m distearate:			
	Toxicit	y to fish	:	LC50 (Oryzias latipes (Orange-red killifis Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	h)): > 100 mg/l
		y to daphnia and other c invertebrates	· :	EC50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h Test Type: static test	00 mg/l
	Toxicit plants	y to algae/aquatic	:	ErC50 (Pseudokirchneriella subcapitata mg/l Exposure time: 72 h Test Type: static test	(green algae)): > 100

12.2 Persistence and degradability

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

Components:

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Biodegradability : Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 65 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes





OKS 27	0						
Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016	Print Date: 19.02.2024				
zinc	oxide:						
Biode	egradability	: Remarks: The methods for d not applicable to inorganic su	etermining biodegradability are ubstances.				
Benz	enamine, N-phenyl	, reaction products with 2,4,4-trime	ction products with 2,4,4-trimethylpentene:				
Biode	egradability	: Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegrac Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guidelin GLP: yes					
Benz	enesulfonic acid, d	i-C10-14-alkyl derivs., calcium salts	5:				
Biode	egradability	: Result: Not readily biodegrad Biodegradation: 8 % Exposure time: 28 d Method: OECD Test Guidelir					
Distil	llates (petroleum), h	ydrotreated heavy paraffinic; Base	oil — unspecified:				
Biode	egradability	: Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegrac Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guidelir GLP: yes					
lithiu	m 12-hydroxystear	ate:					
Biode	egradability	: Test Type: Primary biodegrad Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 74,7 % Exposure time: 28 d Method: OECD Test Guidelin	9				
calci	um distearate:						
Biode	egradability	: Test Type: aerobic Result: Readily biodegradabl Biodegradation: 95 % Exposure time: 28 d Method: OECD Test Guidelir					





Version 3.2	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
12.3 Bioa	ccumulative potential			
Prod	uct:			
Bioad	Bioaccumulation		Remarks: This mixture contains no s be persistent, bioaccumulating and t This mixture contains no substance persistent and very bioaccumulating	oxic (PBT). considered to be very
<u>Com</u>	ponents:			
	nes, N-C16-C18-alkyl-(e dec-9-enoate]:	ever	numbered, C18 unsaturated) propa	ne-1,3-diaminium di[(9Z)
Bioad	ccumulation	:	Remarks: Bioaccumulation is unlikel	y.
Benz	enamine, N-phenyl-, r	eact	ion products with 2,4,4-trimethylpe	ntene:
Bioad	ccumulation	:	Species: Cyprinus carpio (Carp) Exposure time: 42 d Bioconcentration factor (BCF): 1.730 Remarks: Due to the distribution coe accumulation in organisms is possib	efficient n-octanol/water,
	ion coefficient: n- nol/water	:	log Pow: > 6	
Benz	enesulfonic acid, di-C	:10-1	4-alkyl derivs., calcium salts:	
Bioad	ccumulation	:	Bioconcentration factor (BCF): 70,8	
	ion coefficient: n- nol/water	:	log Pow: 6,91 (20 °C)	
Disti	llates (petroleum), hyd	Irotr	eated heavy paraffinic; Baseoil — ι	inspecified:
	ion coefficient: n- nol/water	:	log Pow: > 2	
lithiu	ım 12-hydroxystearate	:		
	tion coefficient: n- nol/water	:	log Pow: 2,6	
calci	um distearate:			
	ion coefficient: n- nol/water	:	log Pow: 14,34	
2.4 Mob	ility in soil			
Prod	uct:			
Mobi	lity	:	Remarks: No data available	
			00 / 05	a brand of





Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11. Date of first issue: 01.07.	
	bution among onmental compartmer	: Remarks: No data a	available
12.5 Resu	Ilts of PBT and vPvE	assessment	
Prod	uct:		
Asse	ssment	to be either persiste	ture contains no components considered ent, bioaccumulative and toxic (PBT), or very bioaccumulative (vPvB) at levels of
<u>Com</u>	ponents:		
zinc	oxide:		
Asse	ssment	: Remarks: Not applic	cable
Benz	enamine, N-phenyl-,	eaction products with 2,	,4,4-trimethylpentene:
	ssment	•	substance. Non-classified vPvB substan
Disti	llates (petroleum), h	Irotreated heavy paraffir	nic; Baseoil — unspecified:
	ssment		B substance. Non-classified PBT substan
calci	um distearate:		
Asse	ssment	: Non-classified vPvB	B substance. Non-classified PBT substan
12.6 Endo	ocrine disrupting pro	erties	
Prod	uct:		
	ssment	considered to have to REACH Article 57	ture does not contain components endocrine disrupting properties according 7(f) or Commission Delegated regulation Commission Regulation (EU) 2018/605 a gher.
12.7 Othe	r adverse effects		
Prod	uct:		
Addit	ional ecological nation	: Very toxic to aquation effects in the aquation	c organisms, may cause long-term adver ic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods





UK5 270				
Version 3.2	Revision Date: 19.02.2024	Date of last issue: 04.11.2022 Date of first issue: 01.07.2016		
Product		 The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local national regulations. Waste codes should be assigned by the user based on t application for which the product was used. 		
Contaminated packaging		the unused product.	operly emptied must be disposed of as	
		The following Waste Coo	des are only suggestions:	
Waste Code		: used product, unused pr 12 01 12**, spent waxes		
		uncleaned packagings 15 01 10*, packaging co by hazardous substance	ntaining residues of or contaminated s	

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	UN 3077			
RID	:	UN 3077			
IMDG	:	UN 3077			
ΙΑΤΑ	:	UN 3077			
14.2 UN proper shipping name					
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)			
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.			
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)			
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (fatty amine derivative)			

14.3 Transport hazard class(es)



according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 2	270
-------	-----

Vers 3.2	ion	Revision Date: 19.02.2024		e of last issue: 04.11.2022 e of first issue: 01.07.2016	Print Date: 19.02.2024
			:	9	
	RID		:	9	
	IMDG IATA		:	9	
1 <i>1 1</i>		ig group	:	9	
		19 91 0 0 P			
	Classifi Hazard Labels	g group ication Code I Identification Number restriction code		III M7 90 9 (-)	
	Classifi	g group ication Code I Identification Number	:	III M7 90 9	
	IMDG Packing Labels EmS C	g group ode	:	III 9 F-A, S-F	
	aircraft Packing	g instruction (cargo	:	956 Y956 III Miscellaneous Dangerous Goods	
	Packing (passed Packing	Passenger) g instruction nger aircraft) g instruction (LQ) g group	:	956 Y956 III	
	Labels		:	Miscellaneous Dangerous Goods	
14.5		nmental hazards			
	ADR Enviror	nmentally hazardous	:	yes	
	RID Enviror	nmentally hazardous	:	yes	
	IMDG	pollutant	•	yes	
	IATA (Passenger) mentally hazardous	:	yes	





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable		
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable		
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable		
Seveso III: Directive 2012/18/EU of the European E1 Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		ENVIRONMENTAL HAZARDS		





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date: 19.02.2024
3.2	19.02.2024	Date of first issue: 01.07.2016	
Volati	ile organic compounds	: Directive 2010/75/EU of 24 Nover emissions (integrated pollution pro Not applicable	

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note L		The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
PT OEL	:	Portugal. Security and Health at the Workplace - Occupational exposure limits of chemical agents
PT OEL / VLE-MP PT OEL / VLE_CD	:	Time Weighted Average Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - PT (Commission Regulation (EU) 2020/878)



OKS 270

Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the m	Classification procedure:	
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily





Version	Revision Date:	Date of last issue: 04.11.2022	Print Date:
3.2	19.02.2024	Date of first issue: 01.07.2016	19.02.2024

mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

