

## OKS 270

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : OKS 270

#### Manufacturer or supplier's details

Company name of supplier : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach-Gernlinden  
Deutschland  
Tel.: +49 8142 3051 500  
Fax: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com  
Emergency telephone number : +7 495 628 1687  
+49 8142 3051 517

#### Recommended use of the chemical and restrictions on use



Recommended use : Lubricant  
Restrictions on use : Restricted to professional users.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification (According to GOST 32423, GOST 32424 and GOST 32425)

Skin irritation : Category 3  
Reproductive toxicity : Category 2  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 3

#### GHS-Labeling (According to GOST 31340)

Hazard pictograms :  

Signal word : Warning  
Hazard statements : H316 Causes mild skin irritation.

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

H361f Suspected of damaging fertility.  
H400 Very toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**  
P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Other hazards which do not result in classification**  
None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical nature : Mineral oil.  
PTFE  
solid lubricant  
lithium soap

**Components**

Chemical name	Concentration (% w/w)	Occupational Exposure Limits		CAS-No.	EC-No.
		MAC value mg/m3 / TSEL value	Hazard Class		
Ethylene, tetrafluoro-, polymer	>= 1 - < 10	MPC-TWA: 10 mg/m3 Data Source: RU OEL	f, 4	9002-84-0	618-337-2
Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]	>= 2,5 - < 10	No data available			800-362-7

**OKS 270**

Version 3.3      Revision Date: 11.06.2024      Date of last issue: 19.02.2024      Print Date: 11.06.2024  
Date of first issue: 24.06.2014

calcium distearate	$\geq 1 - < 10$	MPC-STEL: 10 mg/m <sup>3</sup> Data Source: RU OEL	4	1592-23-0	216-472-8
zinc oxide	$\geq 1 - < 2,5$	MPC-TWA: 0,5 mg/m <sup>3</sup> Data Source: RU OEL	2	1314-13-2	215-222-5
		MPC-STEL: 1,5 mg/m <sup>3</sup> Data Source: RU OEL	2		
zinc carbonate	$\geq 0,1 - < 0,25$	TSEL: 2 mg/m <sup>3</sup> Data Source: RU TSEL		3486-35-9	222-477-6
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	$\geq 0,1 - < 0,25$	No data available		68411-46-1	270-128-1
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	$\geq 0,1 - < 1$	No data available			939-603-7

**4. FIRST AID MEASURES**

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.



**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Obtain medical attention.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : None known.  
No symptoms known or expected.

Notes to physician : Treat symptomatically.

**5. FIREFIGHTING MEASURES**

**Flammable properties**

Flash point : Not applicable  
Ignition temperature : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flammability (solid, gas) : Combustible Solids

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Oxides of phosphorus  
Halogenated compounds  
Metal oxides

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to



**OKS 270**

Version 3.3	Revision Date: 11.06.2024	Date of last issue: 19.02.2024 Date of first issue: 24.06.2014	Print Date: 11.06.2024
----------------	------------------------------	---	---------------------------

health.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and transfer to properly labelled containers.

**7. HANDLING AND STORAGE**

- Advice on safe handling : Do not use in areas without adequate ventilation.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.
- Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type	Control	Data Source
------------	---------	------------	---------	-------------



**OKS 270**

Version 3.3      Revision Date: 11.06.2024      Date of last issue: 19.02.2024      Print Date: 11.06.2024  
 Date of first issue: 24.06.2014

		(Form of exposure)	parameters / Permissible concentration	
Ethylene, tetrafluoro-, polymer	9002-84-0	MPC-TWA (aerosol)	10 mg/m3	RU OEL (2021-02-03)
	Further information: aerosols of predominantly fibrogenic action, Class 4 - Low hazard			
calcium distearate	1592-23-0	MPC-STEEL (aerosol)	10 mg/m3	RU OEL (2021-02-03)
	Further information: Class 4 - Low hazard			
zinc oxide	1314-13-2	MPC-TWA (aerosol)	0,5 mg/m3	RU OEL (2021-02-03)
	Further information: Class 2 - Highly dangerous			
		MPC-STEEL (aerosol)	1,5 mg/m3	RU OEL (2021-02-03)
	Further information: Class 2 - Highly dangerous			
zinc carbonate	3486-35-9	TSEL (aerosol)	2 mg/m3	RU TSEL (2021-02-03)

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : Fluorinated rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste

Colour : beige

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Drop point : > 190 °C  
(1.013 hPa)

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : not auto-flammable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 1,15 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 1,15 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)



**OKS 270**

Version 3.3	Revision Date: 11.06.2024	Date of last issue: 19.02.2024 Date of first issue: 24.06.2014	Print Date: 11.06.2024
----------------	------------------------------	---	---------------------------

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

Particle size : Not applicable

**10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.





**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**calcium distearate:**

Acute oral toxicity : LD50 (Rat): 5.000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**zinc oxide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

**zinc carbonate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

**calcium distearate:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

**zinc oxide:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Species : Rabbit  
Result : Irritating to eyes.  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405

**calcium distearate:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

**zinc oxide:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**zinc carbonate:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Result : No skin irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**calcium distearate:**

Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**zinc oxide:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

**zinc carbonate:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406



**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Result : Does not cause skin sensitisation.

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Result : Probability or evidence of low to moderate skin sensitisation rate in humans

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:**

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**calcium distearate:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**zinc oxide:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative



**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**calcium distearate:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**zinc oxide:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

**calcium distearate:**

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

**zinc oxide:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

**STOT - single exposure**

**Product:**

Remarks : No data available

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.





**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**calcium distearate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**zinc oxide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Product:**

Remarks : No data available

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Exposure routes : Ingestion  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**calcium distearate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**zinc oxide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**Ethylene, tetrafluoro-, polymer:**

No aspiration toxicity classification

**calcium distearate:**

No aspiration toxicity classification

**zinc oxide:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: Very toxic to aquatic organisms.

Toxicity to daphnia and other :  
aquatic invertebrates       Remarks: No data available

Toxicity to algae/aquatic :  
plants                               Remarks: No data available

Toxicity to microorganisms :   Remarks: No data available

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**Components:**

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,1 - 1 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,01 - 0,1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): 1,41 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**calcium distearate:**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test

**zinc oxide:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1,55 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,136 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : (Daphnia magna (Water flea)): 0,04 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes

**zinc carbonate:**

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg/l  
Exposure time: 96 h

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 0,147 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10 (Daphnia magna (Water flea)): 1,69 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : NOELR (Desmodesmus subspicatus (green algae)): 100 mg/l

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

plants  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical : Remarks: No data available  
removability

**Components:**

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 65 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

**calcium distearate:**

Biodegradability : aerobic  
Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**zinc oxide:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: No data available

**Components:**

**Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**calcium distearate:**

Partition coefficient: n-octanol/water : log Pow: 14,34

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 1.730  
Exposure time: 42 d  
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 5,2 - 10,82

**Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:**

Bioaccumulation : Bioconcentration factor (BCF): 70,8



**OKS 270**

Version 3.3	Revision Date: 11.06.2024	Date of last issue: 19.02.2024 Date of first issue: 24.06.2014	Print Date: 11.06.2024
----------------	------------------------------	---	---------------------------

Partition coefficient: n-octanol/water : log Pow: 6,91 (20 °C)

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Additional ecological information : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Components:**

**Ethylene, tetrafluoro-, polymer:**

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

**calcium distearate:**

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

**zinc oxide:**

Results of PBT and vPvB assessment : Remarks: Not applicable

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

**Hygienic standards:**

**(Allowable concentration in air, water, including fishery waters, soil)**

Components	Air	Water	Soil	Data Source
calcium distearate	Concentration that provides admissible (acceptable) levels of risk when	TSEL value: 0,25 mg/l Limiting health hazard indicator:	No data available	List 1 List 3





**OKS 270**

Version 3.3      Revision Date: 11.06.2024      Date of last issue: 19.02.2024      Print Date: 11.06.2024  
 Date of first issue: 24.06.2014

	<p>exposed to at least 24 hours - average daily: 0,15 mg/m<sup>3</sup> Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous</p> <p>Concentration that prevents irritation, reflex reactions, odors when exposed to 20-30 minutes - maximum one-time: 0,5 mg/m<sup>3</sup> Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous</p>	<p>organoleptic; increases the turbidity of the water Hazard class: Class 4 - low hazard</p>		
zinc oxide	<p>Concentration that provides admissible (acceptable) levels of risk when exposed to at least 24 hours - average daily: 0,05 mg/m<sup>3</sup> (Zinc) Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous</p>	No data available	No data available	List 1
zinc carbonate	<p>Concentration that provides admissible (acceptable) levels of risk when exposed to at least 24 hours - average daily: 0,02 mg/m<sup>3</sup> (Zinc) Limiting health hazard indicator: resorptive</p>	No data available	No data available	List 1



**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

	Hazard class: Class 4 - low hazard			
--	---------------------------------------	--	--	--

For explanation of abbreviations see section 16.

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

**14. TRANSPORT INFORMATION**

**ADR**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fatty amine derivative)  
Class : 9  
Packing group : III  
Labels : 9  
Hazard Identification Number : 90  
Tunnel restriction code : (-)  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(fatty amine derivative)

**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Class : 9  
Packing group : III  
Labels : Miscellaneous Dangerous Goods  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**15. REGULATORY INFORMATION**

**National regulatory information**

Federal Law of 21.07.1997 No. 116-FZ (amended on 11.06.2021) "On industrial safety of hazardous production facilities".

Federal Law of 24.06.1998 No. 89-FZ (amended on 02.07.2021) "On production and consumption waste".

Federal Law of 30.03.1999 No. 52-FZ (amended on 02.07.2021) "On the Sanitary and Epidemiological Well-Being of the Population" (amended and supplemented, entered into force on 31.10.2021).

Federal Law of 04.05.1999 No. 96-FZ "On the protection of atmospheric air" (as amended on December 8, 2020).

Federal Law of 27.12.2002 No. 184-FZ (amended on 02.07.2021) "On Technical Regulation" (amended and supplemented, entered into force on 01.09.2021).

Federal Law of 10.01.2002 No. 7-FZ (amended on 02.07.2021) "On environmental protection".

Federal Law of 22.07.2008 No. 123-FZ "Technical Regulations on Fire Safety Requirements"

TECHNICAL REGULATIONS OF THE CUSTOMS UNION TR CU 030/2012 On requirements for lubricants, oils and special fluids (amended on 03.03.2017).

**International Regulations**



**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

**16. OTHER INFORMATION**

**List of data sources used in the preparation of the Safety Data Sheet**

GOST 30333-2007. Interstate standard. Safety data sheet for chemical products. Primary requirements.

GOST 12.1.004-91 System of labor safety standards (SSBT). Fire safety. General requirements.

GOST 12.1.007-76 Occupational safety standards system. Noxious substances. Classification and general safety requirements

GOST 12.1.044-89 SSBT. Fire and explosion hazard of substances and materials. Nomenclature of indicators and methods for their determination.

GOST 12.4.021 System of labor safety standards (SSBT). Ventilation systems. General requirements.

GOST 12.4.137-2001 Special footwear with leather uppers for protection against oil, oil products, acids, alkalis, non-toxic and explosive dust. Technical conditions.

GOST 12.4.252-2013 System of labor safety standards (SSBT). Means of individual protection of hands. Gloves. General technical requirements. Test methods.

GOST 14192-96. Interstate standard. Cargo marking. Minsk, 1998.

GOST 19433-88 Dangerous goods. Classification and labeling.

GOST 31340-2013. Interstate standard. Precautionary labeling of chemical products. General requirements.

GOST 32419-2013 Classification of the hazard of chemical products. General requirements.

GOST 32421-2013 Classification of chemical products, the hazard of which is due to physical and chemical properties. Test methods for explosive chemical products.

GOST 32423-2013 Hazard classification of mixed chemical products by their effects on the body.

GOST 32424-2013 Classification of the hazard of chemical products by their impact on the environment. Basic provisions.

GOST 32425-2013 Hazard classification of mixed chemical products in terms of environmental impact.

GOST R 53264-2019 Fire fighting equipment. Special protective clothing for firefighters. General technical requirements. Test methods.

GOST R 53265-2019 Fire fighting equipment. Personal protective equipment for the feet of the firefighter. General technical requirements. Test methods.

GOST R 53268-2009 Fire fighting equipment. Fire rescue belts. General technical requirements. Test methods.

GOST R 53269-2019 Fire fighting equipment. Firefighters helmets. General technical requirements. Test methods.

SanPiN 1.2.2353-08 "Carcinogenic factors and basic requirements for the prevention of carcinogenic hazard".

SanPiN 1.2.3685-21 "Hygienic standards and requirements for ensuring the safety and (or) harmlessness to humans of environmental factors" dated 28.01.2021.

SanPiN 2.1.3684-21 "Sanitary and epidemiological requirements for the maintenance of the territories of urban and rural settlements, for water bodies, drinking water and drinking water



**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

supply, atmospheric air, soils, living quarters, the operation of industrial, public premises, the organization and implementation of sanitary and anti-epidemic (preventive) measures".  
SanPiN 2.2.0.555-96. 2.2. Labor hygiene. Hygienic requirements for working conditions for women. Sanitary rules and regulations.  
Carriage of dangerous goods, International maritime dangerous goods (IMDG) code.  
Water quality standards for fishery water bodies, including standards for maximum permissible concentrations of harmful substances in the waters of fishery water bodies (approved by order of the Ministry of Agriculture of Russia dated December 13, 2016 No. 552).  
Regulations for the carriage of dangerous goods (Appendix 1 and 2) to the Agreement on International Goods Transport by Rail (SMGS), 2009.  
Agreement on International Goods Transport by Rail (SMGS).  
UN Recommendations on the Transport of Dangerous Goods. Typical rules. Twenty-second revised edition. United Nations, New York and Geneva, 2021.  
Montreal Protocol (Ozone Depleting Substances)  
Stockholm Convention (Persistent Organic Pollutants)

**Full text of other abbreviations**

- Aquatic Acute : Short-term (acute) aquatic hazard
- Aquatic Chronic : Long-term (chronic) aquatic hazard
- Eye Irrit. : Eye irritation
- Repr. : Reproductive toxicity
- Skin Irrit. : Skin irritation
- Skin Sens. : Skin sensitisation
- STOT RE : Specific target organ toxicity - repeated exposure
- RU OEL : SanPiN 1.2.3685-21 Table 2.1, Table 2.8, Table 2.16 & Table 2.17 Maximum permissible concentrations (MPC) in the air of the working area
- RU TSEL : SanPiN 1.2.3685-21 Table 2.2 Tentative Safe Exposure Levels (TSELs) of Pollutants in the Air of the Working Area
- RU OEL / MPC-STEL : Maximum Permissible Concentration - Short Term Exposure
- RU OEL / MPC-TWA : Maximum Permissible Concentration - Time Weighted Average
- RU TSEL / TSEL : TSEL value
- List 1 : SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements
- List 3 : SanPiN 1.2.3685-21 Table 3.14 & Table 3.18 Indicative permissible levels (TAC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of ground and surface water bodies of drinking and cultural and domestic water use, water of swimming pools, water parks

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research



**OKS 270**

Version	Revision Date:	Date of last issue: 19.02.2024	Print Date:
3.3	11.06.2024	Date of first issue: 24.06.2014	11.06.2024

on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.